



**QUEEN'S
UNIVERSITY
BELFAST**

Phytolith-associated potassium in fern

Tran, C. T., Mai, N. T., Nguyen, V. T., Nguyen, H. X., Meharg, A., Carey, M., Dultz, S., Marone, F., Cichy, S. B., & Nguyen, M. N. (2018). Phytolith-associated potassium in fern: characterization, dissolution properties and implications for slash-and-burn agriculture. *Soil Use and Management*, 34(1), 28-36.
<https://doi.org/10.1111/sum.12409>

Published in:
Soil Use and Management

Document Version:
Peer reviewed version

Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights
© 2018 British Society of Soil Science. This work is made available online in accordance with the publisher's policies. Please refer to any applicable terms of use of the publisher.

General rights
Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

Open Access
This research has been made openly available by Queen's academics and its Open Research team. We would love to hear how access to this research benefits you. – Share your feedback with us: <http://go.qub.ac.uk/oa-feedback>

1 **Phytolith-associated potassium in fern: Characterization, dissolution**
2 **properties and implications for slash-and-burn agriculture**

3 C. T. TRAN^{1,a}, N. T. MAI^{1,2,a}, V. T. NGUYEN¹, H. X. NGUYEN¹, A. MEHARG³, M. CAREY³, S.
4 DULTZ⁴, F. MARONE⁵, S. B. CICHY⁶, M. N. NGUYEN^{1,*}

5 ¹ Faculty of Environmental Science, VNU University of Science, Vietnam National University, Hanoi
6 (VNU), 334 - Nguyen Trai, Thanh Xuan, Hanoi, Viet Nam.

7 ² Faculty of Environment and Natural Resources, Ha Tay Community College, Thuy Xuan Tien, Chuong
8 My, Hanoi, Viet Nam.

9 ³ Institute for Global Food Security, Queen's University Belfast, David Keir Building, Malone Road, BT9
10 5BN, Northern Ireland, UK.

11 ⁴ Institute of Soil Science, Leibniz Universität Hannover, Herrenhäuser Straße 2, 30419 Hannover,
12 Germany.

13 ⁵ X-ray Tomography Group, Swiss Light Source, WBBA/216, CH-5232 Villigen, Switzerland.

14 ⁶ Institute of Earth and Environmental Science, University of Potsdam, Karl-Liebknecht-Str. 24-25, 14476
15 Potsdam-Golm, Germany.

16 ^a The first two authors contributed equally to this study.

17

18 **Abstract**

19 In recent time, phytoliths (silicon deposition between plant cells) have been recognized as an
20 important nutrient source for crops. The work presented here aims at highlighting the
21 potential of phytolith occluded K pool in ferns. *Dicranopteris linearis* (*D. linearis*) is a
22 common fern in the humid subtropical and tropical regions. Burning of the fern *D. linearis* is,
23 in slash-and-burn regions, a common practice to prepare the soil before planting. We
24 characterised the phytolith rich ash derived from the fern *D. linearis*, and phytolith associated
25 potassium (K) (phytK), using X-ray tomographic microscopy in combination with kinetic
26 batch experiments. *D. linearis* contains up to 3.9 g K kg⁻¹ d.wt, including K sub-
27 compartmented in phytoliths. X-ray tomographic microscopy visualized an inter-embedding
28 structure between organic matter and silica, particularly in leaves. Co-release of K and Si
29 observed in the batch experiments confirmed that the dissolution of ash phytoliths is one of
30 major factors controlling K release. Under heat treatment, a part of the K is made available,
31 while the remainder entrapped into phytoliths (ca. 2.0 – 3.3%) is unavailable until the
32 phytoliths are dissolved. By enhanced removal of organic phases, or forming more stable
33 silica phases, heat treatment changes dissolution properties of the phytoliths, affecting K
34 release for crops and soils. The maximum release of soluble K and Si, occurred from
35 phytoliths treated at 500 - 800 °C. For quantitative approaches for the K provision of plants
36 from the soil phytK pool in soils, factors regulating phytolith dissolution rate have to be
37 considered.

38 *Keywords:* potassium; phytolith; fern; *Dicranopteris linearis*

39 **Introduction**

40 *Dicranopteris linearis* (*D. linearis*) is one of the most common ferns in the humid
41 subtropical and tropical regions (Scott, 1969; Guariguata, 1990). *D. linearis* can tolerate low
42 soil nutritional status, occurring on shallow, immature soils, mountain ridges, precipices or in

43 severely disturbed sites such as landslides, road-cuts and degraded forest lands (Scott, 1969;
44 Guariguata, 1990), and plays an important role for ecological succession (Atkinson, 1970). It
45 contains very low contents of nitrogen and phosphorus, but silicon (Si) and potassium (K) can
46 be assimilated at significantly higher levels (Russell *et al.*, 1998; Amatangelo & Vitousek,
47 2008). While Si tends to be immobilized by polymerization, and subsequent precipitation in
48 inter- and intracellular spaces of leaves and stems to form phytoliths (Piperno & Stothert,
49 2003; Parr & Sullivan, 2005; Mazumdar, 2011), K can be re-translocated to supply the
50 appropriate ionic environment for metabolic processes throughout the plant (Leigh & Wyn
51 Jones, 1984). We hypothesize that K can be sub-compartmented in organic matter associated,
52 or even occluded, within the phytolith structure (phytK) during precipitation of Si. This
53 means that this K pool is relatively unavailable for plant uptake even if the fern residue is
54 returned to the soil and it is likely that K release is linked with the dissolution of phytoliths.

55 Overall, dissolution of phytoliths is controlled by the protonation, deprotonation, and
56 hydrolysis of surface $\equiv\text{Si-OH}$ groups (Ehrlich *et al.*, 2010). This process occurs via
57 nucleophilic attack (Dove & Crerar, 1990). pH is a crucial factor in phytolith dissolution, via
58 protonation or deprotonation reactions (Frayse *et al.*, 2009; Nguyen *et al.*, 2014), which can
59 either increase resistance of the surface or make the surface more vulnerable from
60 nucleophilic attacks (Dove & Crerar, 1990). Deprotonation of the silanol groups (Si-OH) on
61 the phytolith surface can facilitate hydrolysis of $\equiv\text{Si-O}^-$ bonds, which is known to be a first
62 step for dissolution (Dove & Elston, 1992; Fraysse *et al.*, 2006). Adsorption of cations from
63 aqueous solutions onto deprotonated $\equiv\text{Si-O}^-$ sites leads to polymerization (Weres *et al.*, 1981).
64 Therefore, the surface of phytoliths is strengthened against dissolution. Associated organic
65 matter (phytC) (Li *et al.*, 2014; Song *et al.*, 2016; Guo *et al.*, 2015), may be another factor in
66 preserving phytoliths against hydrolysis, acting as a protective barrier (Parr & Sullivan, 2005;
67 Nguyen *et al.*, 2014). PhytC can be lost upon burning, which is a common practice of field

68 preparation in the slash-and-burn farming. Little is known about the effect of heat treatment
69 on phytC loss, surface property changes and dissolution rate of the fern *D. linearis* derived
70 phytoliths.

71 Slash-and-burn farming is typical in upland north Vietnam, where *D. linearis*
72 colonises soil that is left fallow. Slash and burn causes *D. linearis* phytolith-containing ash to
73 be re-cycled to the soil, providing nutrients for subsequent crops. In this study, phytoliths
74 obtained from ashing of fern *D. linearis* plants were used to examine release of Si and K and
75 to investigate how heat interacts with the phytolith structure with respect to subsequent K
76 dissolution.

77 **Materials and methods**

78 Phytoliths obtained from 300 - 1000 °C ashing were prepared. X-ray tomographic microscopy
79 provided visualization of siliceous structure within the phytolith. Scanning electron
80 microscopy (SEM), X-ray diffraction (XRD), Fourier transform infrared spectroscopy (FTIR),
81 specific surface area (SSA) and chemical composition analysis were carried out to evaluate
82 transformation of phytoliths, and the effect of this transformation on Si and K release. The
83 reactivity of biogenic silica is strictly related to changes in surficial properties (Cabanès and
84 Shahack-Gross, 2015) and, in particular, loss of reactive surface sites. Therefore, surface
85 charge (SC) was also determined as it is the key electrochemical parameter of the solid-liquid
86 interface indicating ion adsorption, and ionization of surface functional groups, providing
87 important information on dissolution kinetics (Walther, 1996). Other physio-chemical
88 properties of the ashed samples, such as pH, electro-conductivity (EC) and organic carbon
89 (OC), were determined to ascertain how they relate to phytolith dissolution.

90 ***Study site and sample production***

91 *D. linearis* was collected from its natural habitat in a mountainous region (21°30' N,
92 104°47' E), with an elevation of ~1400 m, located in the Northwest of Vietnam (Fig. 1). The

93 soil is the Ferralic Acrisol which has developed on the basaltic rock. Slash-and-burn farming
94 in this region has been practiced for hundreds of years, where maize is cultivated after
95 burning. The average temperature is 23.5 °C, with an average relative humidity of 85%.
96 Average annual precipitation is 1700 mm, fairly evenly distributed throughout the year.
97 (Fig. 1)

98 *D. linearis* was collected by harvesting above ground biomass from three separate
99 plots (1 m x 1 m). The samples were air-dried and 1.0 mm sieved. Elemental composition
100 (Table 1) was determined by XRF spectroscopy (Rigaku, Nex CG). Ashing was conducted by
101 heating 50 g of the sample, bulked from sampling plots, in a furnace at 300, 400, 500, 600,
102 700, 800, 900 and 1000 °C, for 2 h. Phytoliths were obtained from the ash by washing 3 times
103 with deionized water, followed by centrifugation and decantation. The centrifugate phytoliths
104 were dried at 60 °C for 24 h.

105 (Table 1)

106 *Characterization of samples*

107 The arrangement of Si and organic matter structures in dried stems and leaves of the
108 *D. linearis* was examined by synchrotron-based X-ray tomographic microscopy, at the Swiss
109 Light Source of the Paul-Scherrer-Institute in Villigen, Switzerland, using a 13 keV
110 monochromatic beam at the TOMCAT (TOMographic Microscopy and Coherent rAdiology
111 experimenTs) beamline. A sample was fixed on a centering and rotation stage in front of
112 magnifying optics and a camera detector. A series of 2D radiographic images was acquired
113 for different sample angular positions and subsequently tomographically reconstructed. A 3D-
114 rendering was generated by using YaDiV software (Friese *et al.*, 2013).

115 The chemical composition of *D. linearis*, and its ashes, was quantified by XRF
116 (Rigaku, Nex CG). The total organic carbon (TOC) in the samples was measured by wet
117 digestion with concentrated H₂SO₄ and 0.5 M K₂Cr₂O₇ at 170 - 180 °C. SEM-EDS using a

118 FESEM S-4800 (Hitachi Co., Tokyo, Japan) instrument, was used to map the distribution of
119 elements in ashed sample phytoliths. The presence of crystalline phases in the ash samples
120 was examined by powder X-ray diffraction (Bruker AXS D5005, Germany). The surface
121 functional groups of the ash samples were identified by FTIR spectroscopy (Nicolet™ iS™5
122 FT-IR, Thermo Scientific, USA). The SSA of the samples was measured with a Gemini VII
123 2390p surface area analyzer.

124 *Kinetic batch experiments*

125 To examine K and Si solubility, each 100 mg of ash sample was mixed with 100 mL of
126 deionized water in 125-mL plastic tubes. Suspensions were gently shaken and allowed to
127 stand for 24 h at room temperature. For the samples pre-treated at 400 and 800 °C, the batch
128 experiments were extended up to 7 d, with sampling at 24 h intervals. pH and EC were
129 measured in aliquots of these suspensions by using a pH meter (Toledo, FE20, Switzerland)
130 and an electrical conductivity meter (AD3000, ADWA, Hungary), before taking samples for
131 quantification of Si and K release. The suspensions were passed through a 0.45 µm pore-size
132 cellulose acetate filter. Soluble Si and K were determined using an ICP-MS iCap Q (Thermo
133 Scientific, Bremen, Germany). All experiments were conducted in triplicates. Surface charge
134 was quantified by polyelectrolyte titration in a particle-charge detector (PCD 05, Müttek,
135 Herrsching, Germany). Suspensions were dispersed by an ultrasonic treatment for 15 s and
136 then transferred into the titration cell. The titration with the polyelectrolyte was terminated at
137 the point of zero charge where the electro-kinetic potential is zero.

138 *Statistical analysis*

139 The Pearson's test and multiple regression using SPSS 20.0 software, were used to
140 examine the correlations between parameters. Principle components analysis (PCA) was also
141 conducted, again in SPSS.

142 **Results**

143 *Sample characterization*

144 Tomographic images of leaf and stem phytoliths found high porosity, derived from
145 longitudinal vascular bundles, veins or fibers in the stem (Fig. 2a) and leaf (Fig. 2d). Based on
146 sample density, two phases of organic matter, colored with green (low density) and blue (high
147 density), and Si-rich phase colored with pink, were detected. In the stem, limited Si-phase was
148 observed (Fig. 2c), embedded into the high-density organic phase (lignin, cellulose) (Fig. 2b).
149 In the leaf, the Si-phase tends to be more porous near the leaf surface (Fig. 2d and 2e),
150 creating thin silica-rich layers (Fig. 2f), forming a protective cover for leaf veins, stabilized by
151 silicified structures in inter- and intracellular spaces.

152 (Fig. 2)

153 Heat treatment of *D. linearis* led to significant changes in chemical composition and
154 SSA (Table 2). When heating temperature changed from 300 to 1000 °C, OC decreased from
155 10.1 to 0.2%. The total Si and K contents of the unashed sample were 2.2 and 0.3%,
156 respectively. The Si content changed from 8.7 to 15.4%, and K from 2.0 to 3.3%, between
157 300 to 1000 °C, respectively. The SSA increased from 42.5 to 161.2 m² g⁻¹ when the
158 temperature changed from 300 to 700 °C. A step decrease in SSA occurred above 700 °C,
159 decreasing to 5.4 m² g⁻¹ (Fig. 3). The SC ranged from -18.3 to -5.8 mmolc Kg⁻¹, decreasing for
160 ashed samples. This might be related to the decreasing OC content at higher temperatures and
161 to limited Si-OH represented on the surface as identified in Fig. 4b.

162 (Table 2)

163 (Fig. 3)

164 The XRD patterns of the phytolith-containing ash derived from different treatment
165 temperatures are shown in Fig. 4a. At temperatures < 800 °C, no specific reflection peak was
166 observed, suggesting that silica occurs in amorphous form. Temperatures above 800 °C can
167 favor crystallization and cause the formation of more stable silicates, i.e., leucite and zeolite.
168 Formation of zeolite might be a consequence of zeolization at high temperatures under the

169 presence of Si, Al, alkaline elements and internal water. Functional groups of the samples
170 were revealed through FTIR spectra as described in Fig. 4b. The bands at $\sim 1100\text{ cm}^{-1}$ and
171 800 cm^{-1} , representing the stretching vibration of the SiO_4 tetrahedron and the bending
172 vibration of inter-tetrahedral $\equiv\text{Si-O-Si}\equiv$ bonds, were apparent for almost all pretreatments.
173 The band at $\sim 900\text{ cm}^{-1}$, linked to Si-O stretching vibration of $\equiv\text{Si-OH}$ groups, was missing at
174 the temperatures $> 800\text{ }^\circ\text{C}$. The absence of this band at high temperatures might be due to
175 transformation of $\equiv\text{Si-OH}$ to $\equiv\text{Si-O-Si}\equiv$ bonds.

176 (Fig. 4)

177 *Solubility of Si and K*

178 *Dissolution kinetics*

179 Releases of Si and K from samples derived from different treatment temperatures were
180 reflected by significant concentration increases of soluble Si and K with time (Fig. 5a). While
181 soluble K was significantly increased with time, less increase was observed for Si. After 7 d,
182 Si and K releases were 5.2 and 17.2 mg L^{-1} for the $400\text{ }^\circ\text{C}$ -treated sample, 7.0 and 13.8 mg L^{-1}
183 for the $800\text{ }^\circ\text{C}$ -treated sample, respectively. For both the 400 and $800\text{ }^\circ\text{C}$ -treated samples, K
184 concentration showed a steep increase within the first 3 d, and minor releases after 3 days,
185 while Si concentration in the supernatant continuously increased over the period of 7 d.
186 Correlation coefficients obtained from the Pearson's test for samples treated at 400 and 800
187 $^\circ\text{C}$ were 0.982 and 0.986 respectively, indicating a strong relation between released Si and K
188 (Fig. 5b). A significant correlation at the 0.01 level for both the 400 and $800\text{ }^\circ\text{C}$ -treated
189 samples is an obvious evidence for a strong relation between Si and K.

190 (Fig. 5)

191 *Effect of treatment temperature*

192 Solubility of Si and K in the phytoliths derived from *D. linearis* was highly affected
193 by heating temperature (Fig. 6). In general, soluble concentrations of Si were almost lower

194 than those of K over the entire temperature range from 300 to 1000 °C. With a change in
195 treatment temperature from 300 to 600 °C, an increase of the soluble Si and K from 1.0 to 2.1
196 mg L⁻¹, and 4.1 to 10.5 mg L⁻¹, respectively, was observed. At higher temperatures, 700 –
197 1000 °C, the solubility of Si and K severely decreased. Lowest values of soluble Si and K
198 were 0.5 and 0.4 mg L⁻¹ for the sample treated at 1000 °C. Si and K solubility had similar
199 trends (Fig. 6a), and with maxima between 500 – 800 °C. A scatter plot (Fig. 6b) shows the
200 correlation between the released Si and K, with R² of 0.724.

201 (Fig. 6)

202 PC1 versus PC2 illustrated the differentiation between treatment temperature and
203 released Si and K and other properties i.e. pH, EC, SSA, SC and OC (Fig. 7). The first PC
204 showed positive values for all parameters except SC. The second PC was strongly associated
205 to OC with positive effect and pH with negative effect, while lesser correlations were found
206 for pH, SSA, EC and released Si and K. According to the ordination of variables in the PCA
207 diagrams, released Si and K is associated with SSA, pH and EC rather than OC and SC. No
208 correlation between the treatment temperatures at 300, 900 and 1000 °C and all variables
209 occurred. Treatment temperature of 400 °C showed a trend to be associated with OC, whereas
210 those of 600 to 800 °C tend to associate with SSA, pH and EC.

211 (Fig. 7)

212 **Discussion**

213 In plant tissues Si tends to be immobilized by polymerization, depositing in inter- and
214 intracellular spaces to form phytoliths (Parr & Sullivan, 2005; Nguyen *et al.*, 2014). K is more
215 mobile but can become entrapped within phytoliths. The 3D images obtained from X-ray
216 tomographic microscopy revealed inter-embedding structures between organic matter and
217 silica, particularly in leaf, in which the near-leaf-surface silica layers facilitate mechanical
218 strength and decrease transpiration (Gong *et al.*, 2003; Chen *et al.*, 2011), though this was not

219 explored here. Observation of the inter-embedding structures of phytoliths suggests that
220 precipitated silica can consolidate organic phases and sequester K. Micropores within silica
221 phases (Mohamad Remli *et al.*, 2014) could contain some occluded organic compounds and
222 K. Under heat treatment, organic phases can be removed, exposing phytolith silica.
223 Morphology of the phytoliths might also be affected (Wu *et al.*, 2012; Evett & Cuthrell,
224 2017), with melting at high temperatures resulting in a re-arrangement and crystallization of
225 silica, as deduced from XRD. Upon heating, losses of OC occurred, while K was enriched.

226 Solubility of Si increased as a result of phytolith desilification. A corresponding
227 increase of the K concentration in the supernatants suggests a relationship between K and Si
228 releases. This relationship was confirmed by scatter plots versus released Si with K (Fig. 6b).
229 Therefore, K release is related to the dissolution of phytoliths. As K is released at a faster rate
230 than Si (Fig. 6a), apart from K sequestered within phytoliths, K bound to organic matter,
231 inter-embedded with phytoliths, was also released on organic matter thermal decomposition,
232 as described by Trinh *et al.* (2017). The release of K from organic matter is likely to attribute
233 to the higher dissolution rate of K over Si. The temperature of the sample treatment may also
234 be a factor regulating phytolith desilification and K release. The maximum values of soluble
235 Si and K were observed from 500 till 800 °C, whereas lower dissolution was found at < 500
236 °C or > 800 °C. Heat treatment changed surface properties of the phytoliths, thereby affecting
237 solubility of Si and K. The ordination of variables in the PCA diagrams showed that pH and
238 SSA are factors favoring Si and K releases, whereas SC and OC have contrary effects. High
239 organic matter content of lower temperature (< 500 °C) treated samples prohibited Si and K
240 release because its coating made the phytolith surface more resistant to dissolution (Van
241 Cappellen *et al.*, 2002; Parr & Sullivan, 2005). With increasing temperature, dehydroxylation
242 of silanol groups results in more siloxane bonds and the surface becomes hydrophobic
243 (Zhuravlev, 2000). This reaction reduces adsorption of water molecules on the surface and

244 prevents the breakage of the surface siloxane bonds. It can therefore explain why less Si and
245 K were released from the phytolith samples in this case at higher temperatures. In addition,
246 the formation of stable silica at high temperatures ($> 800^{\circ}\text{C}$) resulted in a product with low
247 specific surface area and less activity (Kordatos *et al.*, 2008; Nguyen *et al.*, 2014), likely also
248 resulting in a decrease of Si and K release.

249 The XRD patterns indicate newly-formed crystals, leucite and zeolite, in the
250 temperature range from 900 - 1000 °C. Occurrence of zeolite observed at high temperatures
251 was not expected since zeolite is usually formed under hydrothermal conditions (Cundy &
252 Cox, 2005). The occurrence of alkaline elements (data not shown) in combination with
253 structural water under high temperature might be initial for the nucleation from which Si and
254 Al can be polymerized to build up zeolite crystals. The newly-formed nano-size particles
255 observed on the surface (Fig. 3c) were an evidence of partial melting and re-crystallization
256 processes on the surface of phytoliths. The effect of “neo-formed” zeolite upon the releases of
257 Si and K, however, was not in focus of this study.

258 *Implications for the soil system and options for management*

259 This study relates to a more detailed understanding regarding the K pool in ferns and its
260 release properties, with the findings applicable to soil nutrient management for slash-and-burn
261 agriculture in many upland regions. Fern *D. linearis* contains up to 3.2 g K kg^{-1} , suggesting
262 that this K pool can be an additional source for soils and crops. Under heat treatment, a
263 portion of the K is readily soluble, whereas the remaining part is tightly associated with
264 phytoliths, thereby being unavailable until the phytoliths are dissolved. Co-release of K and Si
265 on heat treatment was observed in batch incubation experiments, confirming dissolution of
266 the phytoliths as one of the main factors controlling K release. The heating temperature could
267 affect K and Si releases by intensifying the removal of occluded organic matter or
268 crystallizing the silica surface of the phytoliths. The maximum values of soluble K and Si

269 release were observed in the 500 - 800 °C treatments, which suggests that the preheat-
270 treatment of the fern *D. linearis* at this temperature range is optimal toward serving as a fast
271 available K source for crops and soils. At temperatures above 900 °C, the newly-formed
272 crystals i.e. leucite and zeolite were identified in the ashes, but their occurrence and to what
273 extent they can affect release of K, remains unclear. Phytoliths and their phytK, when
274 embedded into soils, are affected by various physico-chemical factors, which govern phytolith
275 dissolution and hereby K release to plants. Quantity values indicating the size of the soil
276 phytK pool in relation to soil properties, however, are beyond the scope of this work. They
277 will be subject of a future study employing percolation experiments.

278 **References**

- 279 Amatangelo, K. L. & Vitousek, P. M. 2008. Stoichiometry of ferns in Hawaii: Implications
280 for nutrient cycling. *Oecologia*, **157**, 619-627.
- 281 Atkinson, I. A. E. 1970. Successional trends in the coastal and lowland forest of Mauna Loa
282 and Kilauea volcanoes, Hawaii. *Pacific Science*, **24**, 387-400.
- 283 Chen, W., Yao, X., Cai, K. & Chen, J. 2011. Silicon alleviates drought stress of rice plants by
284 improving plant water status, photosynthesis and mineral nutrient absorption.
285 *Biological Trace Element Research*, **142**, 67-76.
- 286 Cundy, C. S. & Cox, P. A. 2005. The hydrothermal synthesis of zeolites: Precursors,
287 intermediates and reaction mechanism. *Microporous and Mesoporous Materials*, **82**,
288 1-78.
- 289 Dove, P. M. & Crerar, D. A. 1990. Kinetics of quartz dissolution in electrolyte solutions using
290 a hydrothermal mixed flow reactor. *Geochimica et Cosmochimica Acta*, **54**, 955-969.
- 291 Dove, P. M. & Elston, S. F. 1992. Dissolution kinetics of quartz in sodium chloride solutions:
292 Analysis of existing data and a rate model for 25 °C. *Geochimica et Cosmochimica*
293 *Acta*, **56**, 4147-4156.

- 294 Ehrlich, H., Demadis, K. D., Pokrovsky, O. S. & Koutsoukos, P. G. 2010. Modern views on
295 desilicification: Biosilica and abiotic silica dissolution in natural and artificial
296 environments. *Chemical Reviews*, **110**, 4656-4689.
- 297 Evett, R. R. & Cuthrell, R. Q. 2017. Testing phytolith analysis approaches to estimate the
298 prehistoric anthropogenic burning regime on the central California coast. *Quaternary*
299 *International*, **434**, 78-90.
- 300 Fraysse, F., Cantais, F., Pokrovsky, O. S., Schott, J. & Meunier, J. D. 2006. Aqueous
301 reactivity of phytoliths and plant litter: Physico-chemical constraints on terrestrial
302 biogeochemical cycle of silicon. *Journal of Geochemical Exploration*, **88**, 202-205.
- 303 Fraysse, F., Pokrovsky, O. S., Schott, J. & Meunier, J. D. 2009. Surface chemistry and
304 reactivity of plant phytoliths in aqueous solutions. *Chemical Geology*, **258**, 197-206.
- 305 Friese, K. I., Cichy, S. B., Wolters, F. E. & Botcharnikov, R. E. 2013. Analysis of
306 tomographic mineralogical data using YaDiV–Overview and practical case study.
307 *Computers & Geosciences*, **56**, 92-103.
- 308 Gong, H. J., Chen, K. M., Chen, G. C., Wang, S. M. & Zhang, C. L. 2003. Effects of silicon
309 on growth of wheat under drought. *Journal of Plant Nutrition*, **26**, 1055-1063.
- 310 Guariguata, M. R. 1990. Landslide disturbance and forest regeneration in the upper Luquillo
311 Mountains of Puerto Rico. *Journal of Ecology*, **78**, 814-832.
- 312 Guo, F., Song, Z., Sullivan, L., Wang, H., Liu, X., Wang, X., Li, Z. & Zhao, Y. 2015.
313 Enhanced phytolith carbon sequestration in rice systems amended with basalt powder.
314 *Science Bulletin*, **60(6)**, 591-597.
- 315 Kordatos, K., Gavela, S., Ntziouni, A., Pistiolas, K. N., Kyritsi, A. & Kasselouri-Rigopoulou,
316 V. 2008. Synthesis of highly siliceous ZSM-5 zeolite using silica from rice husk ash.
317 *Microporous and Mesoporous Materials*, **115**, 189-196.

- 318 Leigh, R. A. & Wyn Jones, R. G. 1984. A hypothesis relating critical potassium
319 concentrations for growth to the distribution and functions of this ion in the plant cell.
320 *New Phytologist*, **97**, 1-13.
- 321 Li, Z., Song, Z. & Cornelis, J. T. 2014. Impact of rice cultivar and organ on elemental
322 composition of phytoliths and the release of bio-available silicon. *Frontiers in Plant*
323 *Science*, **5**, 529(1-8).
- 324 Mazumdar, J. 2011. Phytoliths of pteridophytes. *South African Journal of Botany*, **77**, 10-19.
- 325 Mohamad Remli, N. A., Md Shah, U. K., Mohamad, R. & Abd-Aziz, S. 2014. Effects of
326 chemical and thermal pretreatments on the enzymatic saccharification of rice straw for
327 sugars production. *BioResources*, **9**, 510-522.
- 328 Nguyen, N. M., Dultz, S. & Guggenberger, G. 2014. Effects of pretreatment and solution
329 chemistry on solubility of rice-straw phytoliths. *Journal of Plant Nutrition and Soil*
330 *Science*, **177**, 349-359.
- 331 Parr, J. F. & Sullivan, L. A. 2005. Soil carbon sequestration in phytoliths. *Soil Biology and*
332 *Biochemistry*, **37**, 117-124.
- 333 Piperno, D. R. & Stothert, K. E. 2003. Phytolith evidence for early Holocene Cucurbita
334 domestication in southwest Ecuador. *Science*, **299**, 1054.
- 335 Russell, A. E., Raich, J. W. & Vitousek, P. M. 1998. The ecology of the climbing fern
336 *Dicranopteris linearis* on windward Mauna Loa, Hawaii. *Journal of Ecology*, **86**, 765-
337 779.
- 338 Scott, G. A. J. 1969. Relationship between vegetation and soil avalanching in the high rainfall
339 areas of O'ahu, Hawaii. In., University of Hawai'i at Manoa, Honolulu.
- 340 Song, Z., McGrouther, K. & Wang, H. 2016. Occurrence, turnover and carbon sequestration
341 potential of phytoliths in terrestrial ecosystems. *Earth-Science Reviews*, **158**, 19-30.

- 342 Trinh, T. K., Nguyen, T. T. H., Nguyen, T. N., Wu, T. Y., Meharg, A. A. & Nguyen, M. N.
343 2017. Characterization and dissolution properties of phytolith occluded phosphorus in
344 rice straw. *Soil and Tillage Research*, **171**, 19-24.
- 345 Van Cappellen, P., Dixit, S. & Gallinari, M. 2002. Biogenic silica dissolution and the marine
346 Si cycle: kinetics, surface chemistry and preservation. *Oceanis*, **28**, 417-454.
- 347 Weres, O., Yee, A. & Tsao, L. 1981. Kinetics of silica polymerization. *J. Colloid Interface*
348 *Sci.*, **84**, 379-402.
- 349 Zhuravlev, L. T. 2000. The surface chemistry of amorphous silica. Zhuravlev model. *Colloids*
350 *and Surfaces A: Physicochemical and Engineering Aspects*, **173**, 1-38.
- 351

352 **Table captions**

353 Table 1. Chemical composition of the *D. linearis* above ground biomass, mean values with
354 standard deviations in brackets.

355 Table 2. pH, specific surface area (SSA), surface charge (SC), electrical conductivity (EC),
356 organic carbon (OC), Si and K content of the fern plant ash samples obtained from 300 to
357 1000 °C treatment.

358

359 **Figure captions**

360 Figure 1. Fern *D. linearis* collected from the study site at a mountainous area in the northwest
361 Vietnam.

362 Figure 2. Tomographic images revealing the location of Si phytolith phase in fern *D. linearis*:
363 cross-section (a), 3D view (b) and 3D view with only Si separated (c) of the stem; and cross-
364 section (d), 3D view (e) and 3D view with only Si separated (f) of the leaf. Phytolith Si-rich
365 phase is coloured pink, high-density organic phase is coloured with blue, and low-density
366 organic phase coloured with green.

367 Figure 3. SEM images of the ash phytoliths derived from heat treatments at 700 °C (a), 1000
368 °C (b), granules formed on the surface of ash treated at 1000 °C (c), and EDS spectra of ashes
369 treated at 700 °C (d) and 1000 °C (e).

370 Figure 4. XRD patterns (a) and IR spectra (b) of ashed fern *D. linearis* samples in the
371 temperature range from 300 - 1000 °C.

372 Figure 5. Releases of Si and K from *D. linearis* ash samples treated at 400 and 800 °C in a
373 time sequence up to 7 d (a), and their correlation (b). Data points represent mean values with
374 standard errors for 3 replicates. Error bars might be smaller than the symbol size.

375 Figure 6. Dependence of the solubility of Si and K from *D. linearis* ashes on treatment
376 temperature.

377 Figure 7. Score plots of PC1 versus PC2 indicating the differentiation of treatment
378 temperature and soluble K and Si, pH, electrical conductivity (EC), organic carbon (OC),
379 surface charge (SC) and specific surface area (SSA) for ash phytoliths.