



**QUEEN'S
UNIVERSITY
BELFAST**

Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future priorities.

George, TS., Giles, CD., Menezes-Blackburn, D., Condrón, LM., Gama-Rodrigues, AC., Jaisi, D., Lang, F., Neal, AL., Stutter, MI., Almeida, DS., Bol, R., Cabugao, KG., Celi, L., Cotner, JB., Feng, G., Goll, DS., Hallama, M., Krueger, J., Plassard, C., ... Haygarth, PM. (2017). Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future priorities. *Plant and Soil*. Advance online publication. <https://doi.org/10.1007/s11104-017-3391-x>

Published in:
Plant and Soil

Document Version:
Peer reviewed version

Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights
Copyright 2017 Springer Verlag. This work is made available online in accordance with the publisher's policies. Please refer to any applicable terms of use of the publisher.

General rights
Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

Open Access
This research has been made openly available by Queen's academics and its Open Research team. We would love to hear how access to this research benefits you. – Share your feedback with us: <http://go.qub.ac.uk/oa-feedback>

Plant and Soil

Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future priorities --Manuscript Draft--

Manuscript Number:	PLSO-D-17-00622R1
Full Title:	Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future priorities
Article Type:	Special Issue S69 – OP2016
Keywords:	cosystems services, Method development, Microbiome, Modelling, Organic Phosphorus, Stoichiometry.
Corresponding Author:	Tim S. George, Ph.D. James Hutton Institute Dundee, Scotland UNITED KINGDOM
Corresponding Author Secondary Information:	
Corresponding Author's Institution:	James Hutton Institute
Corresponding Author's Secondary Institution:	
First Author:	Tim S. George, Ph.D.
First Author Secondary Information:	
Order of Authors:	Tim S. George, Ph.D. Courtney Giles Daniel Menezes-Blackburn Leo Condrón Tony Gama-Rodrigues Deb Jaisi Frederike Lang Andrew Neal Marc Stutter Daniel Almeida Roland Bol K Carbugao Luisella Celi James Cotner Gu Feng Daniel Goll M Hallama Jaane Krueger Claude Plassard Anna Rosling Tegan Darch Tandra Fraser

Reiner Giesler
Alan Richardson
Federica Tamburini
Charles Shand
David Lumsdon
Hao Zhang
Martin Blackwell
Catherine Wearing
Malika Mezeli
Ásgeir Almås
Yuki Audette
Isabelle Bertrand
E Beyhaut
Gustavo Boitt
N Bradshaw
Charles Brearley
Tom Bruulsema
Philippe Ciais
Vincenza Cozzolino
P Cuevas
Mariluz Mora
A de Menezes
Rosalind Dodd
Kari Dunfield
C Engl
J Frazão
Gina Garland
Jose González Jiménez
Jessica Graca
Stephen Granger
Anthony Harrison
Christine Heuck
E Hou
Penny Johnes
Klaus Kaiser
H Kjær
Erwin Klumpp
A Lamb
Katrina Macintosh
E Mackay
John McGrath

	Catherine McIntyre				
	Timothy McLaren				
	Eva Mészáros				
	Anna Missong				
	M Mooshammer				
	C Negrón				
	L Nelson				
	Verena Pfahler				
	P Poblete-Grant				
	Matt Randall				
	Alex Segeul				
	Kritarth Seth				
	Andrew Smith				
	Mark Smits				
	J Sobarzo				
	Marie Spohn				
	K Tawaraya				
	Mark Tibbett				
	P Voroney				
	Hakan Wallander				
	Lim Wang				
	Jun Wasaki				
	Philip Haygarth				
Order of Authors Secondary Information:					
Funding Information:	<table border="1"> <tr> <td>Biotechnology and Biological Sciences Research Council (BB/K018167/1)</td> <td>Dr. Tim S. George Dr Courtney Giles Dr Daniel Menezes-Blackburn Dr Marc Stutter Dr Tegan Darch Dr Charles Shand Dr David Lumsdon Dr Hao Zhang Dr Martin Blackwell Ms Catherine Wearing Prof Philip Haygarth</td> </tr> <tr> <td>Biotechnology and Biological Sciences Research Council (BB/L025671/2)</td> <td>Dr Tandra Fraser Prof Mark Tibbett</td> </tr> </table>	Biotechnology and Biological Sciences Research Council (BB/K018167/1)	Dr. Tim S. George Dr Courtney Giles Dr Daniel Menezes-Blackburn Dr Marc Stutter Dr Tegan Darch Dr Charles Shand Dr David Lumsdon Dr Hao Zhang Dr Martin Blackwell Ms Catherine Wearing Prof Philip Haygarth	Biotechnology and Biological Sciences Research Council (BB/L025671/2)	Dr Tandra Fraser Prof Mark Tibbett
Biotechnology and Biological Sciences Research Council (BB/K018167/1)	Dr. Tim S. George Dr Courtney Giles Dr Daniel Menezes-Blackburn Dr Marc Stutter Dr Tegan Darch Dr Charles Shand Dr David Lumsdon Dr Hao Zhang Dr Martin Blackwell Ms Catherine Wearing Prof Philip Haygarth				
Biotechnology and Biological Sciences Research Council (BB/L025671/2)	Dr Tandra Fraser Prof Mark Tibbett				
Abstract:	<p>Background: The dynamics of phosphorus (P) in the environment is important for regulating nutrient cycles in natural and managed ecosystems and an integral part in assessing biological resilience against environmental change. Organic P (Po) compounds play key roles in biological and ecosystems function in the terrestrial environment, being critical to cell function, growth and reproduction.</p> <p>Scope: We asked a group of experts to consider the global issues associated with Po in the terrestrial environment, methodological strengths and weaknesses, benefits to be gained from understanding the Po cycle, and to set priorities for Po research.</p> <p>Conclusions: We identified seven key opportunities for Po research including: the need</p>				

	<p>for integrated, quality controlled and functionally based methodologies; assessment of stoichiometry with other elements in organic matter; understanding the dynamics of Po in natural and managed systems; the role of microorganisms in controlling Po cycles; the implications of nanoparticles in the environment and the need for better modelling and communication of the research. Each priority is discussed and a statement of intent for the Po research community is made that highlights there are key contributions to be made toward understanding biogeochemical cycles, dynamics and function of natural ecosystems and the management of agricultural systems</p>
<p>Response to Reviewers:</p>	<p>Rebuttal Major Revisions requested PLSO-D-17-00622</p> <p>Editor Comments</p> <p>There are additional comments in the box for the Editor, but I will leave those out except for one: "I do not like the multi-author list as they will not have all contributed to this paper. Conference attendees could be listed in an Appendix." Please consider that option, which makes sense, but I will leave it to you to decide how to proceed.</p> <p>See response to comments below. We would like to keep the authorship as it is for this submission.</p> <p>Reviewer #1</p> <p>This manuscript is difficult to review for a number of reasons. As an opinion piece it represents the opinions, presumably, of the first 20 or so authors, and the 'assent' of the remaining 70-odd (where alphabetical order begins). So, no new science is presented in the manuscript. And as an opinion piece, the review of the various identified areas and priorities is incomplete and not comprehensive. At least a third of each section recapitulates basic facts and then cites some interesting observations within each of those areas, usually by authors who are listed in the manuscript. As a reviewer, there is actually little to review.</p> <p>The written synthesis of the content is the work of the 20 or so of the first authors, but all authors contributed to the production of the information that was synthesised and therefore warrant inclusion in the author list. We have decided to keep the author list as it is, as this authorship was offered to participants in the data collection part of the process at the start and I would not want to go back on that agreement. There is no new science presented as it is a synthesis of expert opinion and any perceived blandness in the observations is down to trying to achieve a consensus statement between 80+ authors with varying backgrounds and opinions. We are unable to change the content as we went through a rational process to gather the information and this is what we got. So the piece should either be considered a worthwhile contribution as it is or not.</p> <p>I disagree with a number of the areas listed here, yet, in reality it is irrelevant. For example, a) a key area of organic P research focus should be on identifying the large, non-phytate, fraction present, presumably, in the broad peak of NMR studies (Jarosch et al. 2015); first identified by the chromatography work of Cosgrove half a century ago. In reality, we don't know what half the organic P in soil actually is, yet that doesn't seem to have been identified as a priority? b) Furthermore, there was acknowledged (in the paper) disagreement at the conference about the value of standardised methodologies and worldwide reference samples, with some arguing that fixing the standards will advance organic P characterisation and others arguing against that position. The consensus is oddly described, as many of the authors have published more advanced deconvolution techniques that are moving the science forward and allowing the characterisation and correction of methodological over-allocation of different Po classes. This fluidity may not have occurred if standard methods were fixed according to old methods. c) A comprehensive review of stoichiometric ratios of C:Po many years ago at a conference I attended made it very clear that the range is wide, unlikely to be associated with specific compounds that are identifiable, and is perhaps easily confused by metal-P linkages with P in organic attachments. Suggesting great leaps can be made in this area struck me as optimistic. d) The land management section describes reasonably clearly that withdrawing P fertiliser results in drawdown of inorganic P sources (and some accumulation of Po)(Ins 255-266), yet</p>

the odd consensus question that immediately follows asks how long turnover of organic P can sustain crop yields (ln 261-262)? None of these are errors in science per se (though the last one is illogical) and are merely my opinions on their opinions and are not grounds for rejecting a manuscript.

As above, these opinions were formed out of the opinions of the experts contributing to the information. All these areas were debated and many of the opinions were stated and moderated to achieve the consensus that exists in the text. I have made some additions to the text to highlight some of these alternate opinions, but am unwilling to go too far against the consensus to represent a single opinion (as you point out).

Is it new and innovative? No. Is it interesting to organic P scientists? I did not find so. Did I learn new research directions that will revolutionise organic P science? Not really.

It's a shame that you felt so underwhelmed by the manuscript. I would argue that there is merit in making a statement from a globally represented community on the consensus of this particular area of research, but if this did not come across then I am disappointed.

However, my opinions are merely some amongst many and are not grounds for rejecting a manuscript. I believe it is a question for the editor. Does Plant and Soil want to provide a platform for a semi-review opinion piece associated with a Special Issue? Many publications have done it in the past, and the advertisement of various organic P groupings under the guise of a communication 'opportunity' emphasises the aims of the piece.

I am also happy to leave it up to the editor whether this is an appropriate paper for publication or not.

Reviewer #2: Review of the MS: PLSO-D-17-00622 entitled "Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future priorities" and authored by George and others

This paper is a hybrid between a review on organic P in terrestrial systems and a report on the opinion of the participants of the last organic P meeting on priorities for future organic P research.

Sometime ago, Turner et al (2005) (chap 17 Synthesis and recommendations for future research; in Organic phosphorus in the environment, CABI), published a paper presenting the opinion of participants to an organic P conference on the future and relevance of organic P research. Whereas, many new research results have been published since then, I could not see clear differences between these two papers with respect to the future and relevance of organic P research. I would therefore advise the authors of this manuscript first to refer to this previous paper and then to show how the point of view of the Po community on the future of Po research has evolved.

I have done as suggested and an additional paragraph has been added to the manuscript to summarise how things have changed in the last decade and reference added, as follows.

"The key opportunities to improve the effectiveness of Po research identified here are similar to those highlighted in Turner et al. (2005), although it is clear that some progress has been made since that set of recommendations were made. However, the similarities and consistency between the outcome of these two studies suggests we still have some progress to make. A number of new priority areas were identified here that were not identified in Turner et al. (2005), including the need for greater understanding of the metagenomics and functional microbial genes involved in organic P turnover, greater understanding of the impact of nanoparticles in the environment on organic P turnover and the need to integrate the system more effectively in the form of models. It is clear that Po research field is evolving, but some of the issues of a decade ago still persist."

LL 65-66 The summary starts with this sentence: "The dynamics of phosphorus (P) in the environment is critical for ... assessing biological resilience against environmental

change." This sounds like a definitive statement. However, I do not think that this paper shows that. Either it is shown or it should be deleted.

This part of the summary is the background, so it is meant to reflect the prior art rather than the content of the paper and we consider that the literature does back up this statement. However, we have toned down the language so it is less of a definitive statement.

L 69 Sorry but I do not understand the scope: what are the "benefits of Po in organisms and the environment"? Why and which benefits?

Scope reworded to give clarity on what the scope of the study was.

L 106 Plants and other organisms drive the conversion of Pi to Po.

Changed as suggested

L 110 Is the simplest definition the one that holds for this paper?

Yes, we think so, but modified slightly as highlighted below.

L 111 Why carbon-hydrogen bonds? Why not organic P is P covalently bound to an organic radical

These definitions reflect the methodological approaches used to measure Po by many of the researchers consulted in this exercise and often where it is possible to define a particular form of Po this is done by liquid state NMR or chromatography, which tend to identify the type of bonds highlighted. I would suggest that we are talking about specific organic moieties of phosphate and the other types of "organic P" would be defined as P associated with organic matter. The text has been modified to reflect this.

Fig1 Inositol phosphates have not always a "low soil lability" (whatever this means), in some cases inositol phosphates have been shown to be rapidly mineralized or to be absent from soil organic matter.

This figure is illustrative and taken from another publication, so we do not wish to modify it. Soil lability is a relative term, so while we agree that under certain circumstances inositol P is labile and turns over rapidly, in general in many soils it tends to turnover relatively little and accumulates when compared to compounds with greater "soil lability" such as diesters. So as a relative term we think this is adequate.

L 123 This statement "At present there is no evidence for direct uptake of dissolved Po compounds by biology" is wrong, as phosphonate uptake by bacteria has been observed in marine systems (Dyrman et al 2006).

Information and reference added to the text.

L 126 Why "potential"

Removed

L 138 Explain how the consensus was reached?

Text added to clarify how the consensus was reached.

L 154 Add references in which these discussion and debate are shown at the end of the sentence.

References added.

L 154 Should not you add a comma after "Despite this"?

Added

L 161 Add a supporting reference at the end of the sentence.

Reference added.

L 166 I like the idea of a standard manure, but is it realistic?

Text added to allude to the difficulty of this.

L 170-2 How does the commercial supply relates to the understanding of a behavior of a given Po compound.

Text added to clarify this

L 172-5 Is this last sentence really useful?

We have a priority statement at the end of each section and we would like to keep this one.

L 209 This statement is correct and this topic has been discussed in:
Frossard E, N Buchmann, EK Bünemann, DI Kiba, F Lompo, A Oberson, F Tamburini, OYA Traoré 2016 Soil properties and not inputs control carbon : nitrogen : phosphorus ratios in cropped soils in the long term, SOIL 2: 83-99 www.soil-journal.net/2/83/2016/doi:10.5194/soil-2-83-2016 L 216-221: These statements need to be supported by appropriate references.

Reference added

L 229-230 I do not understand the beginning of the sentence "Key opportunities exist for and it is imperative to ..."

Sentence changed to make sense

L 230 I am surprised to see that nowhere the authors explicitly mention the needs to quantify fluxes of P (or Po) between compartments.

This is dealt with in Section 4b, later in the text

L 250 Annaheim et al did not work on organic farming.

Text added to clarify this point.

L 252 What is a greater abundance? Thanks for quantifying it. L 252-3 What does "a greater abundance of Po, especially diester P ... maintained acceptable yields" mean? How can diester P maintain yield? What is acceptable?

Information added and text changed accordingly.

L 253 I do not see the usefulness of the sentence starting with "the utilization of ..."

Removed

L 261 You need to integrate the input/output P balance in your key question, otherwise it does not make sense.

Added accordingly

L 265 Which are the traditional cultivation practices in which Po plays a more dominant role? Do you have data and a reference for that?

Sentence removed.

L 302 Are you sure that this correlation is always working? I could not see it e.g. in Ragot's work. I rather think that the Canadian case is a nice but specific case.

Information added.

L 303 This statement is not correct, there is also info on phoX in soils.
Ragot SA, MA Kertesz, E Mészáros, E Frossard, EK Bünemann 2017 Soil phoD and phoX alkaline phosphatase gene diversity responds to multiple environmental factors, FEMS Microbiology Ecology 93, fiw212 doi: 10.1093/femsec/fiw212

Information added.

L 342 Radioactivity is not correctly spelled out.

Corrected

L 378 Is it possible to do a complete LCA on Po? I do not think that it makes a lot of sense as Po can not be seen independently of Pi.

Changed accordingly.

I did not study with attention the reference list, but I could see points to be addressed. Sometimes the names of journals are abbreviated sometimes not. I am not sure whether the work of Borda et al (2011) is related to Po. The reference to Cade Menun et al (2005) is not correct. The reference to Celi and Barberis (2005) is to be completed with scientific and publishing editors...

Checked and changed accordingly.

Reviewer #3: The series of organic phosphorus conferences have been a very welcome forum for developing common understanding of the forms and dynamics of organic P cycling in terrestrial and to a lesser extent aquatic ecosystems, and the traditional and emerging methodologies to measure this important P fraction. This paper attempts to summarise the most recent conference re the current state of Po research with respect to the terrestrial environment and where future work is needed. This is an important and difficult task given the methodology challenges and complexity of Po cycling routes, and I think the authors have produced an excellent summary. They have adequately highlighted how Po understanding is key to developing solutions to global issues, and the key research areas where progress is needed. I have no major issues with the areas identified but think that more emphasis is needed on some key recent developments regarding the sustainability of P management. I also wondered why the focus was just on the terrestrial environment rather than also covering the aquatic environment since managing Po on land requires an appreciation of its fate and impact in water!

We would like to thank the reviewer for their positive appraisal of the paper and what we were trying to achieve with the manuscript. As highlighted above, we had a rationale for collecting the information and through this process we were unsuccessful in collecting consensus opinions on the aquatic environment. This probably reflects the background of the participants and only a few came from an aquatic background, so it is under represented. The title states that this is specifically assessing the terrestrial environment because of this. I would be loathed to add in some superficial analysis of the aquatic environment at this stage, so suggest the text remains focused on the terrestrial environment.

Firstly the introduction talks about the importance of Po for biota and then rather abruptly at line 129 talks about the aims of the paper. I think the authors could make a linking paragraph here by making the point that considerable progress in understanding Po in ecosystems has been made in recent years and outline what these key developments have been (NMR, rhizosphere etc). Why are Po research challenges particularly timely now?

Short paragraph added for this purpose.

The recent focus on the need to manage P more sustainably in society (for environmental, economic and resource protection reasons) has two major justifications for organic Po research which I do not feel are really brought out in the paper. Some aspects are touched upon in the paper but it could be more forcefully presented. Certainly the conclusions could usefully include these arguments to justify a greater research effort on Po. The first is that we must reduce reliance on traditional inorganic P fertilisers (ie primary P) in the future, and strategies towards reducing reliance on soil inorganic P fertility (ie lowering critical soil P) will increase the relevance of soil organic P for providing available P for general ES provision. Secondly, the need to develop a circular P economy and close the P cycle will likely lead to an increase in the amounts of organic P bioresources (ie secondary P) that are recycled to land in the future and this increased recycling of Po is potentially important for shifting the Po/Pi balance in the soil and the functionality of the soil microbial community and C sequestration.

This has now been emphasised in the conclusion text.

More specific comments:

Line 70 - terrestrial environment is the scope here.
Information added.

Keywords = organic phosphorus needs to be included!

Added.

Line 117 - relative to inorganic P forms Line 121 - why is phytase not mentioned here?

Added.

Line 123 - Is it worth mentioning that organic N is taken up by plants directly?

Added.

Line 140 - ecosystem resilience could be included in the list of global issues

Research priority 1 - the term 'real-time' monitoring is not mentioned specifically but its hinted at in terms of linking forms to processes. Is this a possibility in the future or is the methodology too complex? Its there for Pi of course.

This wasn't seen as a realistic possibility by the consensus so was not included here.

Research priority 2 - para starting line 178 - why is there no mention of the CNP stoichiometry of crop plants here as they are competing for nutrient resources with the microbes?

Information added.

Line 208 - 'optimal stoichiometry' - its not clear here whether your just talking Po or total P?

Information added.

Research priority 3 - is it likely that Po will only really contribute to available P supply to crops when Pi has been depleted? Some clarification on current thoughts would be helpful here - eg line 259.

Clarification added.

The first research opportunity in Table 1 is not covered in the text?

This was a priority identified by all groups in the process, but we did not highlight it in

the text as the implications of this are more to do with the societal research model and beyond our scope here.

Table 1 highlights carbon sequestration as a global issue but the trade off between utilization of Po and C is not really discussed?

This is alluded to in section 3 when we discuss the use of organic P as a nutrient source and is implicit in the stoichiometry discussion.

What about the role of Po in the remediation of contaminated soils - heavy metals inputs etc.

This did not come up in any of the discussion groups and therefore did not make it into the consensus statements.

Overall this is a very welcome contribution from the P research community and I fully support publication. I have issues with including so many authors but that must be a decision for the editor!

Thank you again for the positive review of the paper and the authorship issue is discussed above in response to reviewer #1 and editor comments.

Dr T.S.George
The James Hutton Institute
Invergowrie
Dundee
DD2 5DA
UK

03/08/2017

Prof Hans Lambers
Editor-in-Chief Plant and Soil
The University of Western Australia,
Crawley,
Australia

Dear Hans,

Please find enclosed the revised version of the manuscript “Organic Phosphorus in the Terrestrial Environment: A perspective on the state of the art and future priorities” by T.S. George et al. that is resubmitted to be considered for publication in *Plant and Soil* in the special issue from the OP2016 meeting being edited by Phil Haygarth et al.

We have taken into consideration all the comments raised and as such have made a number of changes to the paper (as outlined in the rebuttal). In particular, we have altered added some paragraphs for clarity and to make reference to other similar studies of the past. We have clarified some of our terminology and justified and clarified some of the statements made. We have made arguments to keep some of the content and to maintain the large number of authors. We would like to thank you and the reviewers for bringing these points to our attention as we think it has made an important difference to the quality of this paper.

Given the improvements made to the clarity of the manuscript and our defence of aspects that have not been changed, we believe this manuscript offers an important contribution to prioritising future research on organic P. We hope then that you will now find the paper to be appropriate for publication in *Plant and Soil*. We look forward to your reply.

Yours sincerely

Timothy S George

Rebuttal Major Revisions requested PLSO-D-17-00622

Editor Comments

There are additional comments in the box for the Editor, but I will leave those out except for one: "I do not like the multi-author list as they will not have all contributed to this paper. Conference attendees could be listed in an Appendix." Please consider that option, which makes sense, but I will leave it to you to decide how to proceed.

See response to comments below. We would like to keep the authorship as it is for this submission.

Reviewer #1

This manuscript is difficult to review for a number of reasons. As an opinion piece it represents the opinions, presumably, of the first 20 or so authors, and the 'assent' of the remaining 70-odd (where alphabetical order begins). So, no new science is presented in the manuscript. And as an opinion piece, the review of the various identified areas and priorities is incomplete and not comprehensive. At least a third of each section recapitulates basic facts and then cites some interesting observations within each of those areas, usually by authors who are listed in the manuscript. As a reviewer, there is actually little to review.

The written synthesis of the content is the work of the 20 or so of the first authors, but all authors contributed to the production of the information that was synthesised and therefore warrant inclusion in the author list. We have decided to keep the author list as it is, as this authorship was offered to participants in the data collection part of the process at the start and I would not want to go back on that agreement. There is no new science presented as it is a synthesis of expert opinion and any perceived blandness in the observations is down to trying to achieve a consensus statement between 80+ authors with varying backgrounds and opinions. We are unable to change the content as we went through a rational process to gather the information and this is what we got. So the piece should either be considered a worthwhile contribution as it is or not.

I disagree with a number of the areas listed here, yet, in reality it is irrelevant. For example, a) a key area of organic P research focus should be on identifying the large, non-phytate, fraction present, presumably, in the broad peak of NMR studies (Jarosch et al. 2015); first identified by the chromatography work of Cosgrove half a century ago. In reality, we don't know what half the organic P in soil actually is, yet that doesn't seem to have been identified as a priority? b) Furthermore, there was acknowledged (in the paper) disagreement at the conference about the value of standardised methodologies and worldwide reference samples, with some arguing that fixing the standards will advance organic P characterisation and others arguing against that position. The consensus is oddly described, as many of the authors have published more advanced deconvolution techniques that are moving the science forward and allowing the characterisation and correction of methodological over-allocation of different Po classes. This fluidity may not have occurred if standard methods were fixed according to old methods. c) A comprehensive review of stoichiometric ratios of C:Po many years ago at a conference I attended made it very clear that the range is wide, unlikely to be associated with specific compounds that are identifiable, and is perhaps easily confused by metal-P linkages with P in organic attachments. Suggesting great leaps can be made in this area struck me as optimistic. d) The land management section describes reasonably clearly that withdrawing P fertiliser results in drawdown of inorganic P sources (and some accumulation of Po)(Ins 255-266), yet the odd consensus question that immediately follows asks how long turnover of organic P can sustain crop yields (In 261-262)? None of these are errors in

science per se (though the last one is illogical) and are merely my opinions on their opinions and are not grounds for rejecting a manuscript.

As above, these opinions were formed out of the opinions of the experts contributing to the information. All these areas were debated and many of the opinions were stated and moderated to achieve the consensus that exists in the text. I have made some additions to the text to highlight some of these alternate opinions, but am unwilling to go too far against the consensus to represent a single opinion (as you point out).

Is it new and innovative? No. Is it interesting to organic P scientists? I did not find so. Did I learn new research directions that will revolutionise organic P science? Not really.

It's a shame that you felt so underwhelmed by the manuscript. I would argue that there is merit in making a statement from a globally represented community on the consensus of this particular area of research, but if this did not come across then I am disappointed.

However, my opinions are merely some amongst many and are not grounds for rejecting a manuscript. I believe it is a question for the editor. Does Plant and Soil want to provide a platform for a semi-review opinion piece associated with a Special Issue? Many publications have done it in the past, and the advertisement of various organic P groupings under the guise of a communication 'opportunity' emphasises the aims of the piece.

I am also happy to leave it up the editor whether this is an appropriate paper for publication or not.

Reviewer #2: Review of the MS: PLSO-D-17-00622 entitled "Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future priorities" and authored by George and others

This paper is a hybrid between a review on organic P in terrestrial systems and a report on the opinion of the participants of the last organic P meeting on priorities for future organic P research. Sometime ago, Turner et al (2005) (chap 17 Synthesis and recommendations for future research; in Organic phosphorus in the environment, CABI), published a paper presenting the opinion of participants to an organic P conference on the future and relevance of organic P research. Whereas, many new research results have been published since then, I could not see clear differences between these two papers with respect to the future and relevance of organic P research. I would therefore advise the authors of this manuscript first to refer to this previous paper and then to show how the point of view of the Po community on the future of Po research has evolved.

I have done as suggested and an additional paragraph has been added to the manuscript to summarise how things have changed in the last decade and reference added, as follows. "The key opportunities to improve the effectiveness of Po research identified here are similar to those highlighted in Turner et al. (2005), although it is clear that some progress has been made since that set of recommendations were made. However, the similarities and consistency between the outcome of these two studies suggests we still have some progress to make. A number of new priority areas were identified here that were not identified in Turner et al. (2005), including the need for greater understanding of the metagenomics and functional microbial genes involved in organic P turnover, greater understanding of the impact of nanoparticles in the environment on organic P turnover and the need to integrate the system more effectively in the form of models. It is clear that Po research field is evolving, but some of the issues of a decade ago still persist."

LL 65-66 The summary starts with this sentence: "The dynamics of phosphorus (P) in the environment is critical for ... assessing biological resilience against environmental change." This sounds like a definitive statement. However, I do not think that this paper shows that. Either it is shown or it should be deleted.

This part of the summary is the background, so it is meant to reflect the prior art rather than the content of the paper and we consider that the literature does back up this statement. However, we have toned down the language so it is less of a definitive statement.

L 69 Sorry but I do not understand the scope: what are the "benefits of Po in organisms and the environment"? Why and which benefits?

Scope reworded to give clarity on what the scope of the study was.

L 106 Plants and other organisms drive the conversion of Pi to Po.

Changed as suggested

L 110 Is the simplest definition the one that holds for this paper?

Yes, we think so, but modified slightly as highlighted below.

L 111 Why carbon-hydrogen bonds? Why not organic P is P covalently bound to an organic radical

These definitions reflect the methodological approaches used to measure P_o by many of the researchers consulted in this exercise and often where it is possible to define a particular form of P_o this is done by liquid state NMR or chromatography, which tend to identify the type of bonds highlighted. I would suggest that we are talking about specific organic moieties of phosphate and the other types of "organic P" would be defined as P associated with organic matter. The text has been modified to reflect this.

Fig1 Inositol phosphates have not always a "low soil lability" (whatever this means), in some cases inositol phosphates have been shown to be rapidly mineralized or to be absent from soil organic matter.

This figure is illustrative and taken from another publication, so we do not wish to modify it. Soil lability is a relative term, so while we agree that under certain circumstances inositol P is labile and turns over rapidly, in general in many soils it tends to turnover relatively little and accumulates when compared to compounds with greater "soil lability" such as diesters. So as a relative term we think this is adequate.

L 123 This statement "At present there is no evidence for direct uptake of dissolved Po compounds by biology" is wrong, as phosphonate uptake by bacteria has been observed in marine systems (Dyhrman et al 2006).

Information and reference added to the text.

L 126 Why "potential"

Removed

L 138 Explain how the consensus was reached?

Text added to clarify how the consensus was reached.

L 154 Add references in which these discussion and debate are shown at the end of the sentence.

References added.

L 154 Should not you add a comma after "Despite this"?

Added

L 161 Add a supporting reference at the end of the sentence.

Reference added.

L 166 I like the idea of a standard manure, but is it realistic?

Text added to allude to the difficulty of this.

L 170-2 How does the commercial supply relates to the understanding of a behavior of a given Po compound.

Text added to clarify this

L 172-5 Is this last sentence really useful?

We have a priority statement at the end of each section and we would like to keep this one.

L 209 This statement is correct and this topic has been discussed in:
Frossard E, N Buchmann, EK Bünemann, DI Kiba, F Lompo, A Oberson, F Tamburini, OYA Traoré 2016
Soil properties and not inputs control carbon : nitrogen : phosphorus ratios in cropped soils in the
long term, SOIL 2: 83-99 www.soil-journal.net/2/83/2016/ doi:10.5194/soil-2-83-2016 L 216-221:
These statements need to be supported by appropriate references.

Reference added

L 229-230 I do not understand the beginning of the sentence "Key opportunities exist for and it is imperative to ..."

Sentence changed to make sense

L 230 I am surprised to see that nowhere the authors explicitly mention the needs to quantify fluxes of P (or Po) between compartments.

This is dealt with in Section 4b, later in the text

L 250 Annaheim et al did not work on organic farming.

Text added to clarify this point.

L 252 What is a greater abundance? Thanks for quantifying it. L 252-3 What does "a greater abundance of Po, especially diester P ... maintained acceptable yields" mean? How can diester P maintain yield? What is acceptable?

Information added and text changed accordingly.

L 253 I do not see the usefulness of the sentence starting with "the utilization of ..."

Removed

L 261 You need to integrate the input/output P balance in your key question, otherwise it does not make sense.

Added accordingly

L 265 Which are the traditional cultivation practices in which Po plays a more dominant role? Do you have data and a reference for that?

Sentence removed.

L 302 Are you sure that this correlation is always working? I could not see it e.g. in Ragot's work. I rather think that the Canadian case is a nice but specific case.

Information added.

L 303 This statement is not correct, there is also info on phoX in soils.
Ragot SA, MA Kertesz, E Mészáros, E Frossard, EK Bünemann 2017 Soil phoD and phoX alkaline phosphatase gene diversity responds to multiple environmental factors, FEMS Microbiology Ecology 93, fiw212 doi: 10.1093/femsec/fiw212

Information added.

L 342 Radioactivity is not correctly spelled out.

Corrected

L 378 Is it possible to do a complete LCA on Po? I do not think that it makes a lot of sense as Po can not be seen independently of Pi.

Changed accordingly.

I did not study with attention the reference list, but I could see points to be addressed. Sometimes the names of journals are abbreviated sometimes not. I am not sure whether the work of Borda et al (2011) is related to Po. The reference to Cade Menun et al (2005) is not correct. The reference to Celi and Barberis (2005) is to be completed with scientific and publishing editors...

Checked and changed accordingly.

Reviewer #3: The series of organic phosphorus conferences have been a very welcome forum for developing common understanding of the forms and dynamics of organic P cycling in terrestrial and to a lesser extent aquatic ecosystems, and the traditional and emerging methodologies to measure this important P fraction. This paper attempts to summarise the most recent conference re the current state of Po research with respect to the terrestrial environment and where future work is needed. This is an important and difficult task given the methodology challenges and complexity of Po cycling routes, and I think the authors have produced an excellent summary. They have adequately highlighted how Po understanding is key to developing solutions to global issues, and the key research areas where progress is needed. I have no major issues with the areas identified but think that more emphasis is needed on some key recent developments regarding the sustainability of P management. I also wondered why the focus was just on the terrestrial environment rather than also covering the aquatic environment since managing Po on land requires an appreciation of its fate and impact in water!

We would like to thank the reviewer for their positive appraisal of the paper and what we were trying to achieve with the manuscript. As highlighted above, we had a rationale for collecting the information and through this process we were unsuccessful in collecting consensus opinions on the aquatic environment. This probably reflects the background of the participants and only a few came from an aquatic background, so it is under represented. The title states that this is specifically assessing the terrestrial environment because of this. I would be loathed to add in some superficial analysis of the aquatic environment at this stage, so suggest the text remains focused on the terrestrial environment.

Firstly the introduction talks about the importance of Po for biota and then rather abruptly at line 129 talks about the aims of the paper. I think the authors could make a linking paragraph here by making the point that considerable progress in understanding Po in ecosystems has been made in recent years and outline what these key developments have been (NMR, rhizosphere etc). Why are Po research challenges particularly timely now?

Short paragraph added for this purpose.

The recent focus on the need to manage P more sustainably in society (for environmental, economic and resource protection reasons) has two major justifications for organic Po research which I do not feel are really brought out in the paper. Some aspects are touched upon in the paper but it could be more forcefully presented. Certainly the conclusions could usefully include these arguments to justify a greater research effort on Po. The first is that we must reduce reliance on traditional inorganic P fertilisers (ie primary P) in the future, and strategies towards reducing reliance on soil inorganic P fertility (ie lowering critical soil P) will increase the relevance of soil organic P for providing available P for general ES provision. Secondly, the need to develop a circular P economy and close the P cycle will likely lead to an increase in the amounts of organic P bioresources (ie secondary P) that are recycled to land in the future and this increased recycling of Po is potentially important for shifting the Po/Pi balance in the soil and the functionality of the soil microbial community and C sequestration.

This has now been emphasised in the conclusion text.

More specific comments:

Line 70 - terrestrial environment is the scope here.

Information added.

Keywords = organic phosphorus needs to be included!

Added.

Line 117 - relative to inorganic P forms Line 121 - why is phytase not mentioned here?

Added.

Line 123 - Is it worth mentioning that organic N is taken up by plants directly?

Added.

Line 140 - ecosystem resilience could be included in the list of global issues

Research priority 1 - the term 'real-time' monitoring is not mentioned specifically but its hinted at in terms of linking forms to processes. Is this a possibility in the future or is the methodology too complex? Its there for Pi of course.

This wasn't seen as a realistic possibility by the consensus so was not included here.

Research priority 2 - para starting line 178 - why is there no mention of the CNP stoichiometry of crop plants here as they are competing for nutrient resources with the microbes?

Information added.

Line 208 - 'optimal stoichiometry' - its not clear here whether your just talking Po or total P?

Information added.

Research priority 3 - is it likely that Po will only really contribute to available P supply to crops when Pi has been depleted? Some clarification on current thoughts would be helpful here - eg line 259.

Clarification added.

The first research opportunity in Table 1 is not covered in the text?

This was a priority identified by all groups in the process, but we did not highlight it in the text as the implications of this are more to do with the societal research model and beyond our scope here.

Table 1 highlights carbon sequestration as a global issue but the trade off between utilization of Po and C is not really discussed?

This is alluded to in section 3 when we discuss the use of organic P as a nutrient source and is implicit in the stoichiometry discussion.

What about the role of Po in the remediation of contaminated soils - heavy metals inputs etc.

This did not come up in any of the discussion groups and therefore did not make it into the consensus statements.

Overall this is a very welcome contribution from the P research community and I fully support publication. I have issues with including so many authors but that must be a decision for the editor!

Thank you again for the positive review of the paper and the authorship issue is discussed above in response to reviewer #1 and editor comments.



Click here to access/download

Revised version including track changes

PS016_Final_Submitted_Revised_TrackedChanges.doc

X



1 **Organic phosphorus in the terrestrial environment: A perspective on the state of the art and future**
2 **priorities**

3 ^{1*}George TS, ¹Giles CD, ²Menezes-Blackburn D, ³Condrón LM, ⁴Gama-Rodrigues AC, ⁵Jaisi D, ⁶Lang F, ⁷Neal
4 AL, ¹Stutter MI, ⁸Almeida DS, ⁹Bol R, ¹⁰Cabugao KG, ¹¹Celi L, ¹²Cotner JB, ¹³Feng G, ¹⁴Goll DS, ¹⁵Hallama M,
5 ⁶Krueger J, ¹⁶Plassard C, ¹⁷Rosling A, ⁷Darch T, ¹⁸Fraser T, ¹⁹Giesler R, ²⁰Richardson AE, ²¹Tamburini F,
6 ¹Shand CA, ¹Lumsdon DG, ²Zhang H, ⁷Blackwell MSA, ²Wearing C, ¹Mezeli MM, ²²Almås ÅR, ²³Audette Y,
7 ¹⁶Bertrand I, ²⁴Beyhaut E, ³Boitt G, ²⁵Bradshaw N, ²⁶Brearley CA, ²⁷ Bruulsema TW, ¹⁴Ciais P, ²⁸Cozzolino V,
8 ²⁹Cuevas PD, ²⁹Mora ML, ³⁰de Menezes AB, ³¹Dodd RJ, ²³Dunfield K, ³²Engl C, ³³Frazaõ JJ, ²¹Garland G,
9 ³⁴González Jiménez, JL, ³⁴Graca J, ⁷Granger SJ, ³⁵Harrison AF, ³⁶Heuck C, ³⁷Hou EQ, ³⁸Johnes PJ, ³⁹Kaiser K,
10 ⁴⁰Kjær HA, ¹⁷Klump E, ⁴¹Lamb AL, ³²Macintosh KA, ³⁵Mackay EB, ³²McGrath J, ³⁸McIntyre C, ²¹McLaren T,
11 ²¹Mészáros E, ⁹Missong A, ⁴²Mooshammer M, ²⁹Negrón CP, ⁴³Nelson L-A, ⁷Pfahler V, ²⁹Poblete-Grant P,
12 ⁴⁴Randall M, ²⁹Seguel A, ³Seth K, ⁴¹Smith AC, ⁴⁵Smits MM, ²⁹Sobarzo JA, ³⁶Spohn M, ⁴⁶Tawaraya K, ¹⁸Tibbett
13 M, ²³Voroney P, ⁴⁷Wallander H, ⁹Wang L, ⁴⁸Wasaki J, ²Haygarth PM

14 ¹The James Hutton Institute, Dundee DD2 5DA and Aberdeen AB15 8QH, UK, ²Lancaster Environment Centre,
15 Lancaster University, LA1 4YQ, UK, ³Lincoln University, Lincoln 7647, Christchurch, New Zealand,
16 ⁴Universidade Estadual do Norte Fluminense Darcy Ribeiro (UENF - Laboratório de Solos), Av. Alberto
17 Lamego 2000 Campos dos Goytacazes - RJ, Brasil, ⁵University of Delaware, Plant and Soil Sciences, 160
18 Townsend Hall, Newark, DE 19716 USA, ⁶University of Freiburg, Faculty of Environment and Natural
19 Resources, Chair of Soil Ecology, Bertoldstraße 17, 79098 Freiburg, Germany, ⁷Rothamsted Research, West
20 Common, Harpenden, Herts., AL5 2JQ & North Wyke, Okehampton, Devon, EX20 2SB, UK ⁸Sao Paulo State
21 University (UNESP), College of Agricultural Sciences, Department of Crop Science, 1780, Jose Barbosa de
22 Barros st., Botucatu, Sao Paulo, Brazil, ⁹Institute of Bio- and Geosciences, IBG-3: Agrosphere,
23 Forschungszentrum Jülich GmbH 52425 Jülich, Germany, ¹⁰Oak Ridge National Laboratory, P.O.Box 2008,
24 Oak Ridge, TN 37831, USA ¹¹ DISAFA, Soil Biogeochemistry, University of Turin, largo Braccini 2, 10095
25 Grugliasco (TORINO), Italy, ¹²University of Minnesota-Twin Cities, 1479 Gortner Ave. Saint Paul, MN 55108,
26 USA, ¹³China Agricultural University, Beijing, China ¹⁴Le Laboratoire des Sciences du Climat et de
27 l'Environnement, IPSL-LSCE CEA/CNRS/UVSQ Saclay, Gif sur Yvette, France, ¹⁵Institute of Soil Science,
28 University of Hohenheim, Emil Wolff Str. 27, D-70599 Stuttgart, Germany, ¹⁶INRA UMR ECO&SOLS,
29 Montpellier, France, ¹⁷Evolutionary Biology Centre, EBC, Kåbovägen 4, house 7, SE-752 36 Uppsala, Sweden,

30 ¹⁸Centre for Agri-environmental Research, School of Agriculture Policy and Development, University of
31 Reading, Whiteknights, PO Box 237, Reading RG6 6AR, UK, ¹⁹Climate Impacts Research Centre, Dep. of
32 Ecology and Environmental Science, Umeå University, 981 07 Abisko, Sweden, ²⁰CSIRO Agriculture & Food,
33 Canberra, Australia, ²¹D-USYS, ETH Zurich, Tannenstrasse 1, 8092 Zurich Switzerland, ²²Norwegian
34 University of Life Sciences, Department of Environmental Sciences Post Box 5003, 1432 Ås, Norway,
35 ²³University of Guelph, 50 Stone Road East, Guelph, Ontario, N1G 2W1, ²⁴Instituto Nacional de Investigación
36 Agropecuaria (INIA), Uruguay, ²⁵Department of Chemical & Biological Engineering, The University of
37 Sheffield, Mappin Street, S1 3JD, UK, ²⁶School of Biological Sciences, University of East Anglia, Norwich
38 Research Park, Norwich, NR4 7TJ, Norfolk, United Kingdom, ²⁷International Plant Nutrition Institute, 18
39 Maplewood Drive, Guelph, Ontario, Canada N1G 1L8, ²⁸Centro Interdipartimentale di Ricerca sulla Risonanza
40 Magnetica Nucleare per l'Ambiente, l'Agro-Alimentare ed i Nuovi Materiali (CERMANU), Università di
41 Napoli Federico II, Via Università 100, 80055 Portici, Italy, ²⁹Universidad de La Frontera, Chile ³⁰School of
42 Environment and Life Sciences, University of Salford, Greater Manchester, The Crescent, M5 4WT, UK,
43 ³¹School of the Environment, Natural Resources and Geography, Bangor University, Gwynedd, LL57 2UW,
44 UK, ³²School of Biological Sciences and Institute for Global Food Security, The Queen's University of Belfast,
45 Medical Biology Centre, 97 Lisburn Road, Belfast BT9 7BL, Northern Ireland, United Kingdom, ³³CENA,
46 University of Sao Paulo, Avenida Centenario, 303, 13416-000, Piracicaba, SP, Brazil, ³⁴Teagasc,
47 Environmental Research Centre, Johnstown Castle, Co. Wexford, Ireland, ³⁵Centre for Ecology & Hydrology,
48 Library Avenue, Bailrigg, Lancaster, LA1 4AP, UK ³⁶Department of Soil Biogeochemistry, Bayreuth Center of
49 Ecology and Environmental Research (BayCEER), University Bayreuth, Dr.-Hans-Frisch-Str. 1-3, 95448
50 Bayreuth, Germany, ³⁷Guangdong Provincial Key Laboratory of Applied Botany, South China Botanical
51 Garden, Chinese Academy of Sciences, 723 Xingke Road, Tianhe District, Guangzhou 510650, China, ³⁸School
52 of Geographical Sciences & School of Chemistry, University of Bristol, University Road, Bristol, BS8 1SS, UK
53 ³⁹Soil Science and Soil Protection, Martin Luther University Halle-Wittenberg, von-Seckendorff-Platz 3, 06120
54 Halle (Saale), Germany, ⁴⁰Centre for Ice and Climate, Niels Bohr Institute, University of Copenhagen, ⁴¹NERC
55 Isotope Geosciences Facility, British Geological Survey, Nottingham, NG12 5GG, UK., ⁴²Department of
56 Microbiology and Ecosystem Science, University of Vienna, Althanstrasse 14, 1090 Vienna, Austria
57 ⁴³University of Northern British Columbia, 3333 University Way, Prince George, BC, V2N 4Z9, Canada,
58 ⁴⁴Brigham Young University, Provo, UT 84602, USA, ⁴⁵Centre for Environmental Sciences, Hasselt University
59 Building D, Agoralaan 3590 Diepenbeek, Belgium, ⁴⁶Yamagata University, Tsuruoka, 997-8555, Japan,

60 ⁴⁷Department of Biology, Lund University, Biology Building Sölvegatan 35, 223 62, Lund, Sweden,

61 ⁴⁸Assessment of Microbial Environment, Graduate School of Biosphere Science Hiroshima University,

62 Hiroshima, Japan

63 *Corresponding author: tim.george@hutton.ac.uk, tel: +44 1382 568700; fax:+44 344 9285429

64 **Abstract**

65 **Background:** The dynamics of phosphorus (P) in the environment is important for regulating nutrient cycles in
66 natural and managed ecosystems and an integral part in assessing biological resilience against environmental
67 change. Organic P (P_o) compounds play key roles in biological and ecosystems function in the terrestrial
68 environment, being critical to cell function, growth and reproduction.

69 **Scope:** We asked a group of experts to consider the global issues associated with P_o in the terrestrial
70 environment, methodological strengths and weaknesses, benefits to be gained from understanding the P_o cycle,
71 and to set priorities for P_o research.

72 **Conclusions:** We identified seven key opportunities for P_o research including: the need for integrated, quality
73 controlled and functionally based methodologies; assessment of stoichiometry with other elements in organic
74 matter; understanding the dynamics of P_o in natural and managed systems; the role of microorganisms in
75 controlling P_o cycles; the implications of nanoparticles in the environment and the need for better modelling and
76 communication of the research. Each priority is discussed and a statement of intent for the P_o research
77 community is made that highlights there are key contributions to be made toward understanding biogeochemical
78 cycles, dynamics and function of natural ecosystems and the management of agricultural systems.

79 **Keywords**

80 , Ecosystems services, Method development, Microbiome, Modelling, Organic Phosphorus, Stoichiometry.

81 **Abbreviations**

82 $\delta^{18}OP$ – oxygen-18 isotope ratio

83 16S rRNA = 16S ribosomal Ribonucleic acid

84 Al = Aluminium

85 ATP = Adenosine triphosphate

86 C = Carbon

87 DNA = Deoxyribonucleic acid

88 Fe = Iron

89 N = Nitrogen

90 P = Phosphorus

91 Pho = Pho regulon transcription factors

92 P_i = Inorganic orthophosphate

93 P_o = Organic phosphate compounds

94 S = Sulphur

95 **The Importance of Phosphorus and Organic Phosphorus**

96 The dynamics of phosphorus (P) in the terrestrial environment is critical for regulating nutrient cycling in both
97 natural and managed ecosystems. Phosphorus compounds fundamentally contribute to life on earth: being
98 essential to cellular organization as phospholipids, as chemical energy for metabolism in the form of ATP,
99 genetic instructions for growth, development and cellular function as nucleic acids, and as intracellular
100 signalling molecules (Butusov and Jernelöv 2013). Plant growth is limited by soil P availability, so turnover of
101 organic phosphorus (P_o) represents a source of P for ecosystem function and, critically, P supply affects crop
102 production (Runge-Metzger 1995). Phosphorus deficiency constrains the accumulation and turnover of plant
103 biomass and dictates community assemblages and biodiversity in a range of natural ecosystems (Attiwill and
104 Adams 1993; McGill and Cole 1981).

105 Chemically, P is a complex nutrient that exists in many inorganic (P_i) and organic (P_o) forms in the
106 environment. Through the utilization of orthophosphate, plants and other organisms drive the conversion of P_i to
107 P_o . Death, decay and herbivory facilitate the return of both P_o and P_i in plant materials to soil. Inputs of P to soil
108 through these processes may contribute P_o directly to soil or indirectly, following decomposition, accumulation,
109 and stabilization of P_o by microorganisms (Harrison 1982; Lang et al. 2016; Magid et al. 1996; McGill and Cole

110 1981; Stewart and Tiessen 1987; Tate and Salcedo 1988). In its simplest definition, P_o is any compound that
111 contains an organic moiety in addition to P, while a wider definition would include phosphate which is
112 associated with organic matter. Such discrete P_o compounds are categorized into similarly structured forms and
113 these forms and their relative lability in soil is shown in Figure 1, taken from Darch et al. (2014). The P_o
114 compounds, which are considered to be biologically relevant include monoesters, inositol phosphates, diesters
115 and phosphonates. The relative lability and accumulation of these different groups varies in the environment, but
116 overall the labile monoesters and diesters tend to be less prevalent and the inositol phosphates tend to be less
117 labile and accumulate in the environment (Darch et al. 2014). In general, soil organic P forms have a smaller
118 affinity to the soil solid phase than inorganic P forms and a large proportion of the P forms found in leachate are
119 found to be in organic forms (Chardon & Oenema, 1995; Chardon et al. 1997; Espinosa et al. 1999) and can
120 therefore have large impacts on ecosystem function (Sharma et al. 2017; Toor et al. 2003). All P_o compounds
121 have a range of chemical bonds, and all require specific catalytic enzymes to make them biologically available
122 in the form of orthophosphate. The hydrolysis of P_o is mediated by the action of a suite of phosphatase enzymes
123 which may have specificity for single compounds or broad specificity to a range of compounds (George et al.
124 2007). Unlike for organic nitrogen, there is no evidence for direct uptake of dissolved P_o compounds by biology,
125 apart from the uptake of phosphonates by bacteria in marine systems (Dyhrman et al. 2006). Plants and
126 microbes possess a range of phosphatases that are associated with various cellular functions, including; energy
127 metabolism, nutrient transport, metabolic regulation and protein activation (Duff et al. 1994). However, it is the
128 extracellular phosphatases released into the soil that are of particular importance for the mineralisation of soil
129 P_o. Extracellular phosphatase activity is induced under conditions of P deficiency and is either associated with
130 root cell walls or released directly into the rhizosphere (Richardson et al. 2009).

131 There have been a number of important advances in our understanding of P_o dynamics at the ecosystem and
132 rhizosphere scale in the past decade, with particular advancement in understanding of plant-soil-microorganism
133 interactions and concomitant advances in techniques used to assess these dynamics. It is now timely to start to
134 consider how to integrate this information and extract further understanding of the dynamics of P_o in the
135 managed and natural environment and this will have a number of potentially important impacts on how we
136 tackle some of the most pressing global issues of today. Here we summarise the state of the art of P_o research
137 and identify priorities for future research, which will help meet these goals.

138 **Establishing Priorities for Organic Phosphorus Research**

139 There has been a large increase in the number of publications in the P_o research field in the last two decades,
140 with ~400 publications in 2016, compared to 150 in 2000. In September 2016 a workshop on Organic
141 Phosphorus was held (<https://op2016.com>), gathering together 102 experts in the field of P_o research from 23
142 countries to identify research priorities. Contributors were asked, in five groups, to consider the global issues
143 associated with P_o, methodological strengths and weaknesses, benefits to be gained from understanding the P_o
144 cycle, and priorities for P_o research. The information from the five groups was collected and the concepts, where
145 consensus between at least two of the groups was reached, are summarized in Table 1. It is clear from this that
146 research into P_o has the potential to have impacts on global biogeochemical cycles of P both in natural and
147 managed systems and will therefore potentially impact food security, agricultural sustainability, environmental
148 pollution of both the aquatic and atmospheric environments and will be profoundly affected by environmental
149 change both in geopolitical terms and through man-made climate change. We are well placed to tackle these as
150 there are a number of strengths in the way the research is performed and the weaknesses are well understood. It
151 was considered that P_o research will have a range of impactful outcomes on our understanding of how natural
152 and agricultural systems work and has the potential to give society a number of important tools to help manage
153 the environment more effectively to either prevent or mitigate against some of the major global threats. A
154 number of research priorities were identified and grouped into specific opportunities which are detailed below.
155 The key opportunities to improve the effectiveness of P_o research identified here are similar to those highlighted
156 in Turner et al. (2005), although it is clear that some progress has been made since that set of recommendations
157 were made. However, the similarities and consistency between the outcomes of these two studies suggests we
158 still have some progress to make. A number of new priority areas were identified here that were not identified in
159 Turner et al. (2005), including the need for greater understanding of the metagenomics and functional microbial
160 genes involved in organic P turnover, greater understanding of the impact of nanoparticles in the environment
161 on organic P turnover and the need to integrate the system more effectively in the form of models. It is clear that
162 P_o research field is evolving, but some of the issues of a decade ago still persist.

163 **1) Opportunities in organic phosphorus analytical methodologies**

164 The core analytical tools for the P_o discipline are ³¹P NMR spectroscopy (Cade-Menun and Liu 2014; Cade-
165 Menun 2005; Cade-Menun et al. 2005; Turner et al. 2005), which is used to identify P_o compounds in several
166 environmental matrices, along with more traditional soil extraction methods, such as those to measure total P_o
167 and the fractionation method developed by Hedley et al. (Condon and Newman 2011; Hedley et al. 1982;

168 Negassa and Leinweber 2009). There is discussion and debate focused around the suitability of these analytical
169 methodologies for characterizing P_o in soil and terrestrial systems (Liu et al. 2014; Doolette and Smernik, 2011)
170 and this debate revolves around the identity of the broad base of the inositol hexaphosphate peak on NMR
171 spectra, which some contest is resolved and other suggest is unidentified (Jarosch et al. 2015). Despite this,
172 research into P_o is still limited methodologically and many methods are operationally-defined. Importantly, there
173 is a need to link the results from these methods to biological and biogeochemical processes in the environment.
174 In the process of achieving this, there is debate over the benefits of (i) standardization or homogenization of
175 analytical methods, versus the merits of (ii) promoting diversity of analytical procedures.

176 It is critical to develop non-destructive methods to analyse soil pools and their dynamics without the need for
177 extraction. Some solid-state methods, such as solid-state NMR or P-XANES (X-ray Adsorptive Near Edge
178 Structure) spectroscopy are limited by the naturally low concentrations of P_o forms in soils (Liu et al. 2013;
179 2014; 2015). Visible Near-Infrared Reflectance Spectroscopy (VNIRS) has shown some promise for
180 determining total P_o in soils (Abdi et al, 2016), but further testing is needed. Another priority for P_o
181 methodologies is the development of standard analytical quality controls through the use of standardized
182 reference materials for cross-comparison and checks on analytical methods. These standardized reference
183 materials will include reference soils and chemicals. There is a need for the community to identify standardized
184 natural reference materials such as soils and manures, but a large amount of effort would be needed to put
185 together a collection of appropriate materials as well as a means to share them internationally. Standardization
186 of P_o compounds could be achieved through the use of simple, relatively pure, and inexpensive P_o compounds
187 (e.g. Na-phytate, glucose 1-P) purchased from a single supplier operating in many countries with a guaranteed
188 long-term production commitment. And there is a need to develop a commercial supply of other commonly
189 identified P_o compounds in soils, such as scyllo-inositol hexakisphosphate, to allow the use of appropriate
190 substrates for research fully understand the biological and chemical processes controlling the behaviour of this
191 and other P_o compounds in the environment. It is a priority for researchers to further develop methods, while
192 also refining existing P_o methods and standards, to generate useful and comparable datasets and to build a
193 consensus with respect to P_o dynamics and function in agricultural and natural ecosystems.

194 **2) Opportunities from understanding stoichiometry – interactions of organic phosphorus with other**
195 **element cycles**

196 Comparing element ratios of living organisms and their non-living environment has been at the centre of
197 scientific debate for many years. In oceans, planktonic biomass is characterized by similar C:N:P ratios as
198 marine water (106:16:1) (Redfield 1958). While similar characteristic element ratios also exist for terrestrial
199 ecosystems with much greater heterogeneity across a range of spatial scales (Cleveland and Liptzin 2007). The
200 comparison of C:N:P ratios in the microbial biomass of soils with that of soil organic matter (SOM) may
201 therefore help to identify the nutrient status of the soil (Redfield 1958). Following this concept, the
202 stoichiometric ratios of resources (e.g., SOM) over the microbial biomass has been calculated as a proxy for
203 nutrient imbalances (Cleveland and Liptzin 2007). An understanding of stoichiometric ratios in soils and their
204 relationship to those in crop plants and for the decomposition of litter and SOM will provide an important
205 indicator of nutrient status in terrestrial ecosystems and better management of systems.

206 Until now, the large temporal and spatial heterogeneity of soil systems and the heterogeneous distribution of
207 SOM constituents have made the analysis and interpretation of ecosystem stoichiometry a challenge because for
208 microbial decomposers the elemental composition of micro-sites in soils might be more relevant than the overall
209 element ratio of the soil. For example, by analysing the C:N:P ratio of bulk soils only, information on relevant
210 and spatially-dependent processes may be lost (e.g., rhizosphere, soil horizons). The most obvious reason for
211 soil-specificity and heterogeneity among stoichiometric ratios is that part of the SOM is separated from
212 microorganisms and roots via physical and physicochemical barriers. By re-analysing the results of
213 C:N:P:Sulphur (S) analyses of SOM obtained from 2000 globally distributed soil samples, Tipping et al. (2016)
214 demonstrated that there is both nutrient-poor and nutrient-rich SOM, with the latter being strongly sorbed by soil
215 minerals (Tipping et al. 2016). This may be explained by the incorporation of SOM into aggregates (Stewart and
216 Tiessen 1987) or the adsorption of P-containing organic and inorganic molecules to mineral surfaces (Celi et al.
217 2003; Giaveno et al. 2010). Clay and metal (oxy)hydroxide minerals can sequester P_o and P_i released by
218 microbial- or plant-driven processes and/or affect enzyme activities, while limiting P biocycling (Celi and
219 Barberis 2005). This highlights the need to understand the tight interrelationship between chemical, physical and
220 biological processes and the potential for stoichiometric assessment as an indicator of P and organic matter
221 availability in soils. Modern analytical techniques which enable to analyse the stoichiometry of the soil
222 constituents at a high resolution might help provide this knowledge (Mueller et al. 2012).

223 There are many known mechanisms by which organisms can improve access to P_o (Richardson et al. 2011), but
224 there are several novel mechanisms being identified that target key components of SOM, such as polyphenols

225 and tannins, to mobilise P (Kohlen et al. 2011). A priority will be to understand the plant and microbial
226 mechanisms involved in the accumulation and mobilization of P from organic matter. It is important to attempt
227 to determine the optimal stoichiometry between C:N:P, and understand the role P_o plays in this, to allow
228 sustainable management of P in arable soils and to identify anthropogenic nutrient imbalances in natural,
229 agricultural and forest ecosystems (Frossard et al. 2015).

230 **3) Opportunities from understanding interactions of organic phosphorus with land management**

231 An ability to utilise P_o to sustain agronomic productivity with declining conventional fertiliser inputs drives
232 research into interactions among P_o, land use and management (Nash et al. 2014; Stutter et al. 2012). The
233 conditions to better utilise P_o may bring benefits for other soil quality factors (e.g., SOM status and microbial
234 cycling), but may require management of potentially adverse effects on wider biological cycles and water
235 quality (Dodd and Sharpley 2015). Societal drivers for food and timber production underpin much of the
236 research into P_o speciation, biological turnover and integration with agronomic systems. Numerous studies have
237 reported P_o stocks and changes associated with management; fewer have studied the time-course of
238 transformations and turnover with management change, linked with soil chemical and biological processes. The
239 interactions between P speciation, (bio)availability and SOM are of prime importance since land management
240 greatly affects SOM in space and time (in beneficial or detrimental ways) and exert strong geochemical and
241 microbial controls on P_o cycling.

242 The interactions of land cover, use and management are important for understanding the role of P_o across
243 ecosystems. In agricultural systems, the information on soil P_o stocks is well represented have been quantified
244 by numerous studies in North America (Abdi et al. 2014; Cade-Menun et al. 2015; Liu et al. 2015; Schneider et
245 al. 2016), Europe (Ahlgren et al. 2013; Annaheim et al. 2015; Keller et al. 2012; Stutter et al. 2015), China (Liu
246 et al. 2013), South America (de Oliveira et al. 2015), and Australia (Adeloju et al. 2016). In forestry, such
247 information is available in tropical (Zaia et al. 2012) and temperate systems (Slazak et al. 2010) and orchards
248 (Cui et al. 2015). However, an important improvement will be to better understand the reasons as to why
249 particular stocks exist under certain geoclimatic-land cover combinations. Key opportunities exist to understand
250 P_o dynamics for sustainable P use in tropical systems and for forests growing on marginal soils, both of which
251 depend on effective management of P_o resources.

252 It is known that both land cover and management factors (tillage, fertilizer type, application rate and timing)
253 interact with abiotic factors in controlling P_o stocks and cycling, such as SOM, stabilizing surfaces [e.g., Fe- and

254 aluminium (Al)-oxides, calcium (Ca) forms, clays] and soil moisture, (Adeloju et al. 2016; Cade-Menun et al.
255 2015; Stutter et al. 2015). Chemical fractionation studies of P_o stocks provide a snap-shot in time, missing
256 temporal aspects of cycling associated with management-induced change at seasonal or to longer term
257 management. As a result, short periods of rapid change in P speciation and turnover may not be appreciated.
258 The utilization of ‘legacy P’ (Haygarth et al. 2014; Powers et al. 2016), following declining fertiliser inputs or
259 altered cropping practices, has been studied following long-duration manipulations. Often these look at the end
260 point of change (Cade-Menun et al. 2015), but have not ‘followed’ the dynamic. Although powerful methods for
261 P_o assessment are developing rapidly, studies that preceded these have the opportunity to incorporate them with
262 archived samples or control soils (Keller et al. 2012; Liu et al. 2015). Long-term understanding of P_o dynamics
263 in management systems should be pursued, while short-term seasonal observations (for example Ebuele et al.
264 2016) will be needed to understand the influence of microbial dynamics on P speciation and turnover under
265 various land-use and management scenarios. If studies of short-term perturbations (via management, climate etc)
266 can show benefits for providing greater P_o resources into available pools then these processes may be
267 beneficially incorporated in future land management.

268 ‘Organic’ farming brings a commercial stimulus to substitute agro-chemicals (including chemical P fertilisers)
269 with sustainable management, such as use of organic amendments, for example enhancing soil P cycling with
270 the aim of better utilizing P already present and moving towards a ‘closed’ system (Annaheim et al. 2015; Gaiind
271 and Singh 2016; Schneider et al. 2016). The same approaches can be applied to less intensive, or developing,
272 agricultural systems. Canadian pastures managed under an organic regime, had a greater abundance of P_o (65%
273 vs 52% of total P) compared to conventional pastures and were able to maintain yield without inorganic
274 fertilisers (Schneider et al. 2016). These authors concluded that plants were using P_i rather than P_o and supported
275 by other studies showing no indication that the greater microbial activity under organic farming caused
276 utilization of stabilized P_o forms (Keller et al. 2012). Therefore, the management conditions and actions
277 required to promote better acquisition of P_o pools remain elusive.

278 The consensus is that a key question remains: How long could the turnover of P_o sustain crop yields under
279 scenarios of reduced P inputs and maintained or increased outputs and thus contribute to agricultural production
280 and feed supplies? The mechanistic understanding required to answer this question lies in the role of biota (in
281 the context of their abiotic setting) in P_o turnover and the potential pathways of P_o loss to be managed (e.g.
282 runoff). In order to progress, a systems approach is needed to fully assess the opportunities and role of P_o , as

283 well as the interactions of soil chemical, physical and biological processes and impacts of land use change that
284 control P availability.

285 **4a) Opportunities from understanding microbial P_o: functional genes and metagenomics**

286 As our abilities to analyse and interpret the complexity inherent in the soil microbiome improves, interest is
287 burgeoning around the functional ecology of microorganisms. Organic P dynamics across ecosystems, along
288 with development of many techniques that will aid in this understanding, are beginning to emerge. Scavenging
289 of P from P-containing organic compounds by soil microbes is tightly controlled by intracellular P availability
290 through the Pho pathway in yeast (Secco et al. 2012) and the Pho regulon in bacteria. In both cases, transcription
291 of phosphatase and phytase, which act to release orthophosphate from phosphate esters, and high affinity
292 transporters which transport P_i into the cell, are up-regulated under P_i limitation, affecting the organisms' ability
293 to utilise P_o. The Pho regulon also acts as a major regulator of other cellular processes, including N assimilation
294 and ammonium uptake (Santos-Beneit 2015). The C:N:P elemental ratios of the soil bacterium *Bacillus subtilis*
295 range between C₅₃₋₁₂₅:N₁₂₋₂₉:P₁ under N- and P-limited culture conditions (Dauner et al. 2001), although
296 environmental assemblages may exhibit greater stoichiometric flexibility (Godwin and Cotner 2015). Given this
297 regulatory cross-talk, nutrient stoichiometry will be important to cellular and community metabolism meaning
298 that the cycling of P must be considered within the context of other biogeochemical cycles, as highlighted
299 earlier.

300 Soil type, nutrient inputs, and plant species have been shown to determine microbiota species composition and
301 function (Alegria-Terrazas et al. 2016). However, plant root exudation drives recruitment of specific microbes
302 and microbial consortia to the rhizosphere and may outweigh the impacts of soil and its management in shaping
303 community composition and function (Tkacz et al. 2015). As yet, there is only limited understanding of how
304 specific root exudates affect microbial recruitment (Neal et al. 2012), let alone specific microbiota responsible
305 for phosphatase expression and production. A better understanding of interactions between plants and microbes
306 would facilitate identification of functional redundancy among them, which could ultimately help manage the
307 availability of P in soils and sediments by selection of the optimal plant rhizosphere complement.

308 Alkaline phosphatase and phytase genes are distributed across a broad phylogenetic range and display a high
309 degree of microdiversity (Jaspers and Overmann 2004; Lim et al. 2007; Zimmerman et al. 2013), where closely
310 related organisms exhibit different metabolic activities. It is therefore not possible to determine community
311 functional potential from 16S rRNA gene abundance – functional gene abundance information is required and

312 this can be provided by employing sequencing techniques to assess the soil metagenome. In marine systems,
313 there is evidence from metagenomic sequencing of environmental DNA that alkaline phosphatase genes *phoD*
314 and *phoX* are more abundant than *phoA* (Luo et al. 2009; Sebastian and Ammerman 2009) and the β -propeller
315 phytase is the most abundant phytase gene (Lim et al. 2007). The dominant alkaline phosphatase gene in
316 terrestrial ecosystems is also *phoD* (Tan et al. 2013), which is more abundant in soils than other environments
317 (Courty et al. 2010; Ragot et al. 2015; Fraser et al. 2017). From a functional standpoint, abundance of *phoD*-like
318 sequences correlate well with estimates of potential alkaline phosphatase activity (Fraser et al. 2015), although
319 this is not always the case (Ragot et al. 2015). Moreover, in soils there is little information regarding other
320 phosphatases and little is known about the distribution and abundance of bacterial acid phosphatases, but there is
321 some information related to *phoX* (Ragot et al. 2016). In contrast, fungi are well known for their capacity to
322 secrete acid phosphatases (Plassard et al. 2011; Rosling et al. 2016), especially ectomycorrhizal fungi. Since
323 only a small percentage of soil microorganisms are cultivable, research will need to rely upon culture-
324 independent approaches to generate a thorough understanding of the abundance and diversity of genes
325 associated with P_o turnover. Environmental metagenomic sequencing can form the basis of an efficient
326 molecular toolkit for studying microbial gene dynamics and processes relevant to P_o mineralization (Neal et al.,
327 2017). Such an approach will need to prioritize generating comprehensive understanding of the distribution of
328 alkaline and acid phosphatase and phytase genes within soils, coupled with activity measurements, and a sense
329 of their relative sensitivities to edaphic factors. This will allow explicit incorporation of microbial P_o turnover in
330 the new generation of soil models, as well as allowing rapid assessment of a soil's capabilities for P_o cycling.
331 Improved knowledge will allow the exploitation of microbial activity to sustain and improve soil fertility and
332 allow the tailoring of new fertilizers based upon the capacity of microbes to exploit P_o .

333 **4b) Opportunities from understanding microbial P_o : measuring stocks, mineralisation and dynamics of** 334 **turnover**

335 The apparently large diversity of genes associated with P_o -hydrolysing enzymes suggests that changes in
336 community composition are unlikely to result in a loss of ecosystem function. This confers resilience to P -
337 cycling processes, although many of these genes have very specific functions intracellularly. However, trait
338 differences are likely to have significant implications for community function in soils, e.g., the contrasting
339 effects of arbuscular and ectomycorrhizal fungi upon the cycling of P in forest soils, where it has been shown
340 that P_o is more labile in ectomycorrhizal dominated systems than arbuscular mycorrhizal systems (Rosling et al.

341 2016). The fact that enzyme activity in soil appears to be disconnected from soil P status is at odds with the
342 apparent influence of the Pho regulon or pathway upon gene expression and indicates that much of the observed
343 activity derives from multiple enzyme sources, which have been stabilised by soil colloids (Nannipieri et al.
344 2011). This also suggests that soil enzyme activity does not directly represent microbial activity or simply
345 reflects the complexity in current P requirements of different microbial species. However, visualization of acid
346 and alkaline phosphatase activity associated with roots by zymography (Spohn and Kuzyakov 2013) does
347 provide an exciting means to determine regulation of soil phosphatase activity with P availability and illustrates
348 the clear spatial separation among the activities of physiologically different enzymes. It is a priority to develop
349 and couple techniques that resolve the distribution of active enzymes in soil with estimates of gene expression
350 derived from functional genes or meta-transcriptomic studies.

351 The stock of microbial P is an easy-to-determine component in soils, which is widely used to characterize the P
352 status of microbial communities and ecosystems (Brookes et al. 1982; 1984). Nevertheless, its analysis relies on
353 many different protocols (Bergkemper et al. 2016). Building on the previous work, further insights into both
354 microbial-mediated and enzyme-mediated P transformations in soils may now be gained from measurement of
355 the isotopic composition of oxygen associated with phosphate ($\delta^{18}\text{O}_\text{P}$) (Tamburini et al. 2014; von Sperber et al.
356 2014) and the use of radiolabelled (^{32}P or ^{33}P) P_o compounds to measure mineralisation and immobilisation rates
357 directly (Harrison 1982). A powerful tool for quantifying soil P pools and transformation rates is the isotope
358 dilution technique [reviewed in Bünemann 2015; Di et al. 2000; Frossard et al. 2011]. The decrease in
359 radioactivity with time is caused by the exchange of the added radiolabelled P (either ^{32}P or ^{33}P) with ^{31}P from
360 the sorbed/solid phase and by the release of inorganic ^{31}P from the organic pool via hydrolysing enzymes
361 (Bünemann 2015). Determination of gross P_o mineralization rates from P_o to P_i remains a critical approach,
362 helping understand the processes and rates of P cycling in different soils and under different environmental
363 conditions (Frossard et al. 2011). These techniques present new opportunities to link P cycling to other
364 biogeochemical cycles, such as C and N.

365 **5) Opportunities in the emerging area of interactions between P_o dynamics and nanoparticles**

366 Reactive nanoparticles can take the form of natural soil colloids or man-made particles and are potential P_o
367 carriers, sources and sinks in ecosystems. Up to 90% of P in stream water and runoff is present in nano- and
368 colloidal sized materials (Borda et al. 2011; Gottselig et al. 2014; Uusitalo et al. 2003; Withers et al. 2009).
369 Colloidal P may comprise nano-sized aggregates (Jiang et al. 2015) bound to Fe, Al and SOM (Celi and

370 Barberis 2005; Celi and Barberis 2007), including inositol phosphates. However, the influence of nanoparticles
371 on the dynamics and bioavailability of P in soil-plant systems is unclear (Bol et al. 2016). Nanoparticles such as
372 C-magnetite, which adsorb and retain P₁ and P_o, are used to enhance the recovery and recycling of P from P-rich
373 wastes (Magnacca et al. 2014; Nisticò et al. 2016). It may also be possible to enhance soil enzyme activity with
374 amendments containing mesoporous nanoparticle materials (Zhou and Hartmann 2012). Phytase encapsulated in
375 nanoparticles was shown to be resistant to inhibitors and proteases and to promote the hydrolysis of phytate for
376 P uptake by *Medicago truncatula* (Trouillefou et al. 2015). Nanotechnology has also been used to develop new
377 fertilizers and plant-growth-enhancing materials (Liu and Lal 2015), representing one potentially effective
378 option for enhancing global food production. A better understanding of the P_o nanoparticle interaction may
379 improve our understanding on P fluxes in natural and agricultural systems, and provide innovative technologies
380 for fertilizer production and environmental remediation.

381 **6) Opportunities to use modelling of P_o in soil and ecosystems**

382 The use of all types of modelling approaches to study P_o is generally overlooked and there is a dearth of P_o
383 based models, but development of such models would be extremely beneficial. Modelling should facilitate the
384 development of a systems-based perspective and help to identify knowledge gaps in the current understanding of
385 P_o. Models of all types are needed including those that are conceptual, mechanistic or empirical in nature and in
386 general there is a lack of focus on all the types of models that exist for P_o. The potential benefits of advances in
387 modelling for P_o include:

- 388 • Prediction of the relationship between soil P_o and plant uptake, which should be developed in both
389 conceptual and mechanistic models of P dynamics in the environment.
- 390 • Application at different scales to determine the relationship between P_o with land use and management
391 should be possible by building empirical models based on existing data.
- 392 • Application of modelling to help understand the role of microbial traits in soil (Wieder et al. 2015), which
393 may determine the effects of gene expression, enzyme activities and the stoichiometric ratio of C:N:P in the
394 microbial biomass relative to that of SOM
- 395 • Application of complete Life-Cycle Analysis for relying on the run-down of soil P_o as a replacement to
396 inorganic fertilisers will help us develop adequate conceptual models for management of the system.
- 397 • Modelling could also be used to help in the quantification of soil P pools for estimating flow among P_o
398 pools.

399 In general, there is a great opportunity for the development of modelling in all areas of P_o research and this will
400 be of considerable benefit to the subject if this can be developed and integrated with all areas. The cooperation
401 of modellers and empiricists is essential for building models with great potential use to predict changes in P_o
402 bioavailability due to land-use and management change and to infer the sustainability of the system as a whole.

403

404 **7) Opportunities to better communicate and translate research**

405 Organic P represents a small, albeit critical component of biogeochemical research. The marginal nature of the
406 subject to date creates a need to communicate the importance of this science for the future of P sustainability. As
407 for other scientific disciplines, communication priorities include (1) strengthening communication among
408 scientists within and outside of the P_o research community; (2) engagement with stakeholders; and (3)
409 dissemination of knowledge to the public and specific end-users.

410 Conferences and workshops on the topic of organic P promote the exchange of ideas and forging of new
411 research partnerships (Sharpley et al. 2015; Turner et al. 2015). Online platforms are also powerful tools to
412 connect researchers and stakeholders on issues of global P sustainability (e.g., European Sustainable Phosphorus
413 Platform, www.phosphorusplatform.eu, North America Partnership for Phosphorus Sustainability) (Rosemarin
414 and Ekane 2015). The ‘Soil Phosphorus Forum’ (www.soilforum.com) provides a platform for the exchange of
415 information relating to P_o. Specific protocols and conference presentations are also featured in archived
416 YouTube channels (<https://www.youtube.com/channel/UCtGI3eUZscCgByewafsQKdw>). A central platform for
417 P_o research and communications is still needed, to connect existing forums to global research networks and
418 would include features such as researcher membership, methodological resources, links to relevant
419 organizations and platforms, and a clearing house of P_o data for future meta-analysis and modelling efforts.

420 Key stakeholder groups such as land managers, farmers and extension services are a natural link between
421 industry, government, and academia (FAO 2016). These key groups hold traditional knowledge on sustainable
422 farming techniques, which serve as a potential basis for future P_o research. Industry initiatives such as the 4R
423 Nutrient Stewardship framework provide feedback from end users and practitioners on research priorities
424 associated with the management of agricultural nutrients (Vollmer-Sanders et al. 2016). The engagement of P_o
425 researchers with existing nutrient initiatives such as these will be critical for bolstering public understanding of
426 P_o and its important role in global P dynamics.

427

428 **Conclusion - Statement of intent for the P_o research community**

429 Organic P research has a critical role to play in tackling a number of important global challenges and there are
430 key contributions to be made toward understanding biogeochemical cycles, dynamics and function of natural
431 ecosystems and the management of agricultural systems. In particular, we must reduce our reliance on inorganic
432 P fertilisers and strategies to do this will increase the relevance of soil P_o for plant nutrition. Secondly, there is a
433 need to develop a circular P economy and close the P cycle which will likely lead to an increase in the amounts
434 of organic P “waste” products being recycled to land shifting the P_o/P_i balance in the soil. To address these
435 global environmental changes and challenges, we should concentrate our efforts on understanding the biological
436 significance of P_o by considering its interactions with other elements in SOM, soil microorganisms and active
437 soil surfaces. We should consider these interactions with respect to changes in land use and management and as
438 a function of geochemical conditions in the wider biophysical and socio-economic environment. We need to
439 integrate this understanding through the production of models for P_o, which capture both whole systems and
440 fine-scale mechanisms. In addition, we need to develop novel and standardised methodologies that can integrate
441 the dynamics and function of P_o on appropriate scales in a non-invasive manner. To achieve a step-change in the
442 impact of P_o research, we need to engage with researchers outside of the discipline, align the research with
443 pressing societal issues, and become more global, collaborative, inclusive, interdisciplinary, and longer-term in
444 nature. The key to fostering this change will depend on logically communicating the importance of P_o to society
445 at large, engaging with stakeholders on important global issues, and ultimately pushing this important area of
446 research up the agenda of policy makers and funding bodies on a global scale.

447 **Acknowledgements**

448 This work was performed with the financial support of the Organic Phosphorus Utilisation in Soils (OPUS)
449 project, funded by Biotechnology and Biological Sciences Research Council (BBSRC – BBSRC -
450 BB/K018167/1) in the UK and the Rural & Environment Science & Analytical Services Division of the Scottish
451 Government. Fraser and Tibbett acknowledge the support of BBSRC SARISA programme BB/L025671/2. We
452 also acknowledge the contribution to the output of the OP2016 workshop of all the attendees of the meeting who
453 chose not be named as an author on this paper. In particular, the authors would like to thank Barbara Cade-
454 Menun and Ben Turner and acknowledge their contribution to drafts of this manuscript.

455 **References**

456 Abdi D, Cade-Menun BJ, Ziadi N, Parent L-É (2014) Long-Term Impact of Tillage Practices and Phosphorus
457 Fertilization on Soil Phosphorus Forms as Determined by ³¹P Nuclear Magnetic Resonance
458 Spectroscopy. *J Environ Qual* 43: 1431-1441. doi: 10.2134/jeq2013.10.0424.

459 Abdi D, Cade-Menun BJ, Ziadi N, Tremblay GF, Parent LÉ (2016) Visible near infrared reflectance
460 spectroscopy to predict soil phosphorus pools in chernozems of Saskatchewan, Canada. *Geoderma*
461 *Region 7*: 93-101.

462 Adeloju S, Webb B, Smernik R (2016) Phosphorus Distribution in Soils from Australian Dairy and Beef
463 Rearing Pastoral Systems. *Appl Sci* 6: 31.

464 Ahlgren J, Djodjic F, Börjesson G, Mattsson L (2013) Identification and quantification of organic phosphorus
465 forms in soils from fertility experiments. *Soil Use and Management* 29: 24-35. doi:
466 10.1111/sum.12014.

467 Alegria-Terrazas R, Giles CD, Paterson E, Robertson-Albertyn S, Cesco S, Mimmo T, Pii Y, Bulgarelli D
468 (2016) Plant-Microbiota Interactions as a Driver of the Mineral Turnover in the Rhizosphere. *Adv*
469 *Appl Microbiol*. Springer.

470 Annaheim KE, Doolette AL, Smernik RJ, Mayer J, Oberson A, Frossard E, Bünemann EK (2015) Long-term
471 addition of organic fertilizers has little effect on soil organic phosphorus as characterized by ³¹P NMR
472 spectroscopy and enzyme additions. *Geoderma* 257–258: 67-77. doi:
473 <http://dx.doi.org/10.1016/j.geoderma.2015.01.014>.

474 Attiwill PM, Adams MA (1993) Nutrient cycling in forests. *New Phytol* 124: 561-582. doi: 10.1111/j.1469-
475 8137.1993.tb03847.x.

476 Bergkemper F, Bünemann EK, Hauenstein S, Heuck C, Kandeler E, Krüger J, Marhan S, Mészáros É, Nassal D,
477 Nassal P, Oelmann Y, Pistocchi C, Schloter M, Spohn M, Talkner U, Zederer DP, Schulz S (2016) An
478 inter-laboratory comparison of gaseous and liquid fumigation based methods for measuring microbial
479 phosphorus (P_{mic}) in forest soils with differing P stocks. *J Microbiol Methods* 128: 66-68. doi:
480 <http://dx.doi.org/10.1016/j.mimet.2016.07.006>.

481 Bol R, Julich D, Brödlin D, Siemens J, Kaiser K, Dippold MA, Spielvogel S, Zilla T, Mewes D, von
482 Blanckenburg F, Puhmann H, Holzmann S, Weiler M, Amelung W, Lang F, Kuzyakov Y, Feger K-H,
483 Gottselig N, Klumpp E, Missong A, Winkelmann C, Uhlig D, Sohr J, von Wilpert K, Wu B, Hagedorn
484 F (2016) Dissolved and colloidal phosphorus fluxes in forest ecosystems—an almost blind spot in
485 ecosystem research. *J Plant Nutr Soil Sci* 179: 425-438. doi: 10.1002/jpln.201600079.

486 Borda T, Celi L, Zavattaro L, Sacco D, Barberis E (2011) Effect of agronomic management on risk of
487 suspended solids and phosphorus losses from soil to waters. *J Soils Seds* 11: 440-451. doi:
488 10.1007/s11368-010-0327-y.

489 Brookes PC, Powlson DS, Jenkinson DS (1982) Measurement of microbial biomass phosphorus in soil. *Soil*
490 *Biol Biochem* 14: 319-329. doi: [http://dx.doi.org/10.1016/0038-0717\(82\)90001-3](http://dx.doi.org/10.1016/0038-0717(82)90001-3).

491 Brookes PC, Powlson DS, Jenkinson DS (1984) Phosphorus in the soil microbial biomass. *Soil Biol Biochem*
492 16: 169-175. doi: [http://dx.doi.org/10.1016/0038-0717\(84\)90108-1](http://dx.doi.org/10.1016/0038-0717(84)90108-1).

493 Bünemann EK (2015) Assessment of gross and net mineralization rates of soil organic phosphorus – A review.
494 *Soil Biology Biochem* 89: 82-98. doi: 10.1016/j.soilbio.2015.06.026.

495 Butusov M, Jernelöv A (2013) Phosphorus in the Organic Life: Cells, Tissues, Organisms. *Phosphorus: An*
496 *Element that could have been called Lucifer*. Springer New York, New York, NY.

497 Cade-Menun B, Liu CW (2014) Solution phosphorus-31 nuclear magnetic resonance spectroscopy of soils from
498 2005 to 2013: A review of sample preparation and experimental parameters. *Soil Sci Soc Am J* 78: 19-
499 37. doi: 10.2136/sssaj2013.05.0187dgs.

500 Cade-Menun BJ (2005) Characterizing phosphorus in environmental and agricultural samples by 31 P nuclear
501 magnetic resonance spectroscopy. *Talanta* 66: 359-371.

502 Cade-Menun BJ, He Z, Zhang H, Endale DM, Schomberg HH, Liu CW (2015) Stratification of Phosphorus
503 Forms from Long-Term Conservation Tillage and Poultry Litter Application. *Soil Sci Soc Am J* 79:
504 504-516. doi: 10.2136/sssaj2014.08.0310.

505 Cade-Menun BJ, Turner B, Frossard E, Baldwin D (2005) Using phosphorus-31 nuclear magnetic resonance
506 spectroscopy to characterize organic phosphorus in environmental samples. *Organic phosphorus in the*
507 *environment*: 21-44.

508 Celi L, Barberis E (2005) Abiotic stabilization of organic phosphorus in the environment. *Organic phosphorus*
509 *in the environment*. CABI Pub pp 113-132.

510 Celi L, Barberis E (2007) Abiotic reactions of inositol phosphates in soils. In: BL Turner, AE Richardson, EJ
511 Mullaney (eds) *Inositol Phosphates: Linking Agriculture and the Environment*. CAB International,
512 Oxfordshire, UK.

513 Celi L, De Luca G, Barberis E (2003) Effects of interaction of organic and inorganic P with ferrihydrite and
514 kaolinite-iron oxide systems on iron release. *Soil Sci* 168: 479-488.

515 Chardon WJ, Oenema O (1995) Leaching of dissolved organically bound phosphorus. DLO Research Institute
516 for Agrobiolgy and Soil Fertility.

517 Chardon WJ, Oenema O, del Castilho P, Vriesema R, Japenga J, Blaauw D (1997) Organic phosphorus in
518 solutions and leachates from soils treated with animal slurries. *J. Environ. Q.* 26: 372-378.

519 Cleveland CC, Liptzin D (2007) C:N:P stoichiometry in soil: is there a “Redfield ratio” for the microbial
520 biomass? *Biogeochem* 85: 235-252. doi: 10.1007/s10533-007-9132-0.

521 Condron LM, Newman S (2011) Revisiting the fundamentals of phosphorus fractionation of sediments and
522 soils. *J Soils Seds* 11: 830-840. doi: 10.1007/s11368-011-0363-2.

523 Courty P-E, Franc A, Garbaye J (2010) Temporal and functional pattern of secreted enzyme activities in an
524 ectomycorrhizal community. *Soil Biol Biochem* 42: 2022-2025. doi: 10.1016/j.soilbio.2010.07.014.

525 Cui H, Zhou Y, Gu Z, Zhu H, Fu S, Yao Q (2015) The combined effects of cover crops and symbiotic microbes
526 on phosphatase gene and organic phosphorus hydrolysis in subtropical orchard soils. *Soil Biology and*
527 *Biochemistry* 82: 119-126. doi: 10.1016/j.soilbio.2015.01.003.

528 Darch T, Blackwell MSA, Hawkins JMB, Haygarth PM, Chadwick D (2014) A Meta-Analysis of Organic and
529 Inorganic Phosphorus in Organic Fertilizers, Soils, and Water: Implications for Water Quality. *Crit Rev*
530 *Environ Sci Technol* 44: 2172-2202. doi: 10.1080/10643389.2013.790752.

531 Dauner M, Storni T, Sauer U (2001) *Bacillus subtilis* Metabolism and Energetics in Carbon-Limited and
532 Excess-Carbon Chemostat Culture. *J Bacteriol* 183: 7308-7317. doi: 10.1128/JB.183.24.7308-
533 7317.2001.

534 de Oliveira CMB, Erich MS, Gatiboni LC, Ohno T (2015) Phosphorus fractions and organic matter chemistry
535 under different land use on Humic Cambisols in Southern Brazil. *Geoderma Regional* 5: 140-149. doi:
536 <http://dx.doi.org/10.1016/j.geodrs.2015.06.001>.

537 Di HJ, Cameron KC, McLaren RG (2000) Isotopic dilution methods to determine the gross transformation rates
538 of nitrogen, phosphorus, and sulfur in soil: a review of the theory, methodologies, and limitations. *Soil*
539 *Res* 38: 213-230. doi: <http://dx.doi.org/10.1071/SR99005>.

540 Dodd RJ, Sharpley AN (2015) Recognizing the role of soil organic phosphorus in soil fertility and water quality.
541 *Res Conserv Recycl* 105, Part B: 282-293. doi: 10.1016/j.resconrec.2015.10.001.

542 Doolette AL, Smernik RJ. (2011) Soil organic phosphorus speciation using spectroscopic techniques. In
543 *Phosphorus in action*, Springer Berlin Heidelberg pp. 3-36

544 Duff SM, Sarath G, Plaxton WC (1994) The role of acid phosphatases in plant phosphorus metabolism. *Physiol.*
545 *Plant.* 90: 791-800.

546 Dyhrman ST, Chappell PD, Haley ST, Moffett JW, Orchard ED, Waterbury JB, Webb EA. (2006) Phosphonate
547 utilization by the globally important marine diazotroph *Trichodesmium*. *Nature.* 439: 68.

548 Ebuele VO, Santoro A, Thoss V (2016) Phosphorus speciation by ³¹P NMR spectroscopy in bracken (*Pteridium*
549 *aquilinum* (L.) Kuhn) and bluebell (*Hyacinthoides non-scripta* (L.) Chouard ex Rothm.) dominated
550 semi-natural upland soil. *Sci Tot Environ* 566–567: 1318-1328. doi: 10.1016/j.scitotenv.2016.05.192.

551 Espinosa M, Turner B, Haygarth P (1999) Preconcentration and separation of trace phosphorus compounds in
552 soil leachate. *J. Environ Q* 28: 1497-1504.

553 Food and Agricultural Organization of the United Nations (2016). Research and Extension.
554 <http://www.fao.org/nr/research-extension-systems/res-home/en/>. Date Accessed: 13 October 2016.

555 Fraser T, Lynch DH, Entz MH, Dunfield KE (2015) Linking alkaline phosphatase activity with bacterial *phoD*
556 gene abundance in soil from a long-term management trial. *Geoderma* 257–258: 115-122. doi:
557 10.1016/j.geoderma.2014.10.016.

558 Fraser TD, Lynch DH, Gaiero J, Khosla K, Dunfield KE. (2017) Quantification of bacterial non-specific acid
559 (*phoC*) and alkaline (*phoD*) phosphatase genes in bulk and rhizosphere soil from organically managed
560 soybean fields. *Applied Soil Ecology* 111:48-56.

561 Frossard E, Achat DL, Bernasconi SM, Bünemann EK, Fardeau J-C, Jansa J, Morel C, Rabeharisoa L,
562 Randriamanantsoa L, Sinaj S, Tamburini F, Oberson A (2011) The Use of Tracers to Investigate
563 Phosphate Cycling in Soil–Plant Systems. In: E Bünemann, A Oberson, E Frossard (eds) *Phosphorus in*
564 *Action: Biological Processes in Soil Phosphorus Cycling*. Springer Berlin Heidelberg, Berlin,
565 Heidelberg.

566 Frossard E, Buchmann N, Bünemann EK, Kiba DI, Lompo F, Oberson A, Tamburini F, Traoré OY. (2015) Soil
567 properties and not inputs control carbon, nitrogen, phosphorus ratios in cropped soils in the long-term.
568 *Soil Discuss.* 2:995-1038.

569 Gaiind S, Singh YV (2016) Soil organic phosphorus fractions in response to long-term fertilization with
570 composted manures under rice–wheat cropping system. *J Plant Nutri* 39: 1336-1347. doi:
571 10.1080/01904167.2015.1086795.

572 George TS, Simpson RJ, Gregory PJ, Richardson AE (2007) Differential interaction of *Aspergillus niger* and
573 *Peniophora lycii* phytases with soil particles affects the hydrolysis of inositol phosphates. Soil Biol.
574 Biochem. 39: 793-803.

575 Giaveno C, Celi L, Richardson AE, Simpson RJ, Barberis E (2010) Interaction of phytases with minerals and
576 availability of substrate affect the hydrolysis of inositol phosphates. Soil Biol Biochem 42: 491-498.
577 doi: 10.1016/j.soilbio.2009.12.002.

578 Godwin CM, Cotner JB (2015) Aquatic heterotrophic bacteria have highly flexible phosphorus content and
579 biomass stoichiometry. ISME J 9: 2324-2327. doi: 10.1038/ismej.2015.34.

580 Gottselig N, Bol R, Nischwitz V, Vereecken H, Amelung W, Klumpp E (2014) Distribution of Phosphorus-
581 Containing Fine Colloids and Nanoparticles in Stream Water of a Forest Catchment. Vadose Zone J 13.
582 doi: 10.2136/vzj2014.01.0005.

583 Harrison AF (1982) 32P-method to compare rates of mineralization of labile organic phosphorus in woodland
584 soils. Soil Biol Biochem 14: 337-341. doi: 10.1016/0038-0717(82)90003-7.

585 Haygarth PM, Jarvie HP, Powers SM, Sharpley AN, Elser JJ, Shen J, Peterson HM, Chan NI, Howden NJ, Burt
586 T, Worrall F, Zhang F, Liu X (2014) Sustainable phosphorus management and the need for a long-term
587 perspective: the legacy hypothesis. Environ Sci Technol 48: 8417-8419. doi: 10.1021/es502852s.

588 Hedley MJ, Stewart JWB, Chauhan BS (1982) Changes in inorganic and organic soil phosphorus fractions
589 induced by cultivation practices and by laboratory incubations. Soil Sci Soc Am J 46: 970-976.

590 Jarosch KA, Doolette AL, Smernik RJ, Tamburini F, Frossard E, Bünemann EK. (2015) Characterisation of soil
591 organic phosphorus in NaOH-EDTA extracts: a comparison of ³¹P NMR spectroscopy and enzyme
592 addition assays. Soil Biology and Biochemistry 91:298-309.

593 Jaspers E, Overmann J (2004) Ecological Significance of Microdiversity: Identical 16S rRNA Gene Sequences
594 Can Be Found in Bacteria with Highly Divergent Genomes and Ecophysologies. Appl Environ
595 Microbiol 70: 4831-4839. doi: 10.1128/AEM.70.8.4831-4839.2004.

596 Jiang X, Bol R, Willbold S, Vereecken H, Klumpp E (2015) Speciation and distribution of P associated with Fe
597 and Al oxides in aggregate-sized fraction of an arable soil. Biogeosci 12: 6443-6452. doi: 10.5194/bg-
598 12-6443-2015.

599 Keller M, Oberson A, Annaheim KE, Tamburini F, Mäder P, Mayer J, Frossard E, Bünemann EK (2012)
600 Phosphorus forms and enzymatic hydrolyzability of organic phosphorus in soils after 30 years of

601 organic and conventional farming. *Journal of Plant Nutrition and Soil Science* 175: 385-393. doi:
602 10.1002/jpln.201100177.

603 Kohlen W, Charnikhova T, Liu Q, Bours R, Domagalska MA, Beguerie S, Verstappen F, Leyser O,
604 Bouwmeester H, Ruyter-Spira C (2011) Strigolactones are transported through the xylem and play a
605 key role in shoot architectural response to phosphate deficiency in nonarbuscular mycorrhizal host
606 *Arabidopsis*. *Plant physiol*155: 974-987. doi: 10.1104/pp.110.164640.

607 Lang F, Bauhus J, Frossard E, George E, Kaiser K, Kaupenjohann M, Krüger J, Matzner E, Polle A, Prietzel J,
608 Rennenberg H, Wellbrock N (2016) Phosphorus in forest ecosystems: New insights from an ecosystem
609 nutrition perspective. *J Plant Nutri Soil Sci* 179: 129-135. doi: 10.1002/jpln.201500541.

610 Lim BL, Yeung P, Cheng C, Hill JE (2007) Distribution and diversity of phytate-mineralizing bacteria. *ISME* 1:
611 321-330. doi: 10.1038/ismej.2007.40.

612 Liu J, Hu Y, Yang J, Abdi D, Cade-Menun BJ (2015) Investigation of soil legacy phosphorus transformation in
613 long-term agricultural fields using sequential fractionation, P K-edge XANES and solution P NMR
614 spectroscopy. *Environ Sci Technol* 49: 168-176. doi: 10.1021/es504420n.

615 Liu J, Yang J, Cade-Menun BJ, Liang X, Hu Y, Liu CW, Zhao Y, Li L, Shi J (2013) Complementary
616 Phosphorus Speciation in Agricultural Soils by Sequential Fractionation, Solution ³¹P Nuclear
617 Magnetic Resonance, and Phosphorus K-edge X-ray Absorption Near-Edge Structure Spectroscopy. *J*
618 *Environ Qual* 42: 1763-1770. doi: 10.2134/jeq2013.04.0127.

619 Liu J, Hu Y, Yang J, Abdi D, Cade-Menun BJ (2014) Investigation of soil legacy phosphorus transformation in
620 long-term agricultural fields using sequential fractionation, P K-edge XANES and solution P NMR
621 spectroscopy. *Environ Sci & Tech.* 49:168-76.

622 Liu R, Lal R (2015) Potentials of engineered nanoparticles as fertilizers for increasing agronomic productions.
623 *Science of The Total Environment* 514: 131-139. doi: 10.1016/j.scitotenv.2015.01.104.

624 Luo H, Benner R, Long RA, Hu J (2009) Subcellular localization of marine bacterial alkaline phosphatases.
625 *PNAS* 106: 21249-21223.

626 Magid J, Tiessen H, Condron LM (1996) Humic substances in terrestrial ecosystems. In: A Piccolo (ed)
627 Dynamics of organic phosphorus in soils under natural and agricultural ecosystems. Elsevier Science,
628 Amsterdam.

629 Magnacca G, Allera A, Montoneri E, Celi L, Benito DE, Gagliardi LG, Gonzalez MC, Mártire DO, Carlos L
630 (2014) Novel Magnetite Nanoparticles Coated with Waste-Sourced Biobased Substances as

631 Sustainable and Renewable Adsorbing Materials. *ACS Sustainable Chemistry & Engineering* 2: 1518-
632 1524. doi: 10.1021/sc500213j.

633 McGill WB, Cole CV (1981) Comparative aspects of cycling of organic C, N, S and P through soil organic
634 matter. *Geoderma* 26: 267-286.

635 Mueller CW, Kölbl A, Hoeschen C, Hillion F, Heister K., Herrmann AM, Kögel-Knabner I (2012). Submicron
636 scale imaging of soil organic matter dynamics using NanoSIMS—from single particles to intact
637 aggregates. *Org. Geochem.* 42: 1476-1488.

638 Nannipieri P, Giagnoni L, Landi L, Renella G (2011) Role of Phosphatase Enzymes in Soil. In: E Bünenmann, A
639 Oberson, E Frossard (eds) *Phosphorus in Action: Biological Processes in Soil Phosphorus Cycling*.
640 Springer Berlin Heidelberg, Berlin, Heidelberg.

641 Nash DM, Haygarth PM, Turner BL, Condron LM, McDowell RW, Richardson AE, Watkins M, Heaven MW
642 (2014) Using organic phosphorus to sustain pasture productivity: A perspective. *Geoderma* 221: 11-19.
643 doi: 10.1016/j.geoderma.2013.12.004.

644 Neal AL, Ahmad S, Gordon-Weeks R, Ton J (2012) Benzoxazinoids in root exudates of maize attract
645 *Pseudomonas putida* to the rhizosphere. *PloS One* 7: e35498. doi: 10.1371/journal.pone.0035498.

646 Neal AL, Rossman M, Brearley C, Akkari E, Guyomar C, Clark IM, Allen E, Hirsch PR (2017) Land-use
647 influences phosphatase gene microdiversity. *Environ. Microbiol.* (in press doi:10.1111/1462-
648 2920.13778)

649 Negassa W, Leinweber P (2009) How does the Hedley sequential phosphorus fractionation reflect impacts of
650 land use and management on soil phosphorus: A review. *J Plant Nutr Soil Sci-Z Pflanzenernähr*
651 *Bodenkd* 172: 305-325. doi: 10.1002/jpln.200800223.

652 Nisticò R, Evon P, Labonne L, Vaca-Medina G, Montoneri E, Francavilla M, Vaca-Garcia C, Magnacca G,
653 Franzoso F, Negre M (2016) Extruded Poly(ethylene-co-vinyl alcohol) Composite Films Containing
654 Biopolymers Isolated from Municipal Biowaste. *ChemistrySelect* 1: 2354-2365. doi:
655 10.1002/slct.201600335.

656 Plassard C, Louche J, Ali MA, Duchemin M, Legname E, Cloutier-Hurteau B (2011) Diversity in phosphorus
657 mobilisation and uptake in ectomycorrhizal fungi. *Ann Forest Sci* 68: 33-43. doi: 10.1007/s13595-010-
658 0005-7.

659 Powers SM, Bruulsema TW, Burt TP, Chan NI, Elser JJ, Haygarth PM, Howden NJK, Jarvie HP, Lyu Y,
660 Peterson HM, Sharpley AN, Shen J, Worrall F, Zhang F (2016) Long-term accumulation and transport
661 of anthropogenic phosphorus in three river basins. *Nature Geosci* 9: 353-356. doi: 10.1038/ngeo2693

662 Ragot SA, Kertesz MA, Bünemann EK (2015) phoD Alkaline Phosphatase Gene Diversity in Soil. *Appl*
663 *Environ Microbiol* 81: 7281-7289. doi: 10.1128/aem.01823-15.

664 Ragot SA, Kertesz MA, Mészáros É, Frossard E, Bünemann EK. (2016) Soil phoD and phoX alkaline
665 phosphatase gene diversity responds to multiple environmental factors. *FEMS microbiology ecology*.
666 93:fiw212.

667 Redfield AC (1958) The biological control of chemical factors in the environment *American Scientist* 46: 230A-
668 221.

669 Richardson AE, Hocking PJ, Simpson RJ, George TS (2009) Plant mechanisms to optimise access to soil
670 phosphorus. *Crop Past. Sci.* 60: 124-143.

671 Richardson AE, Lynch JP, Ryan PR, Delhaize E, Smith FA, Smith SE, Harvey PR, Ryan MH, Veneklaas EJ,
672 Lambers H, Oberson A, Culvenor RA, Simpson RJ (2011) Plant and microbial strategies to improve
673 the phosphorus efficiency of agriculture. *Plant Soil* 349: 121-156. doi: 10.1007/s11104-011-0950-4.

674 Rosemarin A, Ekane N (2015) The governance gap surrounding phosphorus. *Nutri Cycl Agroecosys*: 1-15. doi:
675 10.1007/s10705-015-9747-9.

676 Rosling A, Midgley MG, Cheeke T, Urbina H, Fransson P, Phillips RP (2016) Phosphorus cycling in deciduous
677 forest soil differs between stands dominated by ecto- and arbuscular mycorrhizal trees. *New Phytol*
678 209: 1184-1195. doi: 10.1111/nph.13720.

679 Runge-Metzger A (1995) Closing the cycle: obstacles to efficient P management for improved global food
680 security. *Scope-Scientific Committee on Problems of the Environment International Council of*
681 *Scientific Unions* 54: 27-42.

682 Santos-Beneit F (2015) The Pho regulon: a huge regulatory network in bacteria. *Frontiers in Microbiology* 6.
683 doi: 10.3389/fmicb.2015.00402.

684 Schneider KD, Cade-Menun BJ, Lynch DH, Voroney RP (2016) Soil Phosphorus Forms from Organic and
685 Conventional Forage Fields. *Soil Sci Soc Am J* 80: 328-340. doi: 10.2136/sssaj2015.09.0340.

686 Sebastian M, Ammerman JW (2009) The alkaline phosphatase PhoX is more widely distributed in marine
687 bacteria than the classical PhoA. *ISME* 3: 563-572. doi: 10.1038/ismej.2009.10.

688 Secco D, Wang C, Shou H, Whelan J (2012) Phosphate homeostasis in the yeast *Saccharomyces cerevisiae*, the
689 key role of the SPX domain-containing proteins. *FEBS letters* 586: 289-295. doi:
690 10.1016/j.febslet.2012.01.036.

691 Sharma R, Bella RW, Wong MTF (2017) Dissolved reactive phosphorus played a limited role in phosphorus
692 transport via runoff, throughflow and leaching on contrasting cropping soils from southwest Australia.
693 *Sci. Tot. Env.* 577: 33-44.

694 Sharpley AN, Bergström L, Aronsson H, Bechmann M, Bolster CH, Börling K, Djodjic F, Jarvie HP,
695 Schoumans OF, Stamm C, Tonderski KS, Ulén B, Uusitalo R, Withers PJA (2015) Future agriculture
696 with minimized phosphorus losses to waters: Research needs and direction. *AMBIO* 44: 163-179. doi:
697 10.1007/s13280-014-0612-x.

698 Slazak A, Freese D, da Silva Matos E, Hüttl RF (2010) Soil organic phosphorus fraction in pine–oak forest
699 stands in Northeastern Germany. *Geoderma* 158: 156-162.

700 Spohn M, Kuzyakov Y (2013) Distribution of microbial- and root-derived phosphatase activities in the
701 rhizosphere depending on P availability and C allocation – Coupling soil zymography with ¹⁴C
702 imaging. *Soil Biol Biochem* 67: 106-113. doi: <http://dx.doi.org/10.1016/j.soilbio.2013.08.015>.

703 Stewart JWB, Tiessen H (1987) Dynamics of soil organic phosphorus. *Biogeochem* 4: 41-60. doi:
704 10.1007/bf02187361.

705 Stutter MI, Shand CA, George TS, Blackwell MSA, Bol R, MacKay RL, Richardson AE, Condon LM, Turner
706 BL, Haygarth PM (2012) Recovering Phosphorus from Soil: A Root Solution? *Environ Sci Technol* 46:
707 1977-1978. doi: 10.1021/es2044745.

708 Stutter MI, Shand CA, George TS, Blackwell MSA, Dixon L, Bol R, MacKay RL, Richardson AE, Condon
709 LM, Haygarth PM (2015) Land use and soil factors affecting accumulation of phosphorus species in
710 temperate soils. *Geoderma* 257–258: 29-39. doi: 10.1016/j.geoderma.2015.03.020.

711 Tamburini F, Pfahler V, von Sperber C, Frossard E, Bernasconi SM (2014) Oxygen Isotopes for Unraveling
712 Phosphorus Transformations in the Soil–Plant System: A Review. *Soil Sci Soc Am J* 78: 38-46. doi:
713 10.2136/sssaj2013.05.0186dgs.

714 Tan H, Barret M, Mooij MJ, Rice O, Morrissey JP, Dobson A, Griffiths B, O’Gara F (2013) Long-term
715 phosphorus fertilisation increased the diversity of the total bacterial community and the phoD
716 phosphorus mineraliser group in pasture soils. *Biol Fertil Soils* 49: 661-672. doi: 10.1007/s00374-012-
717 0755-5.

718 Tate KR, Salcedo I (1988) Phosphorus control of soil organic matter accumulation and cycling. *Biogeochem* 5:
719 99-107. doi: 10.1007/bf02180319.

720 Tipping E, Somerville CJ, Luster J (2016) The C:N:P:S stoichiometry of soil organic matter. *Biogeochem* 130:
721 117-131. doi: 10.1007/s10533-016-0247-z.

722 Tkacz A, Cheema J, Chandra G, Grant A, Poole PS (2015) Stability and succession of the rhizosphere
723 microbiota depends upon plant type and soil composition. *ISME J* 9: 2349-2359. doi:
724 10.1038/ismej.2015.41.

725 Toor GS, Condrón LM, Di HJ, Cameron KC, Cade-Menun BJ (2003) Characterization of organic phosphorus in
726 leachate from a grassland soil. *Soil Biol. Biochem.* 35:1317-23.

727 Trouiliefou CM, Le Cadre E, Cacciaguerra T, Cunin F, Plassard C, Belamie E (2015) Protected activity of a
728 phytase immobilized in mesoporous silica with benefits to plant phosphorus nutrition. *J Sol-Gel Sci*
729 *Technol* 74: 55-65. doi: 10.1007/s10971-014-3577-0.

730 Turner BL, Cade-Menun BJ, Condrón LM, Newman S (2005) Extraction of soil organic phosphorus. *Talanta*
731 66: 294-306. doi: 10.1016/j.talanta.2004.11.012.

732 Turner BL, Cheesman AW, Condrón LM, Reitzel K, Richardson AE (2015) Introduction to the special issue:
733 Developments in soil organic phosphorus cycling in natural and agricultural ecosystems. *Geoderma*
734 257–258: 1-3. doi: <http://dx.doi.org/10.1016/j.geoderma.2015.06.008>. Turner BL, Frossard E, Baldwin
735 DS, editors. (2005) *Organic phosphorus in the environment*. CABI Pub. pp 377-380.


736 Uusitalo R, Turtola E, Puustinen M, Paasonen-Kivekas M, Uusi-Kamppa J (2003) Contribution of particulate
737 phosphorus to runoff phosphorus bioavailability. *J Environ Qual* 32: 2007-2016.

738 Vollmer-Sanders C, Allman A, Busdeker D, Moody LB, Stanley WG (2016) Building partnerships to scale up
739 conservation: 4R Nutrient Stewardship Certification Program in the Lake Erie watershed. *J Great*
740 *Lakes Res.* doi: <http://dx.doi.org/10.1016/j.jglr.2016.09.004>.

741 von Sperber C, Kries H, Tamburini F, Bernasconi SM, Frossard E (2014) The effect of phosphomonoesterases
742 on the oxygen isotope composition of phosphate. *Geochimica et Cosmochimica Acta* 125: 519-527.
743 doi: 10.1016/j.gca.2013.10.010.

744 Wieder WR, Grandy AS, Kallenbach CM, Taylor PG, Bonan GB (2015) Representing life in the Earth system
745 with soil microbial functional traits in the MIMICS model. *Geosci Model Dev* 8: 1789-1808. doi:
746 10.5194/gmd-8-1789-2015.

- 747 Withers PJA, Hartikainen H, Barberis E, Flynn NJ, Warren GP (2009) The effect of soil phosphorus on
748 particulate phosphorus in land runoff. *Euro J Soil Sci* 60: 994-1004. doi: 10.1111/j.1365-
749 2389.2009.01161.x.
- 750 Zaia FC, Gama-Rodrigues AC, Gama-Rodrigues EF, Moço MKS, Fontes AG, Machado RCR, Baligar VC
751 (2012) Carbon, nitrogen, organic phosphorus, microbial biomass and N mineralization in soils under
752 cacao agroforestry systems in Bahia, Brazil. *Agroforest Sys* 86: 197-212. doi: 10.1007/s10457-012-
753 9550-4.
- 754 Zhou Z, Hartmann M (2012) Recent Progress in Biocatalysis with Enzymes Immobilized on Mesoporous Hosts.
755 *Topics Catalysis* 55: 1081-1100. doi: 10.1007/s11244-012-9905-0.
- 756 Zimmerman AE, Martiny AC, Allison SD (2013) Microdiversity of extracellular enzyme genes among
757 sequenced prokaryotic genomes. *ISME* 7: 1187-1199. doi: 10.1038/ismej.2012.176.



758

759 FIGURE 1. Organic phosphorus forms with generic and example structures and information on the relative

760 lability and prevalence in soil. (Adapted from Darch et al. (Darch et al. 2014))

761

762

763

764 **Table Legend**

765

766 Table 1: Synthesis of expert opinions on the global issues associated with organic phosphorus, how the research
767 community can potentially contribute to solutions to such issues, and identification of opportunities for research
768 to allow this to happen.

769

What are the global issues associated with P _o ?	What are the methodological strengths and weaknesses?	What are benefits of understanding dynamics of P _o ?	What are the priorities for P _o research?	Opportunities in P _o research
<p>Food Security and agricultural sustainability P_o has a role as a source of P for agricultural crops</p>	<p>Strengths</p> <p>Strong collection of well-developed methods</p>	<p>Management of plant P nutrition</p> <p>Assessment of soil P availability</p>	<ul style="list-style-type: none"> • Use existing datasets more effectively • Avoid repeating experiments by being aware of past research • Better access to shared facilities • Training programmes in P_o related techniques and concepts • Interdisciplinary and long term research 	<p>General advances in the research model</p>
<p>Nutrient cycling in natural ecosystems P_o buffers ecosystem function with effects on ecosystem resilience and biodiversity</p>	<p>Wide range of techniques</p> <p>Capacity for multi-disciplinarity</p>	<p>Understanding biological system function</p> <p>Input into climate and biogeochemical models</p>	<ul style="list-style-type: none"> • Link operationally-defined pools with biological processes • Some standardisation of protocols • Development of in situ, non-destructive techniques for P_o • Develop a minimum dataset and an accessible database 	<p>Opportunities in organic phosphorus analytical methodologies</p>
<p>Renewable resources Use of wastes containing P_o as fertilisers to close the loop</p>	<p>Strong international networks</p> <p>Potential for commercialisation of techniques</p>	<p>Potential to close the P cycle</p> <p>Manage ecosystem services and resilience</p>	<ul style="list-style-type: none"> • Link the P_o cycle with other biogeochemical cycles • Optimise stoichiometry between P_o and other elements for system function • Integrate soil physics, chemistry and biology to understand P_o and how it fits with wider soil fertility 	<p>Opportunities from understanding stoichiometry – interactions with other element cycles</p>
<p>C storage in soils Utilisation of soil P_o may be counter to our need to store C in organic matter</p>	<p>Range of field based applications</p>	<p>Understand the role of soil biology – fungal vs bacterial dominated systems</p> <p>Assess stability of P forms in soil</p>	<ul style="list-style-type: none"> • Design tailored systems for specific managed environments that optimise use of P_o • Optimise P_o utilisation over loss • Improve soil P testing • Develop a P credits system • Utilise P_o more effectively by using what's in soil, what's added to soil and what's lost 	<p>Opportunities from understanding interactions with land management</p>
<p>Environmental pollution</p>	<p>'Snap-shot' rather than dynamic</p>			

<p>Need to manage the balance of food security vs environmental P pollution</p> <p>Environmental change Warmer temperatures will shift the biogeochemical cycle of P_o</p> <p>Biogeochemical cycling from global to cellular scales P_o compounds are vital for cell function and are moved globally as part of biogeochemical cycles and in the food chain</p> <p>Geopolitical stability P_o as an alternative to mined P resources</p>	<p>techniques</p> <p>Operational methodologies lack biological relevance</p> <p>Lack of standardisation and quality control</p> <p>Methodological limitations (matrix issues)</p> <p>Loss of training/education in soil science</p> <p>Lack of replication and appropriate statistical approaches</p> <p>Limited access to advanced techniques for all</p>	<p>Identify mechanisms from natural systems that can be applied in managed systems</p> <p>Separate plant and microbial contributions to soil functions</p> <p>Develop indicators for tipping points in ecosystem function – identify conditions of resistance, resilience and “points of no return”</p> <p>Allow scaling up in time and space through input to models</p> <p>Extend our understanding of global nutrient dynamics beyond what can be ascertained empirically</p>	<ul style="list-style-type: none"> • Understand which genes and transcripts control the microbial response to P_o • Understand microbial impacts on P_o cycles • Understand the P limits to plants and microbes • Produce a molecular toolkit for studying microbial structure and function 	<p>Opportunities from understanding Microbial Po: Function and dynamics</p>
			<ul style="list-style-type: none"> • Understand P_o interaction with natural and manmade nanoparticles • Assess the utility of nanoparticles to help manage the system 	<p>Opportunities from interactions with nanoparticles</p>
			<ul style="list-style-type: none"> • Model P dynamics in the environment • Develop conceptual models of cycling at a range of scales • Build empirical models using existing data • Produce a life cycle analysis of P_o 	<p>Opportunities to use modelling of Po in soil and ecosystems</p>
			<ul style="list-style-type: none"> • Promote discussion of P_o within the scientific community • Better communication with stakeholders and the public on the importance of P_o • Develop a central platform for knowledge exchange • Understand the needs and motivations of land managers and policy makers with respect to P_o • Emphasise educating the public in issues associated with P_o • Understand the socio-economic factors influencing P_o dynamics • Improve the translation of research in P_o to impactful outcomes 	<p>Opportunities to better communicate and translate research</p>