**QUEEN'S
UNIVERSITY
BELFAST**

Teachers' influence on purchase and wear of children's glasses in rural China: the PRICE study

Wang, X., Ma, Y., Hu, M., Jin, L., Xiao, B., Ni, M., Yi, H., Ma, X., Wang, C., Varga, B., Huang, Y., Rozelle, S., & Congdon, N. (2018). Teachers' influence on purchase and wear of children's glasses in rural China: the PRICE study. *Clinical and Experimental Ophthalmology*. <https://doi.org/10.1111/ceo.13376>

Published in:
Clinical and Experimental Ophthalmology

Document Version:
Peer reviewed version

Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights
Copyright 2018 Wiley. This work is made available online in accordance with the publisher's policies. Please refer to any applicable terms of use of the publisher.

General rights
Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

Teachers' influence on purchase and wear of children's glasses in rural China: the PRICE study

Xiuqin Wang, PhD,^{1,2} Yue Ma, MPA,³ Min Hu, MD,⁴ Ling Jin, MS,² Baixiang Xiao, MM,² Ming Ni, BM,⁵ Hongmei Yi, PhD,⁶ Xiaochen Ma, PhD,⁷ Congyao Wang, MD,² Beatrice Varga, MPH,⁸ Yiwen Huang, MS,⁵ Scott Rozelle, PhD,⁹ and Nathan Congdon, MD^{2, 10, 11}

1. Affiliated Hospital of Guangdong Medical University, Zhanjiang, Guangdong, China.
2. State Key Laboratory of Ophthalmology and Division of Preventive Ophthalmology, Zhongshan Ophthalmic Center, Sun Yat-sen University, Guangzhou, Guangdong, China.
3. The Center for Experimental Economics in Education, Shaanxi Normal University, Xi'an, Shaanxi, China
4. The Second People's Hospital of Yunnan Province, Kunming, Yunnan, China.
5. The Fred Hollows Foundation China Project, Kunming, Yunnan, China.
6. Center for Chinese Agricultural Policy, Institute of Geographical Sciences and Natural Resources Research, Chinese Academy of Sciences, Beijing, China.
7. China Center for Health Development Studies, Peking University, Beijing, China.
8. The Fred Hollows Foundation Australia, Sydney, Australia.
9. Freeman Spogli Institute of International Studies, Stanford University, Palo Alto, USA
10. Orbis International, New York, NY, United States.
11. Translational Research for Equitable Eyecare, Centre for Public Health, Queen's University Belfast, Belfast N. Ireland

Correspondence: Nathan Congdon, State Key Laboratory of Ophthalmology and Division of Preventive Ophthalmology, Zhongshan Ophthalmic Center, Sun Yat-sen University, Guangzhou, People's Republic of China 510060; and Translational Research for Equitable Eyecare, Center for Public Health, Queen's University Belfast, Royal Victoria Hospital, Institute for Clinical Sciences Block B, 274 Grosvenor Rd, Belfast N. Ireland BT27 5NF; ncongdon1@gmail.com. Telephone numbers: 862087682342

Category of manuscript: Epidemiology

Running head: Teachers' influence on children's glasses in China

Funding: The Fred Hollows Foundation; Orbis International; US Agency for International Development; Luxottica-China (Shanghai); Essilor-China(Shanghai); Prof Congdon is supported by the Chinese government's Thousand Man Plan and by the Ulverscroft Foundation.

Conflicts of Interest: The free glasses used in this study were supplied by OneSight, Luxottica-China, and Essilor-China, producers of frames and lenses in China. The authors have no other financial relationships with any organisations that might have an interest in the submitted work in the previous three years; and no other relationships or activities that could appear to have influenced the submitted work.

Length: MS: 2970 Words, 4 Tables, Abstract: 250 words

Version: 21 February 2018

Abstract

Importance: Uncorrected refractive error accounts for 90% of poor vision among Chinese children.

Background: Teachers impact children's behavior, but little is known about their influence on children's glasses wear.

Design: Cohort study.

Participants: Children at 138 randomly-selected primary schools in Guangdong and Yunnan provinces, China, with uncorrected visual acuity (VA) $\leq 6/12$ in either eye correctable to $>6/12$ in both eyes, and their teachers.

Methods: Teachers and children underwent VA testing and completed questionnaires about their spectacles use and attitudes towards children's vision. Children's acceptance of free glasses was recorded, and spectacle purchase and wear were assessed 6 months later.

Results: A total of 882 children (mean age 10.6 years, 45.5% boys) and 276 teachers (mean age 37.9 years, 67.8% female) participated. Among teachers, 20.4% (56/275) believed glasses worsened children's vision, 68.4% (188/275) felt eye exercises prevented myopia, 55.0% (151/275) thought children with moderate myopia shouldn't wear glasses, and 93.1% (256/275) encouraged children to obtain glasses. Teacher

factors associated with children's glasses use included believing glasses harm children's vision (decreased purchase: relative risk (RR) 0.65, 95% CI 0.43, 0.98, $P < 0.05$); supporting children's classroom glasses wear (increased glasses wear: RR 2.20, 95% CI 1.23, 3.95, $P < 0.01$); and advising children to obtain glasses (increased free glasses acceptance: RR 2.74, 95% CI 1.29, 5.84, $P < 0.01$; increased wear RR 2.93, 95% CI 1.45, 5.90, $P < 0.01$), but not teacher's ownership/wear of glasses.

Conclusions: Though teachers had limited knowledge about children's vision, they strongly influenced children's glasses uptake.

Key Words: Teacher, myopia, glasses, children, rural, China

Introduction

There are 13 million children in the world visually-impaired from under-corrected refractive error (URE), and among them almost half live in China.¹ URE accounts for > 90% of visual disability among rural Chinese children.^{2, 3} Glasses correction is a safe⁴ and effective means for treatment of URE, and has been demonstrated to improve children's educational outcomes,⁵ but only 15-20% of Chinese rural⁵ and urban migrant⁶ children who need glasses have them.

Many reasons exist for this situation. Refractionists practicing in rural China are minimally trained,⁷ and together with existing optical dispensing services, frequently deliver spectacles whose power is not accurate.⁸ A number of stakeholders, including children, families and teachers, believe incorrectly that wearing glasses will harm children's eyes,^{9, 10} despite randomized trial evidence proving spectacles are safe for children's vision.⁴

It has been shown that rural Chinese teachers can accurately perform vision screening for children with only modest training,¹¹ and incentivizing teachers can significantly improve urban migrant children's rates of classroom spectacle use.¹² Given the potentially-important role of teachers in children's spectacle delivery programs, further study of their influence on the purchase and wear of children's glasses is needed in the

more typical setting where formal teacher incentives are not used.

We carried out a cluster-randomized, controlled trial in rural Guangdong and Yunnan Provinces, China, to evaluate the impact of giving free glasses on the purchase and use of children's spectacles. During data collection, the head teachers of 276 classes were interviewed about their own spectacle wear, and attitudes and knowledge about children's glasses and vision. The objective of the current paper is to assess the impact of various teacher factors on acceptance of free glasses, purchase of glasses, and children's in-school wear of glasses during the trial.

Methods

The protocol for this study has been described elsewhere in detail¹³ and was approved in full by Institutional Review Boards at Stanford University (Palo Alto, USA), the Zhongshan Ophthalmic Center (Guangzhou, China) and Yunnan Red Cross Hospital (Kunming, China). Permission was received from local Boards of Education in each setting, and the principals of all schools and at least one parent provided written informed consent for the participation of each child. The principles of the Declaration of Helsinki were followed throughout.

Setting, Sampling and eligibility criteria

The study was carried out in Guangdong and Yunnan Provinces, China. Guangdong ranked 9th among China's 31 administrative divisions in per capita Gross Domestic Product in 2014 (US\$ 10,330), while Yunnan was 29th (US\$4438).¹⁴ Nine counties or county-level cities were selected, five from Yunnan and four from Guangdong, all having a county-level hospital capable of providing refractive services and willing to participate in the study.

A detailed list of 601 elementary schools in these counties (362 in Guangdong and 239 in Yunnan) was provided by local bureaus of education, including information on the

number of classes in each school and the number of students per class. Schools with average class sizes <20 or >60 students (19% of the sample frame) were excluded, because screening at larger schools could not reliably be completed in a day, which would have interfered with the screening schedule, and smaller schools would be expected to have <7 children requiring glasses, the minimum number required in our power calculations. From the list of 601 schools, 107 schools (57 in Guangdong and 50 in Yunnan) were randomly selected, with the number of schools selected in each county proportional to population size. An additional 31 schools were randomly selected as above to achieve adequate power for the parent trial, after initial vision screening revealed a lower-than-expected prevalence of refractive error. Thus, a total of 138 schools (88 in Guangdong and 50 in Yunnan) were enrolled. Within each sampled school, one class in each of the fourth and fifth grades (likely age range 9-12 years) were randomly selected, if there was more than one class per grade level. All head teachers of the selected classes were offered the opportunity to take part in the study.

All children in the selected classes meeting the following criteria were considered eligible for the study:

- Uncorrected (without glasses) VA of $\leq 6/12$ in either eye correctable to $>6/12$ in both eyes with glasses;

- Refractive error as follows: myopia ≤ -0.75 diopters (D), hyperopia ≥ 2.00 D, or astigmatism (non-spherical refractive error) ≥ 1.00 D;¹⁵

Questionnaires

At baseline (September 2014, beginning of the school year), enumerators administered questionnaires to children, including questions on race (Han versus various minority groups), age, sex, glasses wear, awareness of refractive status, belief that wearing glasses harms children's vision, parental living condition and education, and ownership of a list of 16 selected items as an index of family wealth. At endline (June 2015, end of the school year), student questionnaires were administered on glasses ownership, glasses wear, parental attitude toward wearing glasses and subjective evaluation of project glasses. Information collected on teachers included presenting visual acuity, glasses ownership, and various questions concerning teachers' attitudes and knowledge about children's vision, use of glasses and management of myopia. These were graded on a 5-point Likert scale, from "Strongly agree" to "Strongly disagree".

Visual acuity assessment

Children and teachers underwent visual acuity screening at school by two trained volunteers. Visual acuity was tested separately for each eye with (if available) and

without spectacle correction at four m using early treatment diabetic retinopathy study charts¹⁵ (Precision Vision, La Salle, IL) in a well-lighted, indoor area. If the subject correctly identified the orientation of at least four of five optotypes on the 6/60 line, s/he was examined on the 6/30 line, then the 6/15 line, and then line by line to 6/3. Visual acuity in an eye was defined as the lowest line on which four of five optotypes were read correctly. If the top line could not be read at four m, the participant was tested at one m and the measured visual acuity was divided by four.

Refraction

Children with uncorrected visual acuity $\leq 6/12$ in either eye underwent cycloplegia with up to three drops of cyclopentolate 1% in each eye after anesthesia with topical proparacaine hydrochloride 0.5%. Children then underwent automated refraction (Topcon KR 8900, Tokyo, Japan) with subjective refinement by an experienced refractionist. Children of parents refusing permission for cycloplegia (274/882 = 31.1%) underwent subjective refinement of the non-cyclopleged value from the auto-refractor by an experienced refractionist in each eye using a target at four meters distance. Head teachers with presenting visual acuity $\leq 6/12$ in either eye were offered non-cyclopleged refraction following the above protocol, and were provided with free glasses if needed.

Randomization and outcome assessment in the parent trial

In October 2014, after the baseline survey and vision screening but before refraction, eligible children were randomized by school to four groups. The Control group received only a prescription for glasses and a note to the parents suggesting spectacles be purchased. The remaining three groups received either free glasses alone or free glasses with the additional offer of “Upgrade glasses” (having scratchproof lenses and more popular designs based on previous research on the preferences of rural Chinese children) at two different prices. Records at the participating county hospitals were used to determine families’ acceptance of free glasses and purchase of upgrade glasses (where provided). Children’s self-report on questionnaires at the endline examination provided data on purchase of spectacles outside of the study. At this time, spectacle wear was assessed through unannounced direct examinations.

Statistical methods

Baseline characteristics of teachers and students were presented as mean (SD, standard deviation) for continuous data with normal distribution, median (IQR, Inter Quartile Range) for continuous data with non-normal distribution and frequency (percentage) for categorical data. Baseline wear of glasses was defined as having glasses at school, having been told to bring them. We calculated family wealth by summing the value, as reported in the China Rural Household Survey Yearbook (Department of Rural Surveys, National Bureau of Statistics of China, 2013), of items on the list of 16 owned by the

family. Refractive power was defined throughout as the spherical equivalent: the spherical power plus half the cylindrical power. Teachers' knowledge, practices and attitudes about students' myopia and glasses wear were presented as frequencies (percentage). A teacher's knowledge score was defined as the sum of five knowledge items, coded on a Likert scale from 1 ["Strongly agree" with a true statement or "Strongly disagree" with a false one] to 5 ["Strongly disagree" with a true statement or "Strongly agree" with a false one]. Thus, the possible range was 5 (Best)–25 (Worst).

Generalized linear models with Poisson regression were used to estimate the relative risk for acceptance of free spectacles, purchase and wear of glasses. All children attending the endline examination were included in the regression analysis for purchase and wear of glasses, while Control group children, who were not offered free glasses, were excluded from the analysis on acceptance of free spectacles. All variables significant at the $p \leq 0.2$ level in the simple regression models were included in the multiple regression model. Regression analyses were performed separately for all children and for children undergoing cycloplegic refraction (608/882=68.9%). Statistical analysis was done using a commercially available software package (Stata 13.1, StataCorp, College Station TX, USA).

Results

A total of 276 teachers (mean age 37.9 [8.51] years, 67.8% female) participated in this study, among whom 145 (52.7%) reported owning glasses, and 44 (19.1%) had presenting VA in the better-seeing eye $\leq 6/12$. Among teachers with uncorrected VA $\leq 6/12$ in either eye, 91.5% (86/94) had distance glasses, and 54.1% (46/86) of these indicated they routinely wore them. (Table 1)

Table 1. Characteristics of teachers participating in a study of purchase and wear of children's glasses in rural China (N=276)

Teacher characteristic	Result	Missing value n (%)
Age (Years: mean (SD))	37.9 (8.51)	3 (1.09)
Female sex (n, %)	187 (67.8)	0 (0.00)
Yunnan residence (n, %)	100 (36.2)	0 (0.00)
Teaching experience (Years: n, %)		2 (0.72)
1-10	81 (29.6)	
11-20	95 (34.7)	
≥ 21	98 (35.8)	
Presenting visual acuity (Better-seeing eye †) (n, %)		45 (16.3)
$\leq 6/12$	44 (19.1)	
$>6/12$	187 (80.9)	
Self-reported glasses ownership (n, %)		1 (0.36)
Yes	145 (52.7)	
No	130 (47.3)	
Self-reported distance glasses wear among those with uncorrected visual acuity in either eye $\leq 6/12$ (n=86) (n, %)		1 (1.16)
Rarely worn	12 (14.1)	
Worn when studying or working	27 (31.8)	
Routinely worn	46 (54.1)	
Self-reported distance glasses wear among those with		1 (3.57)

presenting visual acuity in better-seeing eye $\leq 6/12$ (n=28)**(n, %)**

Rarely worn	8 (29.6)
Worn when studying or working	13 (48.2)
Routinely worn	6 (22.2)

SD: Standard Deviation

† The eye with better uncorrected visual acuity

A total of 882 children with correctable refractive error (mean aged 10.6 [0.95] years, 45.5% male) at 138 schools took part, among whom only 104 (11.8%) were wearing glasses at baseline. Among all children, 311 (35.3%) had uncorrected visual acuity $\leq 6/18$ in the better-seeing eye, and 220 (25.0%) believed that wearing glasses harms the vision. Other baseline characteristics of children and their families are summarized in Table 2.

Table 2. Baseline characteristics of 882 children with correctable refractive error participating in a study of purchase and wear of glasses in rural China. (Number, %, unless otherwise indicated)

Characteristics	Results
Age (Years, mean (SD))	10.6 (0.95)
Male sex	401 (45.5)
Wearing glasses at baseline †	104 (11.8)
Yunnan residence	183 (20.8)
Spherical equivalent refractive error (Diopters)	

≤ -2.00	323 (36.6)
> -2 to -0.5 $(-2, 0.5]$	479 (54.3)
> -0.5 to 0.5 $(-0.5, 0.5]$	60 (6.80)
> 0.5	20 (2.27)
Uncorrected visual acuity $\leq 6/18$ in eye with better vision	311 (35.3)
Only child in family	126 (14.3)
One or both parents with ≥ 12 years of education	272 (30.8)
Both parents away from the home the majority of time	154 (17.5)
At least one parent wears glasses	172 (19.5)
Self-reported study time each day after school	
< 0.5 hr	341 (38.7)
$0.5 - 1$ hr	293 (33.2)
> 1 hr	248 (28.1)
Percentage of classroom teaching done on blackboard (As opposed to books at students' desks)? [‡]	

All	97 (11.0)
More than half	376 (42.7)
Half	224 (25.5)
Rarely	161 (18.3)
None	22 (2.50)
Family wealth, Median (Inter Quartile Range), USD [‡], [¶]	
Bottom tercile (n=283, 32.2%)	2,202 (1,624 - 2,464)
Middle tercile (n=301, 34.3%)	3,746 (3,246 - 4,183)
Top tercile (n=294, 33.5%)	14,170 (12,387 - 14,952)
Study group (Number of children [%])	
Control	257 (29.1)
Free glasses	253 (28.7)
Free glasses + \$15 upgrade	187 (21.2)
Free glasses + \$30 upgrade	185 (21.0)

[†] Defined as having glasses at school at baseline, having previously been told to bring them to school.

[‡] 2 missing values

[§] 4 missing values

[¶] 1USD=6.5RMB

Among teachers, 20.4% (56/275) believed wearing glasses would worsen children's vision, 68.4% (188/275) felt traditional Chinese eye exercises could prevent myopia,

and 55.0% (151/275) thought that children with moderate degrees of myopia should not wear glasses. (Table 3) The majority of teachers (140/275=50.9%) thought that glasses could not treat myopia or were uncertain, while only a very small minority (3/275=1.09%) believed that excessive studying was a cause of myopia among children in their class. Majorities of teachers supported children wearing glasses in their classrooms (242/273=88.6%) and reported actively reminding children in their classes to obtain glasses during the project (256/275=93.1%). (Table 3)

Table 3. Teachers' Knowledge (Correct answers in parentheses), Practices and Attitudes about Children's Myopia and Glasses Wear (N=276).

Variables	n (%)
Eye exercises prevent myopia [†] (Treated as False for purposes of analysis)	
Very much agree	49 (17.8)
Agree	139 (50.55)
Indifferent	68 (24.7)
Disagree	19 (6.91)
Very much disagree	0 (0.00)
Having myopia but not wearing glasses will negatively affect learning [†] (True)	
Very much agree	82 (29.8)
Agree	148 (53.8)
Indifferent	31 (11.3)
Disagree	13 (4.73)
Very much disagree	1 (0.36)
Wearing glasses will worsen children's vision [†] (False)	

Very much agree	10 (3.64)
Agree	46 (16.7)
Indifferent	88 (32.0)
Disagree	124 (45.1)
Very much disagree	7 (2.55)
There is no need for children with modest degrees of myopia to wear glasses [†] (False)	
Very much agree	26 (9.45)
Agree	125 (45.5)
Indifferent	56 (20.4)
Disagree	65 (23.6)
Very much disagree	3 (1.09)
Myopia can be successfully treated with glasses [†] (True)	
Very much agree	17 (6.18)
Agree	118 (42.9)
Indifferent	82 (29.8)
Disagree	56 (20.4)
Very much disagree	2 (0.73)
Teacher's knowledge score (points) ^{†,‡}, mean (SD)	15.5 (2.23)
Attitude towards students in my class wearing glasses [§]	
Support	242 (88.6)
Not support	31 (11.4)
Best way to manage a child's myopia problem? (Choose one only) [†]	
Wear glasses	182 (66.2)
Use eye drops	2 (0.73)
Perform eye exercises	62 (22.6)
Eat a nutritious diet	11 (4.00)
Use other medicines	2 (0.73)

Do Surgery	4 (1.45)
Other way	12 (4.36)
Main reason for myopia among children in your class? (Choose one only) [†]	
Excessive study time	3 (1.09)
Watching television	159 (57.8)
Using other electronic devices (computers, games)	63 (22.9)
Insufficient light while reading	32 (11.6)
Genetic factors	11 (4.00)
Other reasons	7 (2.55)
Did you advise your students to obtain glasses? [†]	
Yes	256 (93.1)
No	19 (6.91)

[†] 1 missing value

[‡] The total teacher's knowledge score was sum score of five knowledge items with 5-level Likert scales, true statement items were reverse coded to make 1[worst]-5[best]. The possible range was 5 – 25.

[§] 3 missing values

Families of 269/625 (43.0%) of children accepted the offer of free glasses in the study (257 children in the Control group were not eligible to receive them), while families of 169/882 (19.2%) of children had purchased glasses (either those offered as “upgrades” by the study, or outside the study) by the time of the endline examination. At this un-announced end-line examination, 205/867 (23.6%) of children were observed wearing spectacles (15/882=1.7% of children had been lost to follow-up.)

Table 4 shows teacher and child/family factors associated with acceptance, purchase

and wear of children's glasses. Teacher factors associated with uptake and wear of glasses in either univariate or multivariate models included: believing wearing glasses harms children's vision (decreased purchase of glasses in the univariate model only: Relative Risk [RR] 0.65, 95% CI 0.43, 0.98, $P < 0.05$); supporting students wearing glasses in class (increased glasses wear in the univariate model only: RR 2.20, 95% CI 1.23, 3.95, $P < 0.01$) and advising children to obtain glasses (increased acceptance of free glasses in the univariate model RR 3.50, 95% CI 1.43, 8.61, $P < 0.01$, and in multivariate model RR 2.74, 95% CI 1.29, 5.84, $P < 0.01$); increased glasses wear in the univariate model only: RR 2.93, 95% CI 1.45, 5.90, $P < 0.01$), but not teacher's ownership or wear of or knowledge about glasses. (Table 4) Additionally, having a teacher older than the median age of 37 significantly decreased children's observed wear of glasses: univariate model RR 0.68, 95% CI 0.51, 0.90, $P < 0.01$, multivariate model RR 0.74, 95% CI 0.57, 0.96, $P < 0.05$; having a female teacher reduced acceptance of free glasses in the univariate model: RR 0.73, 95% CI 0.55, 0.95, $P < 0.05$, while increasing purchase of glasses: univariate model RR 1.73, 95% CI 1.08, 2.75, $P < 0.05$, multivariate model RR 2.20, 95% CI 1.41, 3.43, $P < 0.001$.

Child/family factors associated with spectacle uptake in multivariate models included Yunnan residence, where children were more likely both to accept free glasses (RR 1.42, 95% CI 1.09, 1.85, $P < 0.05$) and to purchase them (RR 1.75, 95% CI 1.22, 2.51, P

< 0.01). Additionally, children with better uncorrected vision (univariate model RR 0.07, 95% CI 0.03, 0.16, $P < 0.001$, multiple model RR 0.28, 95% CI 0.11, 0.68, $P < 0.01$) were more likely not to be wearing glasses, and those wearing glasses at baseline (RR 2.68, 95% CI 2.03, 3.54, $P < 0.001$) were more likely to be wearing glasses at baseline. Being in the top tercile of family wealth (RR 1.45, 95% CI 1.08, 1.95, $P < 0.05$) and studying > 1 hour/day (RR 1.37, 95% CI 1.01, 1.86, $P < 0.05$) were associated with greater likelihood of wearing glasses at endline, though only in the univariate model (Table 4)

Variable	Acceptance of free spectacles ^{†,‡}		Purchase of spectacles [‡]		Endline glasses wear [‡]	
	Simple regression RR (95% CI) [§]	Multiple regression RR (95% CI) [¶]	Simple regression RR (95% CI) [§]	Multiple regression RR (95% CI) [¶]	Simple regression RR (95% CI) [§]	Multiple regression RR (95% CI) [¶]
<u>Teacher factors</u>						
Teacher's age above median (37) (below median as reference)	0.76 (0.58, 1.00)	0.87 (0.69, 1.10)	1.11 (0.79, 1.55)		0.68 (0.51, 0.90)**	0.74 (0.57, 0.96)*
Female teacher	0.73 (0.55, 0.95)*	0.85 (0.67, 1.08)	1.73 (1.08, 2.75)*	2.20 (1.41, 3.43)***	1.17 (0.80, 1.72)	
Teacher's presenting visual acuity≤6/12 (Better-seeing eye)	0.94 (0.62, 1.42)		1.28 (0.81, 2.00)		0.80 (0.48, 1.32)	
Teacher owns glasses	1.04 (0.79, 1.37)		1.10 (0.77, 1.56)		0.97 (0.70, 1.34)	
Teacher wears glasses routinely in class	0.79 (0.57, 1.09)	0.87 (0.62, 1.21)	0.86 (0.58, 1.29)		0.81 (0.54, 1.20)	
Teacher believes wearing glasses harms children's vision (Disagree as reference)						
Agree	0.78 (0.53, 1.14)	0.78 (0.56, 1.09)	0.65 (0.43, 0.98)*	0.99 (0.59, 1.65)	0.94 (0.59, 1.49)	
Indifferent	0.80 (0.60, 1.06)	0.87 (0.69, 1.09)	1.09 (0.75, 1.60)	1.48 (0.99, 2.22)	1.07 (0.72, 1.60)	
Teacher's attitude towards students wearing glasses in class						
Supports	1.70 (0.86, 3.34)	1.41 (0.90, 2.22)	1.62 (0.88, 2.95)	1.54 (0.84, 2.84)	2.20 (1.23, 3.95)**	1.36 (0.72, 2.55)
Not support	Reference	Reference	Reference	Reference	Reference	Reference
Teacher advised children to purchase glasses (Never advised as reference)	3.50 (1.43, 8.61)**	2.74 (1.29, 5.84)**	1.42 (0.77, 2.60)		2.93 (1.45, 5.90)**	2.34 (0.99, 5.56)

Teacher's knowledge score (Points)	1.05 (0.97, 1.13)		1.07 (0.99, 1.15)	1.06 (0.97, 1.17)	1.07 (0.99, 1.15)	1.03 (0.95, 1.12)
<u>Student factors</u>						
Age (Years)	0.99 (0.89, 1.10)		0.91 (0.79, 1.06)		0.89 (0.79, 1.01)	0.90 (0.78 1.04)
Male sex	0.89 (0.74, 1.06)	0.93 (0.79, 1.10)	0.82 (0.62, 1.07)	0.81 (0.62, 1.06)	0.92 (0.71, 1.20)	
Wearing glasses at baseline [#]	1.00 (0.71, 1.40)		0.58 (0.35, 0.98)*	0.63 (0.38, 1.04)	4.66 (3.69, 5.88)***	2.68 (2.03, 3.54)***
Yunnan residence (versus Guangdong)	1.77 (1.36, 2.32)***	1.42 (1.09, 1.85)*	1.63 (1.07, 2.49)*	1.75 (1.22, 2.51)**	1.17 (0.75, 1.83)	
Spherical equivalent refractive error (Diopters), (> −0.5 to 0.5 as reference)						
<= −2.00	1.11 (0.74, 1.66)		1.45 (0.77, 2.73)		3.11 (1.50, 6.45)**	1.11 (0.54, 2.29)
> −2 to −0.5 (-2, 0.5]	1.25 (0.85, 1.83)		1.22 (0.62, 2.41)		1.31 (0.63, 2.70)	0.95 (0.48, 1.89)
>0.5	1.13 (0.54, 2.37)		0.33 (0.04, 2.54)		3.37 (1.38, 8.26)**	1.66 (0.77, 3.57)
Uncorrected VA in eye with better vision (Decimal)	1.01 (0.68, 1.49)		0.72 (0.40, 1.30)		0.07 (0.03, 0.16)***	0.28 (0.11, 0.68)**
Only child in family (versus >1 child)	1.13 (0.88, 1.46)		1.01 (0.69, 1.47)		1.29 (0.96, 1.74)	0.84 (0.65, 1.09)
One or both parents with ≥12 years of education (versus <12 year)	0.88 (0.70, 1.11)		1.19 (0.86, 1.65)		1.33 (1.05, 1.70)*	1.12 (0.90, 1.40)
Both parents away from the home the majority of time (versus lived at home)	0.81 (0.60, 1.08)	0.84 (0.65, 1.10)	1.02 (0.73, 1.44)		0.65 (0.44, 0.96)*	0.72 (0.49, 1.05)

At least one parent wears glasses	0.93 (0.74, 1.17)		1.02 (0.74, 1.41)	1.69 (1.32, 2.17)***	1.17 (0.92, 1.50)
Self-reported study time each day after school (<0.5 hr as reference)					
0.5 – 1 hr	1.00 (0.80, 1.24)	0.99 (0.81, 1.20)	0.92 (0.68, 1.24)	1.13 (0.84, 1.52)	1.03 (0.79, 1.33)
>1 hr	0.70 (0.54, 0.92)**	0.74 (0.58, 0.95)*	1.26 (0.86, 1.86)	1.37 (1.01, 1.86)*	1.13 (0.84, 1.52)
Classroom teaching on the blackboard (less than half as reference)					
Half of teaching	1.02 (0.75, 1.38)		1.00 (0.66, 1.51)	1.17 (0.83, 1.64)	
More than half	1.11 (0.79, 1.57)		1.09 (0.67, 1.76)	1.22 (0.83, 1.79)	
Family wealth (Bottom tercile as reference)					
Middle tercile	0.80 (0.62, 1.03)	0.98 (0.79, 1.22)	1.15 (0.83, 1.60)	1.38 (0.98, 1.95)	1.04 (0.77, 1.39)
Top tercile	0.74 (0.59, 0.92)**	0.82 (0.67, 1.02)	1.20 (0.85, 1.70)	1.45 (1.08, 1.95)*	1.06 (0.79, 1.41)
Study group					
Control	Not included		Reference	Reference	Reference
Free glasses as reference	Reference		0.54 (0.34, 0.85)**	0.56 (0.36, 0.86)**	1.59 (0.98, 2.58)
Free glasses + \$15 upgrade	1.06 (0.76, 1.49)		0.90 (0.56, 1.45)	1.14 (0.75, 1.73)	1.17 (0.70, 1.97)
Free glasses +\$30 upgrade	0.85 (0.53, 1.34)		0.88 (0.53, 1.46)	0.86 (0.56, 1.31)	0.88 (0.46, 1.67)

Table 4. Effect of potential student and teacher factors on acceptance, purchase prior to endline and wear of glasses at endline adjusting for cluster effect within school (N=882) (Significance is indicated by* P<0.05, ** P<0.01, * P<0.001. The data are adjusted for group assignment in the parent trial)**

[†] Among students accepting Free and Free+ Upgrade glasses from study at baseline.

[‡] 15 students who were lost to follow up didn't have outcome data.

[§] Only one predictor was included in the model.

[¶] Variables with $P \leq 0.2$ were included in multiple regression model. 32/625 (5.12%) students for acceptance of free spectacles, 24/882 (2.72%) for purchase of spectacles and 37/882 (4.20%) for endline glasses wear were excluded in the multiple regression analysis due to missing values.

[#] Defined as having glasses at school at baseline, having previously been told to bring them to school.

Discussion

The current study highlighted a number of gaps in teachers' knowledge about children's vision and glasses wear. Majorities of teachers believed that glasses wear should be avoided or was harmful to children's vision, though recent evidence from randomized trials⁴ suggests that this is not true, and that eye exercises prevent myopia, though little reliable evidence¹⁶ exists in support of this. Nonetheless, a very large proportion of teachers reported both supporting and directly recommending that children obtain glasses, and these views and actions were significantly associated with glasses acceptance and wear by children.

Our own randomized trials¹² and reports from others^{17, 18} have suggested that interventions relying wholly or in part on teachers can be effective in increasing spectacle use among children. Little information, however, exists on the impact of teacher knowledge and attitudes towards glasses wear on student use of spectacles in the more typical situation where teachers are not actively being asked to promote wear, as in the current study. Other studies have attempted to elucidate teacher and parent attitudes towards children's use of glasses in China⁹ and elsewhere^{19, 20}, though without examining the impact of these attitudes on actual wear. Our finding in the current study that the recommendation of teachers significantly influenced acceptance of free glasses, even when adjusting for child/family factors, suggests that teachers

play an important role in determining the behavior of children and families in this setting, even outside of teacher incentive programs.

Though over half of teachers reported owning glasses, among teachers who owned distance glasses, only half of indicated that they wore them regularly, and one in five teachers had presenting visual acuity $\leq 6/12$ in either eye. These are consistent with findings from urban Indonesia,²¹ where an even larger proportion of teachers had either uncorrected distance refractive error (36%) or uncorrected presbyopia (41%). In the current setting, neither teacher's ownership nor wear of glasses was significantly associated with any of the variables concerning children's acceptance of spectacles. Despite the lack of a direct effect on children's wear, the high proportion of teachers with poor visual acuity reported in China and Indonesia²¹ suggests that studies of the impact of visual acuity on teaching effectiveness may be warranted in these settings, particularly in view of trial evidence that correction of children's refractive error significantly improves their educational outcomes.⁵ If children who see poorly learn poorly, it is not difficult to imagine that visually impaired teachers may also teach poorly.

Significant, though not always consistent, associations were seen between age and gender on the one hand and children's acceptance of glasses on the other. Older teachers were less effective in promoting glasses acceptance, while female teachers

had higher rates of spectacle purchase and lower rates of acceptance of free glasses in their classes. The implications for glasses promotion programs may be less significant than our findings on the importance of teachers' attitudes, in that the latter are subject to change through interventions, while age and gender are not.

We found it unexpected that children who studied more were less willing to accept free glasses, and would have supposed that the opposite might be true. We expect this indicates that families of such children preferred to purchase upgrade glasses, rather than accepting free ones, which is consistent with our findings. We did not, however, find that the tendency of children who studied more being less likely to accept free glasses could be explained by a greater likelihood of glasses ownership at baseline (data not shown.)

Strengths of the current study include the large numbers of schools enrolled, and their selection at random in both rich and poor provinces of China, where lack of use of glasses is a major public health problem; the relatively rich data on teachers' knowledge and attitudes; and the high rates of follow-up among children (98.3%) and carefully-measured endpoints on their acceptance and wear of glasses. Limitations must also be acknowledged: we relied on teachers to report whether or not they encouraged children to obtain glasses. Further, only 8 counties were enrolled in two provinces, and thus application of these results to other areas must be made with

caution.

Nonetheless, this is among the few studies of the impact of teachers' knowledge, attitudes and behaviors on children's use of glasses in China or elsewhere. It adds to a growing body of literature underscoring the important role of teachers in solving China's school refractive error problem through accurate vision screening¹¹ and successful promotion of spectacle use.¹²

Acknowledgements

This work was supported by Zhongshan Ophthalmic Center, State Key Laboratory of Ophthalmology, Division of Preventive Ophthalmology, Sun Yat-sen University, Guangzhou, China; The Fred Hollows Foundation; Orbis International; US Agency for International Development Children Blindness Program; Luxottica-China (Shanghai); Essilor-China(Shanghai).

References

1. Resnikoff S, Pascolini D, Mariotti SP, Pokharel GP. Global magnitude of visual impairment caused by uncorrected refractive errors in 2004. *Bull World Health Organ* 2008;**86**:63-70.
2. He M, Zeng J, Liu Y, Xu J, Pokharel GP, Ellwein LB. Refractive error and visual impairment in urban children in southern china. *Invest Ophthalmol Vis Sci* 2004;**45**:793-9.
3. He M, Huang W, Zheng Y, Huang L, Ellwein LB. Refractive error and visual impairment in school children in rural southern China. *Ophthalmology* 2007;**114**:374-82.
4. Ma X, Congdon N, Yi H, et al. Safety of Spectacles for Children's Vision: A Cluster-Randomized Controlled Trial. *Am J Ophthalmol* 2015;**160**:897-904.
5. Ma X, Zhou Z, Yi H, et al. Effect of providing free glasses on children's educational outcomes in China: cluster randomized controlled trial. *BMJ* 2014;**349**:g5740.
6. Wang X, Yi H, Lu L, et al. Population prevalence of need for spectacles and spectacle ownership among urban migrant children in eastern China. *JAMA Ophthalmol* 2015;**133**:1399-1406.
7. Zhou Z, Zeng J, Ma X, et al. Accuracy of rural refractionists in western China. *Invest Ophthalmol Vis Sci* 2014;**55**:154-61.
8. Zhang M, Lv H, Gao Y, et al. Visual morbidity due to inaccurate spectacles among

school children in rural China: the See Well to Learn Well Project, report 1. *Invest Ophthalmol Vis Sci* 2009;**50**:2011-7.

9. Li L, Lam J, Lu Y, et al. Attitudes of Students, Parents, and Teachers Toward Glasses Use in Rural China. *Arch Ophthalmol* 2010;**128**:759-65.

10. Li L, Song Y, Liu X, et al. Spectacle acceptance among secondary school students in rural China: the Xichang Pediatric Refractive Error Study (X-PRES)--report 5. *Invest Ophthalmol Vis Sci* 2008;**49**:2895-902.

11. Sharma A, Li L, Song Y, et al. Strategies to improve the accuracy of vision measurement by teachers in rural Chinese secondary schoolchildren Xichang Pediatric Refractive Error Study (X-PRES) report no 6. *Arch Ophthalmol* 2008;**128**:1434-40.

12. Yi H, Zhang H, Ma X, et al. Impact of free glasses and a teacher incentive on children's use of eyeglasses: a cluster-randomized controlled trial. *Am J Ophthalmol* 2015;**160**:889-96.e1.

13. Wang X, Congdon N, Ma Y, et al. Cluster-randomized controlled trial of the effects of free glasses on purchase of children's glasses in China: the PRICE (Potentiating Rural Investment in Children's Eyecare) study. *PLoS One* 2017;**12**:e0187808.

14. List of Chinese administrative divisions by GDP per capita. Accessed March 2016.

Available from:

https://en.wikipedia.org/wiki/List_of_Chinese_administrative_divisions_by_GDP_per_capita.

15. Congdon NG, Patel N, Estes P, et al. The association between refractive cutoffs for spectacle provision and visual improvement among school-aged children in South Africa. *Br J Ophthalmol* 2008;**92**:13-8.
16. Lin Z, Vasudevan B, Jhanji V, et al. Eye exercises of acupoints: their impact on refractive error and visual symptoms in Chinese urban children. *BMC Complement Altern Med* 2013;**13**:306.
17. Ethan D, Basch CE, Platt R, Bogen E, Zybert P. Implementing and evaluating a school-based program to improve childhood vision. *J Sch Health* 2010;**80**:340-5; quiz 368-70.
18. Kodjebacheva G, Maliski S, Yu F, Oelrich F, Coleman AL. Decreasing uncorrected refractive error in the classroom through a multifactorial pilot intervention. *J Sch Nurs* 2014;**30**:24-30.
19. Kodjebacheva GD, Maliski S, Coleman AL. Use of eyeglasses among children in elementary school: perceptions, behaviors, and interventions discussed by parents, school nurses, and teachers during focus groups. *Am J Health Promot* 2015;**29**:324-31.
20. Dudovitz RN, Izadpanah N, Chung PJ, Slusser W. Parent, Teacher, and Student Perspectives on How Corrective Lenses Improve Child Wellbeing and School Function. *Matern Child Health J* 2016;**20**:974-83.
21. Ehrlich JR, Laoh A, Kourgialis N, et al. Uncorrected refractive error and presbyopia among junior high school teachers in Jakarta, Indonesia. *Ophthalmic*

Epidemiol 2013;**20**:369-74.