**QUEEN'S
UNIVERSITY
BELFAST**

Harnessing technology in heart failure care

Deal, M., Ski, C. F., & Thompson, D. R. (2021). Harnessing technology in heart failure care. *British Journal of Cardiac Nursing*, 16(7), 1-3. <https://doi.org/10.12968/bjca.2021.0059>

Published in:
British Journal of Cardiac Nursing

Document Version:
Peer reviewed version

Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights
Copyright 2021, Mark Allen Healthcare .
This work is made available online in accordance with the publisher's policies. Please refer to any applicable terms of use of the publisher.

General rights
Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

Editorial

Harnessing technology in heart failure care

Mel Deal

Lecturer, School of Sports and Health Sciences, University of Suffolk, Ipswich, UK

Chantal F Ski

Professor and Director, Integrated Care Academy, University of Suffolk, Ipswich, UK

David R Thompson

Professor of Nursing, School of Nursing and Midwifery, Queen's University Belfast, Belfast, UK

Correspondence to: David R Thompson, School of of Nursing and Midwifery, Queen's University Belfast, Medical Biology Centre, 97 Lisburn Road, Belfast BT9 7BL UK

David.Thompson@qub.ac.uk

Heart failure (HF) is a major and growing public health problem worldwide and imposes a considerable burden on patients, families and healthcare systems (Savarese and Lund, 2017). In the UK, acute HF is the leading cause of hospital admissions in people aged 65 years or older (NICE, 2014), and as people live longer, HF hospitalisation rates are predicted to rise by greater than 50% over the next two decades (Ziaeeian and Fonarow, 2016). Already one of the five most common causes of mortality worldwide, it is predicted that by 2030 HF will account for at least 8 million deaths (Diaz-Toro et al., 2015).

Need for new approaches

The rising prevalence of HF and consequent increase in healthcare resource use and expenditure (Farré et al, 2016) are unsustainable, and new and radical alternative approaches to the organization and delivery of HF care are urgently needed. This issue has been brought into sharp relief by the COVID-19 pandemic, and, together with the recent explosion of interest in eHealth (Ski et al, 2021), has led to the increasingly widespread consideration and use of new technologies. For example, an estimated 500 million patients are utilising eHealth applications (apps) to support their own health through the self-care management of chronic diseases (Athilingam and Jenkins, 2020). Thus, HF care is ripe for such applications in helping patients in their ongoing self-care, symptom monitoring and treatment adherence, especially when patient visits to cardiology services, including HF clinics, have reduced by almost half during COVID-19 (Fersia et al, 2020), and been replaced by video and telephone consultations.

Potential of eHealth technologies

Technology innovation aims to drive down spending while maintaining high quality care (Gottlieb and Makower, 2013), and the NHS makes it clear that technology will play a central role in realizing its long-term plan (NHS England, 2019). The use of eHealth in HF (Barrett et al, 2019; Cruz-Martinez et al, 2020; Dunn Lopez et al, 2021; Granja et al, 2018; Reiners et al, 2019) is an

example of the application of a technology that can aid access and patient self-care management and education. Although HF-related outcomes vary, eHealth can improve quality of life and other patient outcomes such as symptom monitoring and engaging in and managing self-care (Athilingam and Jenkins, 2018; Barrett et al, 2019; Cruz-Martinez et al, 2020; Granja et al, 2018; Reiners et al, 2019). However, users have varying degrees of technological ability and literacy (Dunn Lopez et al, 2021; Reiners et al, 2019) and these need to be addressed to ensure optimal adoption and benefit (Granja et al, 2018; Reiners et al, 2019).

Some eHealth apps use artificial intelligence (AI) as a means of reviewing data, where tasks are performed by patients themselves, leaving health professionals to attend to more complex matters. AI and gaming provide the patient with interactive educational, decision-making support mechanisms that enable active engagement in self-care. Certain groups of people, including those who are older, with lower incomes, less well educated or living in rural or remote areas are less likely to have access to eHealth, so strategies are needed to overcome such disadvantages and avoid health inequalities (Reiners et al, 2019).

Ensuring eHealth is fit for purpose

eHealth apps for HF need to be regularly updated and re-evaluated to ensure quality of data provided is evidence-based and up to date (Barrett et al, 2019; Cruz-Martinez et al, 2020; Dunn Lopez et al, 2021; Granja et al, 2018). Rigorous cyber security is vital in eHealth (Dunn Lopez et al, 2021) to assure patients and other users that confidentiality will not be breached. The Department of Health and Social Care (2021) has issued guidance on digital and data-driven health technologies including, for example, how to operate ethically, clinical safety, data protection, data transparency, cybersecurity and regulation. In addition, NICE (National Institute for Health and Care Excellence, 2019) has produced a framework that describes standards for the evidence that should be available for digital health technologies to demonstrate their value in the UK health and care system.

The use of eHealth in HF has the potential to transform current ways of working, with the overall aim of enhancing clinical care and ultimately patient outcomes and experience. However, to be effective it must be user friendly and personalized and have the capability to interact with data monitoring using high level AI, making effective and efficient use of healthcare professionals' time and effort with complex HF management issues. Further research is needed regarding issues such as the usability and cost-effectiveness of eHealth in HF care.

In view of the burgeoning growth of HF, the opportunities and benefits that health technologies afford should be embraced by the HF community: patients, families and healthcare professionals. Whilst not perfect, technology is being continually refined, especially with the rapid advances in AI and virtual reality, and though it is no substitute for the nuanced care provided by healthcare professionals, it is an important adjunct. At the very least, it deserves careful consideration in efforts to combat HF.

References

- Athilingam P, Jenkins B. Mobile phone apps to support heart failure self-care management: integrative review. *JMIR Cardio*. 2018;2(1):e10057. DOI: [10.2196/10057](https://doi.org/10.2196/10057)
- Barrett M, Boyne J, Brandts J, et al. Artificial intelligence supported patient self-care in chronic heart failure: a paradigm shift from reactive to predictive, preventive and personalised care. *EPMA J*. 2019;10: 445-464. DOI: [10.1007/s13167-019-00188-9](https://doi.org/10.1007/s13167-019-00188-9)
- Cruz-Martinez RR, Wentzel J, Asbjornsen RA, et al. Supporting self-management of cardiovascular diseases through remote monitoring technologies: metaethnography review of frameworks, models, and theories used in research and development. *JMIR*. 2020;22(5):e16157. [doi:10.2196/16157](https://doi.org/10.2196/16157)
- Department of Health and Social Care (2021). A guide to good practice for digital and data-driven health technologies. <https://www.gov.uk/government/publications/code-of->

[conduct-for-data-driven-health-and-care-technology/initial-code-of-conduct-for-data-driven-health-and-care-technology](#) (Accessed: 15 April 2021)

Díaz-Toro F, Verdejo HE, Castro PF. Socioeconomic inequalities in heart failure. *Heart Fail Clin*. 2015;11(4):507-513. <https://doi.org/10.1016/j.hfc.2015.07.012>

Dunn Lopez K, Chae S, Michele G, et al. Improved readability and functions needed for mHealth apps targeting patients with heart failure: an app store review. *Res Nurs Health*. 2021;44(1):71-80. <https://doi.org/10.1002/nur.22078>

Farré N, Vela E, Clèries M, et al. Medical resource use and expenditure in patients with chronic heart failure: a population-based analysis of 88 195 patients. *Eur J Heart Fail*. 2016;18(9):1132-1140. <https://doi.org/10.1002/ejhf.549>

Fersia O, Bryant S, Nicholson R, et al. The impact of the COVID-19 pandemic on cardiology services. *Open Heart*. 2020;7:e001359. <http://dx.doi.org/10.1136/openhrt-2020-001359>

Gottlieb S, Makower J. A role for entrepreneurs: An observation on lowering healthcare costs via technology innovation. *Am J Prev Med*. 2013;44(1 Suppl 1):S43-47. <https://doi.org/10.1016/j.amepre.2012.09.006>

Granja C, Janssen W, Johansen MA. Factors determining the success and failure of eHealth interventions: systematic review of the literature. *JMIR*. 2018;20(5):e10235. [doi:10.2196/10235](https://doi.org/10.2196/10235)

NHS England (2019). Long term plan. <https://www.longtermplan.nhs.uk> (Accessed: 14 April 2021)

National Institute for Health and Care Excellence (2014). Acute heart failure: diagnosis and management. [Clinical Guideline 187.] <https://www.nice.org.uk/guidance/cg187> (Accessed: 15 April 2021)

National Institute for Health and Care Excellence (2019). Evidence standards framework for digital health technologies. <https://www.nice.org.uk/Media/Default/About/what-we-do/our->

[programmes/evidence-standards-framework/digital-evidence-standards-framework.pdf](#)

(Accessed: 14 April 2021)

Reiners F, Sturm J, Bouw LJW, Wouters EJM. Sociodemographic factors influencing the use of eHealth in people with chronic diseases. *Int J Environ Res Public Health*. 2019;16(4):645. doi: [10.3390/ijerph16040645](#)

Savarese G, Lund LH. Global public health burden of heart failure. *Card Fail Rev*. 2017;3(1):7-11. doi: [10.15420/cfr.2016:25:2](#)

Ski CF, Zippel-Schultz B, De Maesschalck L, et al. COVID-19 shapes the future for management of patients with chronic cardiac conditions. *Digit Health*. 2021;7:2055207621991711 <https://doi.org/10.1177/2055207621991711>

Ziaeian B, Fonarow GC. Epidemiology and aetiology of heart failure. *Nat Rev Cardiol*. 2016;13(6):368-78. doi: 10.1038/nrcardio.2016.25.