**QUEEN'S
UNIVERSITY
BELFAST**

A qualitative study exploring the perceived impact of supervision training on cognitive therapy supervisor practice

Younge, J., & Campbell, A. (2013). A qualitative study exploring the perceived impact of supervision training on cognitive therapy supervisor practice. *The Cognitive Behaviour Therapist*, 6, 1-14. [13000068]. <https://doi.org/10.1017/S1754470X13000068>

Published in:
The Cognitive Behaviour Therapist

Document Version:
Early version, also known as pre-print

Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights
Copyright 2013 The Authors

General rights
Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

A qualitative study exploring the perceived impact of supervision training on Cognitive Therapy supervisor practice.

Journal:	<i>The Cognitive Behaviour Therapist</i>
Manuscript ID:	CBT-00122-12.R1
Manuscript Type:	Original Research Reports
Keywords:	cognitive behaviour therapy, cognitive therapy, supervision, training

SCHOLARONE™
Manuscripts

Review

Cognitive Therapy Supervision Training

|

For Peer Review

Cognitive Therapy Supervision Training

Abstract

Although cognitive therapy (CT) has a large empirical base, research is lacking for CT supervision and supervision training, which presents an obstacle for evidence-based practice. A pilot CT supervision training programme, based on Milne's (2007a, 2009) evidence-based supervision and Roth and Pilling (2008) supervision competences was developed by the Northern Ireland Centre for Trauma and Transformation (NICTT), an organisation specialising in CT therapy provision and training. [This pilot](#) study qualitatively explores CT supervisors' perceptions of the impact the training had on their practice. Semi-structured interviews were conducted with seven participants, transcribed verbatim and analysed using Burnard's (1991) thematic content analysis.

Findings illustrated that experienced CT supervisors [perceived](#) benefit from training and that the majority of supervisors had implemented contracts, used specific supervision models and paid more attention to supervisee learning as a result of the training. Obstacles to [evaluating](#) supervision included the lack of reliable user-friendly evaluation tools and supervisor consultancy structures.

Recommendations are also made for future research to establish the long-term effects of supervision training and its effect on patient outcomes. Implications for future training based on adult learning principles are discussed.

Key words: Cognitive Behavioural Therapy, Supervision, Training

Cognitive Therapy Supervision Training

Introduction

The research explores the perceived impact of a pilot supervision training programme on cognitive therapy (CT) supervisors' practice. The primary researcher, a BABCP accredited Cognitive Therapist, developed an interest in supervision whilst undergoing CT training, and was one of the cohort completing the CT supervision training. This paper will outline the research methodology of a pilot study, provide a brief synopsis of the findings and make links to relevant literature in the discussion. Furthermore, it is hoped that the conclusions will contribute to the debate about supervision in the field of CT and inform future training.

Supervision is a requirement for accreditation with BABCP, which now offers supervisor accreditation for therapists who have at least three years of accredited experience and 18 hours supervision training. There are, however, no stipulations regarding what training must entail and BABCP does not yet accredit supervision training, so there are great variations in training duration and quality (Milne, 2009).

At the time of the training only one therapist in Northern Ireland was accredited as a supervisor with BABCP.

Supervisors have a complex role with a range of formative, normative and restorative responsibilities (Proctor, 1986), which vary depending on whether the context is educational or clinical. It is now recognised that specific supervision training is desirable (Townend et al, 2002; Falender and Shafranske, 2004; Milne, 2007a).

Cognitive Therapy Supervision Training

“We would never dream of turning untrained therapists loose on needy patients, so why would we turn untrained supervisors loose on untrained therapists who help those needy patients?” (Watkins, 1997: 604).

There is an expectation, within a clinical governance framework, that supervision of cognitive therapists, both during training and post-qualification, is necessary. Whilst supervision is not specifically legislated for, it occurs within a framework of legal, ethical and professional standards, policies and codes of practice.

With the expansion of psychological therapies in Northern Ireland, the need to set supervision standards is recognised (Department of Health and Social Services and Public Safety Northern Ireland (DHSSPSNI), 2010). Although supervision’s importance is being increasingly recognised, with an improving literature on what constitutes good supervision (Bambling et al, 2006), it remains little understood (Lombardo et al, 2009). Scaife (2009: 345) recommends that

“Research efforts may be focused on any of the links in the chain between supervisor and client”.

There is a need to establish if supervision training impacts on perceived effectiveness or ability to fulfil the role of supervisor, as the first step in the chain. It is argued that comparison lies at the heart of any good research design, qualitative or quantitative, although each research paradigm has different objectives (Bechhofer and Paterson, 2000). The aim of the current qualitative research study was to understand rather than

Cognitive Therapy Supervision Training

measure the difference made by supervision training for the participants (Ritchie and Lewis, 2003). The objectives were to establish:

- ♦1. Participants’ previous supervision practice.
- ♦2. Participants’ views on the impact of the training on current supervision practice.
- ♦3. Participants’ views on supervision training.

Formatted: Numbered + Level: 1 +
Numbering Style: 1, 2, 3, ... + Start at: 1 +
Alignment: Left + Aligned at: 0.25" + Tab
after: 0.5" + Indent at: 0.5"

Definition of supervision

Supervision does not have a universally agreed definition. However, Milne (2007b: 440) has developed a working definition, following a systematic review of 24 empirical studies of clinical supervision, mainly from the learning disability field:

"The formal provision, by approved supervisors, of a relationship-based education and training that is work-focused and which manages, supports, develops and evaluates the work of supervisees."

Milne (2007b) defines the functions of supervision as quality control, maintaining and facilitating supervisees’ competence and capability and helping supervisees work effectively. It is assumed that supervision supports and maintains supervisees’ skills, ensures competent treatment for patients and reduces liability for organisations although this has not been definitively proven (Wheeler and Richards, 2007; Cape and Barkham, 2002; Trinidad, 2007; White and Winstanley, 2010). Milne (2009: 162) highlights that there:

Cognitive Therapy Supervision Training

“...appears to be a huge gulf between the complex, stressful role of the supervisor and the kind of training that is usually provided within health-care systems”.

Guidelines suggest that if therapists are to achieve outcomes similar to that of CT research trials, it is essential to apply the same standards of training and supervision (Roth et al, 2010).

The evidence base for CT supervision is fraught with methodological limitations and is poor in comparison to that of CT, with much of the literature consisting of consensus statements (Ellis et al, 1997, Roth and Pilling, 2008, Milne et al, 2010). The definitive “acid test” of supervision would be proving supervision’s assumed impact on patient outcomes, but this has been difficult due to the inevitable complexities of the supervisor-supervisee-patient triad (Ellis et al, 1997, Lee, 2005, Scaife, 2009).

Theoretical models of CT supervision have been described but a definitive model is not prescribed or universally accepted (Armstrong and Freeston, 2006, Bennett-Levy and Thwaites, 2007).

Although there is no agreed supervision model, there is growing evidence that supervision is beneficial in enhancing skills and improving competency. Milne and James’ (2000) systematic review of 28 empirical studies described a pyramid of potential influence from supervisory consultant to supervisor to supervisee to patient.

Cognitive Therapy Supervision Training

but, with dilution of effect. Other findings demonstrated transfer of CT skill from supervisory consultant to therapy (Milne et al, 2003).

Mannix et al (2006) found that both CT skills and confidence reduced following CT training when staff received no ongoing supervision. Those with access to supervision demonstrated improved competence and maintained confidence. Heaven et al (2006) demonstrated similar effects of supervision on nurse communication skills maintenance. Ng (2005) reported improvements in therapist competence (CTS-R¹) and patient outcomes (BDI², BAI³) with CT supervision in a small uncontrolled trial. Moreover Sholomskas et al (2005) showed improved CT competence in therapists who had supervision in addition to either training and/or a manual. Maunder et al (2008) also demonstrated a statistically significant change in GPs' knowledge and use of CT skills following a brief CT training program by experienced supervisor/trainers, however there was no follow-up so it is not known if this was sustained.

The growing body of evidence that clinical supervision has a positive effect on therapist competency means much more attention is being paid to what makes supervision effective and also how we can disseminate good supervisory practice to all supervisors. Until recently, there was an expectation that supervisors used implicit skills from therapy in CT supervision (Townend et al, 2002). Townend et al (2002) surveyed 170 BABCP accredited therapists and found that 64% had some supervision training, though often before accreditation as therapists and usually via workshops (41%). Only 17% had completed a formal supervision course and 54% provided supervision with no supervision support for that role.

¹ Cognitive Therapy Scale-Revised (Blackburn et al, 2001)

² Beck Depression Inventory (Beck et al, 1996)

³ Beck Anxiety Inventory (Beck and Steer, 1988)

Cognitive Therapy Supervision Training

Studies of medical education and allied fields showed training had a positive effect for supervisors or their practice (Kilminster and Jolly, 2000, Spence et al, 2001). There was noted to be a surprising lack of supervision training and standards in a consensus review of psychology supervision (Falender et al, 2004). Recommendations focused on the development of supervision competences, the training of supervisors, using a didactic and experiential approach and the use of learning contracts and supervisor evaluations by coursework and documented supervisee feedback.

Although a Supervision Competences Framework has been devised there is no reliable tool for assessing competency in CT supervisors (Roth and Pilling, 2008). Interestingly, the CT competences framework (Roth and Pilling, 2007), in comparison to the supervision competences framework, is much more detailed, probably reflecting the relative lack of knowledge in the CT supervision arena.

The issue is ensuring that those competencies are taught effectively and that good effective supervision techniques are disseminated to all those responsible for ensuring high standards of practice.

Milne and James (2002) concur and report that competence in CT supervision requires training. Bambling et al (2006) have evaluated manualised CT supervisor training by demonstrating better patient outcomes in patients whose therapists received supervision by trained supervisors in comparison to therapists with no supervision in a randomised controlled trial (RCT).

Cognitive Therapy Supervision Training

In a large RCT seeking to demonstrate a causal relationship between trained supervisor support for mental health nurses and patient outcomes, no such link could be demonstrated. However, supervisees rated trained supervisors significantly better for trust/rapport and importance/value domains on the Manchester Clinical Supervision Scale, a validated supervisee-rated supervision evaluation tool used in nursing, based on Proctor's (1986) normative, restorative and formative elements (White and Winstanley, 2010, Winstanley, 2000). Higher rated supervision was also associated with lower burn-out in supervisors. The authors concluded that failure to prove causality does not mean absence of linkage and report obstacles e.g. attitudes to supervision by management and poor resources.

Culloty et al (2010) proposed a fidelity framework to evaluate CT supervision training which addresses trainer competence, training delivery and design, participants' learning and clinical outcomes. In an extensive literature review spanning 20 years only one study, on supervision in multi-system therapy with delinquent adolescents (Henggeler et al, 2008), addressed all these factors and demonstrated a link between supervisor training and patient outcomes.

Most studies addressed participants' learning or training design and not trainer competence or clinical outcomes. Culloty et al (2010) applied the fidelity framework to supervision training of 17 supervisors and reported that 6 had incorporated aspects of their training in supervision practice. They had criticised other studies for not making links from supervision training to patient outcomes, but unfortunately they did not address this either, demonstrating the inherent difficulty showing causality.

Cognitive Therapy Supervision Training

Milne (2007a) developed an “Evidence-Based Clinical Supervision” (EBCS) programme based on available evidence in supervision. He demonstrated improved supervisee learning following EBCS training. Milne (2010) undertook a national pilot study of effectiveness of EBCS with 256 novice psychology supervisors and showed 77% satisfaction, 86% acceptability and 64% learning on a Training Acceptability Rating Scale. This population may not, however, be typical of CT supervisors and Milne recognises that there could have been an element of “grateful testimonial”.

Intuitively, supervisors and therapists are aware of the utility of supervision, so it is the most highly rated method of developing competence for supervisors and supervisees (Lucock et al, 2006). However, in this era of resource constraints and increasing demand for evidence-base, we need to continue to strive for evidence that supervision training is effective. Only by investigating the impact of training on supervisor competency and behaviour can we continue to justify the need for ongoing supervisor training. This research will investigate the first link in the chain by specifically exploring the perceived impact of training on supervisors (Scaife, 2009).

Methodology

An explorative qualitative methodological approach was used to examine the perceptions of the research participants as regards their views on the training received via the CBT supervisor training programme (Pope and Mays, 2000). A purposive sample of 7 participants was interviewed between November 2010 and February 2011 from a cohort of 9 supervisors, practising in N.I., who had completed the pilot

Cognitive Therapy Supervision Training

supervision course (Sarantakos, 1998). One supervisor was no longer working and one did not respond.

Semi-structured interviews were conducted, based on the work of Berry (1999) and Doyle (2006). A specific schedule compiled by the researcher and checked by an independent peer reviewer was comprised of a number of questions, including how practice had changed as a result of the training programme and participants views on changes in levels of their skills, knowledge, competence and confidence. The open ended questions were used to gather in-depth qualitative responses, which provided the participants' views on the set questions posed as well as eliciting views on other related topics.

Interviews were audio-recorded and verbatim transcription by the researcher enabled close data scrutiny and maintained confidentiality (Bryman, 2008). Data was analysed using thematic content analysis (Burnard, 1991) in an iterative, cyclical process.

Training was based on Milne's (2007a, 2009) Evidence Based Clinical Supervision and Roth and Pilling (2008) Supervision Competences. Training consisted of 5 modules delivered as sequential 1-2 day workshops over 5 months and included didactic teaching, group discussion, watching therapy videos, role-play, practice implementation and reflective assignments (table 1).

Cognitive Therapy Supervision Training

Ethical Considerations

The primary researcher, being a new CT supervisor and participating in the training, was in a unique position of being able to understand the process from a participant's viewpoint. Potential bias was minimised by being explicit, producing verifiable records, participant checks, conducting dual independent analysis of data with the research tutor and employing a reflexive approach to the research methodology and process (Mays and Pope, 1995; Fleming et al, 2001; Bryman, 2008).

Principles of autonomy, beneficence, non-maleficence, confidentiality, trust and informed consent were adhered to within the research. Research proposal peer review, University ethical approval and written consent from NICTT and the participants were obtained prior to the commencement of fieldwork.

Findings

The participants

All participants were experienced mental health professionals, with post-graduate CT training, who provided CT supervision in at least one of: clinical practice, private practice or training organisations, for, on average, 8 years. The majority of participants were nurses, however, medicine and social work were also represented. Although the majority had received some supervision training in their primary profession, none had received any CT supervision training until after they started providing CT supervision.

Cognitive Therapy Supervision Training

The majority of participants had received some prior CT supervision training before undergoing the recent training, mainly in the form of workshops, with just over half of participants having completed at least 18 hours of supervision training.

1. Participants' previous supervision practice.

Formatted: Numbered + Level: 1 +
Numbering Style: 1, 2, 3, ... + Start at: 1 +
Alignment: Left + Aligned at: 0.5" + Indent at:
0.75"

No-one reported using a specific supervision model prior to the recent training, including those who had previous training covering supervision models. Two participants reported basing their previous supervision provision on CT alone, one on CT and their own CT supervision experience, one on their own supervision experience or "*apprenticeship model*" alone and two reported using no model to guide their supervision.

"Certainly in terms of the model I had never really thought, "Have I a model?" and I would have just modelled it on CBT itself and how I had supervision."

Only one participant made reference to basing supervision on previous training, which was in combination with their own supervision experience. He was the only supervisor to use a contract in supervision prior to the studied training. Only one participant cited their previous profession and its influence as important. Prior to the supervision training the most common component was case discussion, particularly in clinical settings with trained therapists.

Cognitive Therapy Supervision Training

“...well mainly through case discussion and case presentation and that would have tied in with the fact that who I was supervising was a qualified cognitive therapist.”

All supervisors of trainees in both training and clinical placement settings reported using video and/or audio tapes in supervision. Just over half of supervisors reported using this method with trained therapists, however, less often than with trainees. This was associated with rating scales such as CTS-R only being used with trainees. Live observation, modelling or role play was mainly reported by those supervisors providing supervision to trainees in clinical placements and this was related to having sufficient time for interaction.

Additionally, supervisors reported that they found supervision of trained therapists was generally more challenging than that of trainee therapists, particularly if the therapist was experienced, when there was apprehension about relative experience and not knowing if they were “*doing it right*”. The ability to maintain focus within supervision was also problematic.

Relationship issues and the impact of the work on the supervisee were relatively neglected areas, with only two supervisors paying attention to them, and to varying degrees.

Cognitive Therapy Supervision Training

2. Participants' views on the impact of the training on current supervision practice.

Formatted: Numbered + Level: 1 +
Numbering Style: 1, 2, 3, ... + Start at: 1 +
Alignment: Left + Aligned at: 0.5" + Indent at:
0.75"

All participants reported that they had either learned about contracts for the first time or revised their knowledge about contracts. Five participants, who had not previously used contracts, had started to implement them and one was in the process of doing so. In addition, two participants had either implemented or discussed a supervision policy in their work.

"...so there is a contract now and that will be reviewed every year. It forced us to write a supervision policy at work...It is now part of our operational policy."

Participants reported that an explicit contract helped to: set the overall focus for the episode of supervision from the outset, based on a needs assessment; set ground rules; clarify expectations; prevent assumptions; improve collaboration; deal with relationship issues and was particularly useful for experienced staff where there was no "curriculum laid out".

All reported an increased awareness of the supervisor and supervisee roles and responsibilities, particularly the issue of "vicarious liability", which had been drawn into "sharp focus". As a result they were less likely to make assumptions and more likely to ask questions to ascertain competency, request "evidence", such as videoed therapy sessions or notes, including with trained staff, and improve record-keeping.

Cognitive Therapy Supervision Training

All participants reported that they now used a model of supervision, with six choosing the Hawkins and Shohet (2006) process model and one choosing the Newcastle model (Armstrong and Freeston, 2006). There was unanimous agreement that using a model of supervision helped them take a “*broader view*”, but also helped focus what needed to be addressed within supervision sessions. The majority also reported that model use made supervision “*more disciplined and structured*”. All supervisors reported paying attention to supervisees’ learning styles and relationships. Most now reported considering the emotional impact on supervisees of the work, although only one linked this to potential effects on patients.

“...that learning style helped me look at style of supervision then that I applied. What works best with this particular supervisee? I would probably just have applied the same with everyone before.”

3. Participants’ views on supervision training.

All supervisors reported benefits of training including perceived improvements in knowledge, competence, confidence and the majority reported improvements in skill. Most associated the improvement in knowledge with self-directed learning and experiential aspects of the training e.g. role plays. All thought the training was applicable to and improved their supervision practice. It was also apparent throughout the interviews that the training had resulted in all supervisors reflecting extensively on their own practice and that of other supervisors.

Formatted: Indent: Left: 0.5", No bullets or numbering

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.5" + Indent at: 0.75"

Cognitive Therapy Supervision Training

The main drawback of the training cited by six participants was the time commitment involved, particularly in relation to the written work, although some reported it had helped them develop useful supervision resources.

Although supervisors had expected to have their supervision evaluated using a rating instrument e.g. Teacher's PETS (Milne et al, 2002), it had not been. One supervisor reviewed supervision sessions videos following training and described them as having "more structure, more focus". Two supervisors reported thinking patient outcomes were better but had not evaluated it. One participant considered video-recording supervision sessions as a research project "to measure the quality of supervision" in the future.

"I probably haven't actually sat down with my supervisee and looked at pre and post training... That's something for the future I could be mindful of working on... evaluating patient outcomes."

The main factors cited for not evaluating their supervision since training included: the perception of the time it would take; anxiety about potential negative feedback; lack of supervision consultation structures; lack of accurate feedback, due to anonymity issues, and reported evaluation fatigue.

No-one reported receiving formal supervisory support. Five supervisors commented that they thought it would be beneficial to have it to bring objectivity, accountability and help keep them up-to-date, motivated and maintain skills.

Cognitive Therapy Supervision Training

Discussion

There are a number of limitations to this research, many of which are common to qualitative research. The utilisation of a purposive sampling technique and the lack of representation of all professions in the group (e.g. psychology) limit generalisability of findings. Additionally, the study population was small and therefore unlikely to reach data saturation (Bryman, 2008), although no new themes emerged in later interviews.

Participants' most common influence for supervision was the CT therapy model (Padesky, 1996) or their own supervision experience (Townend et al, 2002; Falender and Shafranske, 2004) suggesting that no specific supervision model tends to be used, even for those with prior CT supervision training. This has implications for providing specific CT supervision training at an appropriate stage in the supervisor's development (Townend et al, 2002) and assessing the long-term impact as there is a *"tendency to return to baseline"* following training (Miller and Mount, 2001).

Before training, CT supervisors were more likely to use case discussion methods with trained therapists and live supervision methods with trainee therapists. The BABCP expects all therapists to use live methods, as there is a tendency to over-rate competency (Miller and Mount, 2001). Milne et al (2009) described safety behaviours in supervision, where both parties avoid challenge and moving to experiential learning e.g. therapy videos. This may explain the issues described by participants supervising trained therapists, which could possibly be addressed by supervisor training.

Cognitive Therapy Supervision Training

The perceived benefits were mainly for supervisors, with dilution of effect as consideration was given to perceived benefits for supervisees and patients (Milne and James, 2000). As in Lee's (2005) study, the majority of supervisors reported implementing contracts and a supervision model following training, although Culloty et al (2010) found a much smaller proportion of supervisors made practice change.

Increased awareness of role and responsibilities had made supervisors more likely to request therapy videos/notes, including with trained staff, and improve record keeping. This is likely to improve supervision through increased opportunities for supervisees' experiential learning and prevents supervisees over-rating competence (Milne and James, 2002; Brosan, 2008). Culloty et al (2010), similarly, discovered that supervisors were more likely to consider learning styles, particularly reflection, and encourage experiential learning following training.

It is interesting that participants mainly chose the Hawkins and Shohet (2006) model, as in Lee's (2005) study, although Townend et al (2002) had been surprised that any CT therapists were using a process model. Perhaps this illustrates that a simpler model has more utility, as it provides structure and reminds supervisors of the processes they need to attend to during supervision itself, rather than conceptualising following supervision, as has been suggested with the Newcastle model (Armstrong and Freeston, 2006).

It is recognised that there are difficulties in demonstrating supervision's effect on patient outcomes. However Roth and Pilling (2008) observed that supervisors made less use of objective measures of patient outcomes than would be expected, as in this

Cognitive Therapy Supervision Training

research. Supervision evaluation tools have been criticised for being too prescriptive (Lee, 2005), unreliable (Roth and Pilling, 2008) and time-consuming, which was one of the main obstacles cited by participants.

Experts recognise the importance of support for the stressful role of being a supervisor, with ultimate responsibility for both the patient and the supervisee (Milne, 2009, Scaife, 2009). Stirman et al (2010) have recommended that consultation structures need to be built into CT training programmes to prevent therapeutic drift. Participants welcomed the opportunity for support and thought that supervision would help them maintain skills. This is supported by the literature which demonstrates skill and confidence loss without supervision (Mannix et al, 2006; Heaven et al, 2006; Miller and Mount, 2001).

Therefore, there needs to be urgent consideration of development of a user-friendly tool, which involves supervisee feedback, observation measures (Falender et al, 2004), and patient outcomes within a supervision consultancy framework to support supervisors.

Training included self-directed learning (SDL) and had common features with problem-based learning (PBL), where a facilitator sets problems to be tackled through group collaboration and SDL. The majority of the sequential tasks involved practice implementation followed by reflective writing. In systematic reviews of medical education Davis et al (1995) demonstrated that learning opportunities had most impact when they were delivered sequentially with practice implementation and Koh et al (2008) showed PBL improved competence and communication skills.

Cognitive Therapy Supervision Training

The training was in keeping with Knowles' (2005) adult learning theory, where adults are thought to learn best when: self-directed, using resources from life experience, motivated by problem-centred tasks required for their role and they understand the utility of the learning. This may explain the high rates of reported improvements in knowledge, competence, confidence, skill and practice change in this group.

~~As the organisation upholding CT standards, however, BABCP should clarify the requirements and accredit CT supervision training.~~

Summary

The conclusions from the study highlight a number of issues which, whilst they may not be generalisable to the wider population, they nevertheless provide a snapshot of the views of participants on a supervisory programme similar to many which are implemented throughout the UK currently.

Participants had little or no prior relevant training to prepare them for supervision, so relied mainly on therapy models or their own supervision experience to guide supervision practice. CT supervisors should have specific CT supervision training at an appropriate career stage and the long-term effects assessed to establish when updates are required.

Even experienced CT supervisors benefited from training – it improved their perceptions of their own knowledge, competence, skill and confidence. Training made participants more aware of their role and responsibilities which resulted in practice

Cognitive Therapy Supervision Training

change e.g. use of contracts, specific supervision models, better relationship focus and attention to supervisee learning. Sequential self-directed learning, implementation and reflection were associated with practice [improvement](#). Development of a user-friendly supervision evaluation tool with increased emphasis on patient outcomes should be a future research priority.

Learning Points:

1. Training improved supervisors' understanding of roles and responsibilities.
2. Training resulted in practice change- use of contracts, supervision models, attention to learning and relationships.
3. CT Supervision training needs to focus on evaluating patient outcomes.

Follow-up Reading:

1. Milne, D. (2009) *Evidence-based Clinical Supervision*. Oxford: BPS Blackwell.
2. Hawkins, P. and Shohet, R. (2012) *Supervision in the Helping Professions (4th Ed)* New York: Open University Press.
3. Scaife, J. (2009) *Supervision in the Mental Health Professions: A Practitioner's Guide*. (2nd Ed.) Hove: Brunner-Routledge

Declaration of Interest: None

References

Cognitive Therapy Supervision Training

Armstrong, P.V. and Freeston, M.H. (2006) Conceptualising and formulating cognitive therapy supervision. In N. Tarrier (Ed). *Case Formulation in Cognitive Behaviour Therapy*. 349-371. New York: Routledge.

Bambling, M., King, R., Raue, P., Schweitzer, R. and Lambert, W. (2006) Clinical supervision: its influence on client rated working alliance and client symptom reduction in the brief treatment of major depression. *Psychotherapy Research* 16(3), 317-331.

Bechhofer, F. and Paterson, L. (2000) *Principles of Research Design in Social Sciences*. London: Routledge.

Beck, A.T. and Steer, A. (1988) *Beck Anxiety Inventory Manual*. San Antonio, Texas: The Psychological Corporation.

Beck, A.T., Steer, A. and Brown, G.K. (1996) *Beck Depression Inventory Manual*. (2nd ed). San Antonio, Texas: The Psychological Corporation.

Bennett-Levy, J. and Thwaites, R. (2007). Self and self-reflection in the therapeutic relationship: A conceptual map and practical strategies for the training, supervision and self-supervision of interpersonal skills. In P. Gilbert (Ed) and R.L. Leahy (Ed). (2007). *The therapeutic relationship in the cognitive behavioral psychotherapies*. 255-281. New York: Routledge/Taylor & Francis Group.

Berry, R. (1999) *Collecting data by in-depth interviewing*. Paper presented at the British Educational Research Association Annual Conference, University of Sussex at Brighton, September 2 - 5 1999. Available at: <http://www.leeds.ac.uk/educol/documents/000001172.htm> Accessed on 4/3/09.

Blackburn, I-M., James, I.A., Milne, D.L. and Reichelt, F. K. (2001) *Cognitive Therapy Scale – Revised (CTS-R)*. Newcastle Upon Tyne, UK: Newcastle Cognitive Therapy Centre.

Brosan, L., Reynolds, S., and Moore, R. G. (2008) Self-evaluation of cognitive therapy performance: Do therapists know how competent they are? *Behavioural and Cognitive Therapy*. 36, 581–587.

Bryman, A. (2008) *Social Research Methods* (3rd ed.) Oxford: Oxford University Press.

Burnard, P. (1991) A method of analysing interview transcripts in qualitative research. *Nurse Education Today*. 11 (6), 461-466.

Cape, J. & Barkham, M. (2002) Practice improvement methods: conceptual base, evidence-based research, and practice-based recommendations. *British Journal of Clinical Psychology*. 41, 285-307.

Cognitive Therapy Supervision Training

Culloty, T., Milne, D.L. and Sheikh, A.I. (2010) Evaluating the training of clinical supervisors: a pilot study using the fidelity framework. *The Cognitive Behaviour Therapist*. 3 (04), 132-144.

Davis, D., Thompson, M., Oxman, A. and Haynes, R. (1995) Changing Physician Performance: A Systematic Review of the effect of continuing education strategies. *Journal of American Medical Association*. 274, 700-705.

Department of Health and Social Services and Public Safety Northern Ireland. (2010) *A strategy for the Development of Psychological therapy Services*. Belfast: DHSSPSNI.

Doyle, J. K. (2006) *Chapter 11: Introduction to Interviewing Techniques*. Available at: <http://www.wpi.edu/Academics/GPP/Students/tocdetail.html> Accessed on 04/03/09.

Ellis, M.V. and Ladany, N. (1997) Inferences concerning supervisees and clients in clinical supervision: An integrative review. pp 447-507. In C.E. Watkins (Ed). *Handbook of psychotherapy supervision*. New York: John Wiley and sons.

Falender, C.A., Cornish, J.A.E., Goodyear, R., Hatcher, R., Kaslow, N.J., Leventhal, G., Shafranske, E., and Sigmon, S.T. (2004) Defining competencies in psychology supervision: a consensus statement. *Journal of Clinical Psychology*. 60, 771-785.

Falender, C.A., & Shafranske, E.P. (2004) *Clinical Supervision: A Competency-Based Approach*. Washington, DC: American Psychological Association.

Fleming, P. et al. (2001) Men's Perceptions of Health Education Methods Used In Promoting Their Health In Relation To Cancer. *The International Electronic Journal of Health Education*. 4, 337-344.

Hawkins, P. and Shohet, R. (2012) *Supervision in the Helping Professions (4th Ed)* New York: Open University Press.

Heaven, C., Clegg, J. and Maguire, P. (2006) Transfer of communication skills training from workshop to workplace: the impact of clinical supervision. *Patient Education and Counselling*. 60, 313-325.

Henggeler, S.W., Schoenwald, S.K., Liao, J.G., Letourneau, E.J. and Edwards, D.L. (2008). Transporting efficacious treatments to field settings: the link between supervisory practices and therapist fidelity in MST programs. *Journal of Clinical Child & Adolescent Psychology*. 31, 155-167.

Kilminster, S.M. and Jolly, B.C. (2000) Effective supervision in clinical practice setting: a literature review. *Medical Education*. 34, 827-840.

Knowles, M., Holton, E. F., III and Swanson, R. A. (2005). *The adult learner: The definitive classic in adult education and human resource development (6th ed.)* Burlington, MA: Elsevier.

Cognitive Therapy Supervision Training

Koh, G.C., Khoo, H.E., Wong, M.L. and Koh, D. (2008) The effects of problem-based learning during medical school on physician competency: a systematic review. *Canadian Medical Association Journal*. 178 (1), 34–41.

Lee, D. (2005) *An evaluation of prescribed learning outcomes in clinical psychology supervisor training*. Unpublished Doctorate Thesis. Available at: http://www.leeds.ac.uk/lihs/psychiatry/courses/dclin/completed_research/sorps_online06/sorp_david_lee.pdf Accessed on 1/4/11.

Lombardo, C., Milne, D. and Proctor, R. (2009) Getting to the Heart of Clinical Supervision: A Theoretical Review of the Role of Emotions in Professional Development. *Behavioural and Cognitive Psychotherapy*. 37 (02), 207-219.

Lucock, M.P., Hall, P. & Noble, R. (2006). A survey of influences on the practice of psychotherapists and clinical psychologists in training in the UK. *Clinical Psychology and Psychotherapy*. 13, 123-130.

Mannix, K. A. et al. (2006) Effectiveness of brief training in cognitive behaviour therapy techniques for palliative care practitioners. *Palliative Medicine*. 20(6), 579-84.

Maunder, L., Milne, D. and Cameron, L. (2008) Pilot Evaluation of Brief Training in CBT for Primary Care Practitioners. *Behavioural and Cognitive Psychotherapy*. 36 (03), 341-348.

Mays, N. and Pope, C. (1995) Qualitative Research: Rigour and qualitative research. *British Medical Journal*. 311, 109-112.

Miller, W.R. and Mount, K.A. (2001) A Small Study Of Training In Motivational Interviewing: Does One Workshop Change Clinician And Client Behaviour? *Behavioural and Cognitive Psychotherapy*. 29 (04), 457-471.

Milne, D. L. (2007a) *CPD Workshop for New Clinical Supervisors. A Tutor's Guide*. Unpublished document available from: www.wiley.com/go/milne Accessed 3/2/10.

Milne, D. L. (2007b) An Empirical Definition of Clinical Supervision. *British Journal of Psychology*. 46, 437-447.

Milne, D. (2009) *Evidence-based Clinical Supervision*. Oxford: BPS Blackwell.

Milne, D. (2010) Can we enhance the training of clinical supervisors? A national pilot study of an evidence-based approach. *Clinical Psychology & Psychotherapy*. 17 (4), 321-328.

Milne, D. and James, I. (2000) A systematic review of effective cognitive-behavioural supervision. *The British Journal of Clinical Psychology*. 39, 111-127.

Milne, D.L. and James, I.A. (2002) The observed impact of training on competence in clinical supervision. *The British Journal of Clinical Psychology*. 41, 55-72.

Cognitive Therapy Supervision Training

Milne, D.L., Pilkington, J., Gracie, J. and James, I. (2003) Transferring Skills From Supervision To Therapy: A Qualitative and Quantitative N=1 Analysis. *Behavioural and Cognitive Psychotherapy*. 31 (02), 193-202.

Milne, D.L., James, I.A., Keegan, D. and Dudley, M. (2002) Teacher's PETS: A New Observational Measure of Experiential Training and Interactions. *Clinical Psychology and Psychotherapy*. 9, 187-199.

Milne, D.L., Leck, C. and Choudhri, N.Z. (2009) Collusion in clinical supervision: literature review and case study in self-reflection. *The Cognitive Behaviour Therapist*. 2, 106-114.

Milne, D.L., Pilkington, J., Gracie, J. and James, I. (2003) Transferring Skills From Supervision To Therapy: A Qualitative and Quantitative N=1 Analysis. *Behavioural and Cognitive Psychotherapy*. 31 (02), 193-202.

Ng, R. M. K. (2005) Cognitive therapy supervision-A pilot study. *Hong Kong Journal of Psychiatry*. 15(4), 122-126.

Padesky, C. A. (1996) Developing cognitive therapist competency: Teaching & supervision models. In P.M. Salkovskis (Ed.) *Frontiers of Cognitive Therapy*. London: Guilford Press.

Pope, C. and Mays, N. (2000) *Qualitative Research in Health Care*. London: BMJ Books.

Proctor, B. (1986) Supervision: a cooperative exercise in accountability. In M. Marken and M. Payne (Eds) *Enabling and Ensuring: Supervision in Practice*. 21-34. Leicester: National Youth Bureau and Council for Education and Training in Youth and Community Work.

Ritchie, J. and Lewis J. (2003) *Qualitative Research Practice: A Guide for Social Science Students and Researchers*. London: Sage Publications Ltd.

Roth, A. and Pilling, S. (2007) *The Competencies Required to Deliver Effective Cognitive Behaviour Therapy for People with Depression and Anxiety Disorders*. London: Department of Health. Available at: http://www.ucl.ac.uk/clinicalpsychology/CORE/CBT_Competences/CBT_Competence_List.pdf Accessed on 16/01/10.

Roth, A.D. and Pilling, S. (2008) A competence framework for the supervision of psychological therapies. University College London: Research Department of Clinical, Educational and Health Psychology Available at: http://www.ucl.ac.uk/clinical-psychology/CORE/supervision_framework.htm Accessed on 4/1/10.

Roth, T. Pilling, S. and Turner, J. (2010) Therapist Training and Clinical Supervision in Clinical Trials: Implications for Practice. *Behavioural and Cognitive Psychotherapy*. 38, 291-302.

Sarantakos, S. (1998) *Social Research (2nd Ed.)* New York: Palgrave Macmillan.

Cognitive Therapy Supervision Training

Scaife, J. (2009) *Supervision in the Mental Health Professions: A Practitioner's Guide*. (2nd Ed.) Hove: Brunner-Routledge

Sholomskas, D.E., Syracuse-Siewert G., Rounsaville, B.J., Ball, S.A., Nuro, K.F., Carroll, K.M. We don't train in vain: a dissemination trial of three strategies of training clinicians in cognitive-behavioral therapy. *Journal of Consulting Clinical Psychology*. 73(1), 106-15.

Spence, S.H., Wilson, J., Kavanagh, D., Strong, J. and Worrall, L. (2001) Clinical Supervision in Four Mental Health Professions: A Review of the Evidence. *Behaviour Change*. 18, 135-155.

Stirman, S.W., Bhar, S.S., Spokas, M., Brown, G.K., Creed, T.A., Perivoliotis, D., Farabaugh, D.T., Grant, P.M. and Beck, A.T. (2010) Training and consultation in evidence-based psychosocial treatments in public mental health settings: The access model. *Professional Psychology: Research and Practice*. 41 (1), 48-56.

Townend, M., Iannetta, L. and Freeston, M.H. (2002) Clinical Supervision In Practice: A Survey of UK Cognitive Behavioural Psychotherapists Accredited By The BABCP. *Behavioural and Cognitive Psychotherapy*. 30, 485-500.

Trinidad, A. C. (2007) How Not To Learn Cognitive-Behavioral Therapy (CBT). *American Journal of Psychotherapy*. 61(4), 395-403.

Turpin, G. and Wheeler, S. (2011) *IAPT Supervision Guidance*. Available at: <http://iapt.nmhdh.org.uk/silo/files/reach-out-supervisors-manual-2nd-edition.pdf> University of Sheffield and University of Leicester: IAPT.

Watkins, C.E. Jr. (1997) (Ed) *Handbook of Psychotherapy Supervision*. New York: Wiley.

Wheeler, S. and Richards, K. (2007) The impact of clinical supervision on counsellors and therapists, their practice and their clients: A systematic review of the literature *Counselling and Psychotherapy Research*. 7, 54-65.

White, E. and Winstanley, J. (2010) A randomised controlled trial of clinical supervision: selected findings from a novel Australian attempt to establish the evidence base for causal relationships with quality of care and patient outcomes, as an informed contribution to mental health nursing practice development. *Journal of Research in Nursing*. 15 (2), 151-167.

Winstanley, J. (2000) Manchester clinical supervision scale. *Nursing Standard*. (19), 31-2.

Cognitive Therapy Supervision Training

For Peer Review

Cognitive Therapy Supervision Training

A qualitative study exploring the perceived impact of supervision training on Cognitive Therapy supervisor practice.

Joanne Younge and Anne Campbell

School of Sociology, Social Policy and Social Work, Queen's University, Belfast.

Cognitive Therapy Supervision Training

Abstract

Although cognitive therapy (CT) has a large empirical base, research is lacking for CT supervision and supervision training, which presents an obstacle for evidence-based practice. A pilot CT supervision training programme, based on Milne's (2007a, 2009) evidence-based supervision and Roth and Pilling (2008) supervision competences was developed by the Northern Ireland Centre for Trauma and Transformation (NICTT), an organisation specialising in CT therapy provision and training. [This pilot](#) study qualitatively explores CT supervisors' perceptions of the impact the training had on their practice. Semi-structured interviews were conducted with seven participants, transcribed verbatim and analysed using Burnard's (1991) thematic content analysis.

Findings illustrated that experienced CT supervisors [perceived](#) benefit from training and that the majority of supervisors had implemented contracts, used specific supervision models and paid more attention to supervisee learning as a result of the training. Obstacles to [evaluating](#) supervision included the lack of reliable user-friendly evaluation tools and supervisor consultancy structures.

Recommendations are also made for future research to establish the long-term effects of supervision training and its effect on patient outcomes. Implications for future training based on adult learning principles are discussed.

Key words: Cognitive Behavioural Therapy, Supervision, Training

Cognitive Therapy Supervision Training

Introduction

The research explores the perceived impact of a pilot supervision training programme on cognitive therapy (CT) supervisors' practice. The primary researcher, a BABCP accredited Cognitive Therapist, developed an interest in supervision whilst undergoing CT training, and was one of the cohort completing the CT supervision training. This paper will outline the research methodology of a pilot study, provide a brief synopsis of the findings and make links to relevant literature in the discussion. Furthermore, it is hoped that the conclusions will contribute to the debate about supervision in the field of CT and inform future training.

Supervision is a requirement for accreditation with BABCP, which now offers supervisor accreditation for therapists who have at least three years of accredited experience and 18 hours supervision training. There are, however, no stipulations regarding what training must entail and BABCP does not yet accredit supervision training, so there are great variations in training duration and quality (Milne, 2009).

At the time of the training only one therapist in Northern Ireland was accredited as a supervisor with BABCP.

Supervisors have a complex role with a range of formative, normative and restorative responsibilities (Proctor, 1986), which vary depending on whether the context is educational or clinical. It is now recognised that specific supervision training is desirable (Townend et al, 2002; Falender and Shafranske, 2004; Milne, 2007a).

Cognitive Therapy Supervision Training

“We would never dream of turning untrained therapists loose on needy patients, so why would we turn untrained supervisors loose on untrained therapists who help those needy patients?” (Watkins, 1997: 604).

There is an expectation, within a clinical governance framework, that supervision of cognitive therapists, both during training and post-qualification, is necessary. Whilst supervision is not specifically legislated for, it occurs within a framework of legal, ethical and professional standards, policies and codes of practice.

With the expansion of psychological therapies in Northern Ireland, the need to set supervision standards is recognised (Department of Health and Social Services and Public Safety Northern Ireland (DHSSPSNI), 2010). Although supervision’s importance is being increasingly recognised, with an improving literature on what constitutes good supervision (Bambling et al, 2006), it remains little understood (Lombardo et al, 2009). Scaife (2009: 345) recommends that

“Research efforts may be focused on any of the links in the chain between supervisor and client”.

There is a need to establish if supervision training impacts on perceived effectiveness or ability to fulfil the role of supervisor, as the first step in the chain. It is argued that comparison lies at the heart of any good research design, qualitative or quantitative, although each research paradigm has different objectives (Bechhofer and Paterson, 2000). The aim of the current qualitative research study was to understand rather than

Cognitive Therapy Supervision Training

measure the difference made by supervision training for the participants (Ritchie and Lewis, 2003). The objectives were to establish:

- ♦1. Participants’ previous supervision practice.
- ♦2. Participants’ views on the impact of the training on current supervision practice.
- ♦3. Participants’ views on supervision training.

Formatted: Numbered + Level: 1 +
Numbering Style: 1, 2, 3, ... + Start at: 1 +
Alignment: Left + Aligned at: 0.25" + Tab
after: 0.5" + Indent at: 0.5"

Definition of supervision

Supervision does not have a universally agreed definition. However, Milne (2007b: 440) has developed a working definition, following a systematic review of 24 empirical studies of clinical supervision, mainly from the learning disability field:

"The formal provision, by approved supervisors, of a relationship-based education and training that is work-focused and which manages, supports, develops and evaluates the work of supervisees."

Milne (2007b) defines the functions of supervision as quality control, maintaining and facilitating supervisees’ competence and capability and helping supervisees work effectively. It is assumed that supervision supports and maintains supervisees’ skills, ensures competent treatment for patients and reduces liability for organisations although this has not been definitively proven (Wheeler and Richards, 2007; Cape and Barkham, 2002; Trinidad, 2007; White and Winstanley, 2010). Milne (2009: 162) highlights that there:

Cognitive Therapy Supervision Training

“...appears to be a huge gulf between the complex, stressful role of the supervisor and the kind of training that is usually provided within health-care systems”.

Guidelines suggest that if therapists are to achieve outcomes similar to that of CT research trials, it is essential to apply the same standards of training and supervision (Roth et al, 2010).

The evidence base for CT supervision is fraught with methodological limitations and is poor in comparison to that of CT, with much of the literature consisting of consensus statements (Ellis et al, 1997, Roth and Pilling, 2008, Milne et al, 2010). The definitive “acid test” of supervision would be proving supervision’s assumed impact on patient outcomes, but this has been difficult due to the inevitable complexities of the supervisor-supervisee-patient triad (Ellis et al, 1997, Lee, 2005, Scaife, 2009).

Theoretical models of CT supervision have been described but a definitive model is not prescribed or universally accepted (Armstrong and Freeston, 2006, Bennett-Levy and Thwaites, 2007).

Although there is no agreed supervision model, there is growing evidence that supervision is beneficial in enhancing skills and improving competency. Milne and James’ (2000) systematic review of 28 empirical studies described a pyramid of potential influence from supervisory consultant to supervisor to supervisee to patient.

Cognitive Therapy Supervision Training

but, with dilution of effect. Other findings demonstrated transfer of CT skill from supervisory consultant to therapy (Milne et al, 2003).

Mannix et al (2006) found that both CT skills and confidence reduced following CT training when staff received no ongoing supervision. Those with access to supervision demonstrated improved competence and maintained confidence. Heaven et al (2006) demonstrated similar effects of supervision on nurse communication skills maintenance. Ng (2005) reported improvements in therapist competence (CTS-R¹) and patient outcomes (BDI², BAI³) with CT supervision in a small uncontrolled trial. Moreover Sholomskas et al (2005) showed improved CT competence in therapists who had supervision in addition to either training and/or a manual. Maunder et al (2008) also demonstrated a statistically significant change in GPs' knowledge and use of CT skills following a brief CT training program by experienced supervisor/trainers, however there was no follow-up so it is not known if this was sustained.

The growing body of evidence that clinical supervision has a positive effect on therapist competency means much more attention is being paid to what makes supervision effective and also how we can disseminate good supervisory practice to all supervisors. Until recently, there was an expectation that supervisors used implicit skills from therapy in CT supervision (Townend et al, 2002). Townend et al (2002) surveyed 170 BABCP accredited therapists and found that 64% had some supervision training, though often before accreditation as therapists and usually via workshops (41%). Only 17% had completed a formal supervision course and 54% provided supervision with no supervision support for that role.

¹ Cognitive Therapy Scale-Revised (Blackburn et al, 2001)

² Beck Depression Inventory (Beck et al, 1996)

³ Beck Anxiety Inventory (Beck and Steer, 1988)

Cognitive Therapy Supervision Training

Studies of medical education and allied fields showed training had a positive effect for supervisors or their practice (Kilminster and Jolly, 2000, Spence et al, 2001). There was noted to be a surprising lack of supervision training and standards in a consensus review of psychology supervision (Falender et al, 2004). Recommendations focused on the development of supervision competences, the training of supervisors, using a didactic and experiential approach and the use of learning contracts and supervisor evaluations by coursework and documented supervisee feedback.

Although a Supervision Competences Framework has been devised there is no reliable tool for assessing competency in CT supervisors (Roth and Pilling, 2008). Interestingly, the CT competences framework (Roth and Pilling, 2007), in comparison to the supervision competences framework, is much more detailed, probably reflecting the relative lack of knowledge in the CT supervision arena.

The issue is ensuring that those competencies are taught effectively and that good effective supervision techniques are disseminated to all those responsible for ensuring high standards of practice.

Milne and James (2002) concur and report that competence in CT supervision requires training. Bambling et al (2006) have evaluated manualised CT supervisor training by demonstrating better patient outcomes in patients whose therapists received supervision by trained supervisors in comparison to therapists with no supervision in a randomised controlled trial (RCT).

Cognitive Therapy Supervision Training

In a large RCT seeking to demonstrate a causal relationship between trained supervisor support for mental health nurses and patient outcomes, no such link could be demonstrated. However, supervisees rated trained supervisors significantly better for trust/rapport and importance/value domains on the Manchester Clinical Supervision Scale, a validated supervisee-rated supervision evaluation tool used in nursing, based on Proctor's (1986) normative, restorative and formative elements (White and Winstanley, 2010, Winstanley, 2000). Higher rated supervision was also associated with lower burn-out in supervisors. The authors concluded that failure to prove causality does not mean absence of linkage and report obstacles e.g. attitudes to supervision by management and poor resources.

Culloty et al (2010) proposed a fidelity framework to evaluate CT supervision training which addresses trainer competence, training delivery and design, participants' learning and clinical outcomes. In an extensive literature review spanning 20 years only one study, on supervision in multi-system therapy with delinquent adolescents (Henggeler et al, 2008), addressed all these factors and demonstrated a link between supervisor training and patient outcomes.

Most studies addressed participants' learning or training design and not trainer competence or clinical outcomes. Culloty et al (2010) applied the fidelity framework to supervision training of 17 supervisors and reported that 6 had incorporated aspects of their training in supervision practice. They had criticised other studies for not making links from supervision training to patient outcomes, but unfortunately they did not address this either, demonstrating the inherent difficulty showing causality.

Cognitive Therapy Supervision Training

Milne (2007a) developed an “Evidence-Based Clinical Supervision” (EBCS) programme based on available evidence in supervision. He demonstrated improved supervisee learning following EBCS training. Milne (2010) undertook a national pilot study of effectiveness of EBCS with 256 novice psychology supervisors and showed 77% satisfaction, 86% acceptability and 64% learning on a Training Acceptability Rating Scale. This population may not, however, be typical of CT supervisors and Milne recognises that there could have been an element of “grateful testimonial”.

Intuitively, supervisors and therapists are aware of the utility of supervision, so it is the most highly rated method of developing competence for supervisors and supervisees (Lucock et al, 2006). However, in this era of resource constraints and increasing demand for evidence-base, we need to continue to strive for evidence that supervision training is effective. Only by investigating the impact of training on supervisor competency and behaviour can we continue to justify the need for ongoing supervisor training. This research will investigate the first link in the chain by specifically exploring the perceived impact of training on supervisors (Scaife, 2009).

Methodology

An explorative qualitative methodological approach was used to examine the perceptions of the research participants as regards their views on the training received via the CBT supervisor training programme (Pope and Mays, 2000). A purposive sample of 7 participants was interviewed between November 2010 and February 2011 from a cohort of 9 supervisors, practising in N.I., who had completed the pilot

Cognitive Therapy Supervision Training

supervision course (Sarantakos, 1998). One supervisor was no longer working and one did not respond.

Semi-structured interviews were conducted, based on the work of Berry (1999) and Doyle (2006). A specific schedule compiled by the researcher and checked by an independent peer reviewer was comprised of a number of questions, including how practice had changed as a result of the training programme and participants views on changes in levels of their skills, knowledge, competence and confidence. The open ended questions were used to gather in-depth qualitative responses, which provided the participants' views on the set questions posed as well as eliciting views on other related topics.

Interviews were audio-recorded and verbatim transcription by the researcher enabled close data scrutiny and maintained confidentiality (Bryman, 2008). Data was analysed using thematic content analysis (Burnard, 1991) in an iterative, cyclical process.

Training was based on Milne's (2007a, 2009) Evidence Based Clinical Supervision and Roth and Pilling (2008) Supervision Competences. Training consisted of 5 modules delivered as sequential 1-2 day workshops over 5 months and included didactic teaching, group discussion, watching therapy videos, role-play, practice implementation and reflective assignments (table 1).

Cognitive Therapy Supervision Training

Ethical Considerations

The primary researcher, being a new CT supervisor and participating in the training, was in a unique position of being able to understand the process from a participant's viewpoint. Potential bias was minimised by being explicit, producing verifiable records, participant checks, conducting dual independent analysis of data with the research tutor and employing a reflexive approach to the research methodology and process (Mays and Pope, 1995; Fleming et al, 2001; Bryman, 2008).

Principles of autonomy, beneficence, non-maleficence, confidentiality, trust and informed consent were adhered to within the research. Research proposal peer review, University ethical approval and written consent from NICTT and the participants were obtained prior to the commencement of fieldwork.

Findings

The participants

All participants were experienced mental health professionals, with post-graduate CT training, who provided CT supervision in at least one of: clinical practice, private practice or training organisations, for, on average, 8 years. The majority of participants were nurses, however, medicine and social work were also represented. Although the majority had received some supervision training in their primary profession, none had received any CT supervision training until after they started providing CT supervision.

Cognitive Therapy Supervision Training

The majority of participants had received some prior CT supervision training before undergoing the recent training, mainly in the form of workshops, with just over half of participants having completed at least 18 hours of supervision training.

1. Participants' previous supervision practice.

Formatted: Numbered + Level: 1 +
Numbering Style: 1, 2, 3, ... + Start at: 1 +
Alignment: Left + Aligned at: 0.5" + Indent at:
0.75"

No-one reported using a specific supervision model prior to the recent training, including those who had previous training covering supervision models. Two participants reported basing their previous supervision provision on CT alone, one on CT and their own CT supervision experience, one on their own supervision experience or "*apprenticeship model*" alone and two reported using no model to guide their supervision.

"Certainly in terms of the model I had never really thought, "Have I a model?" and I would have just modelled it on CBT itself and how I had supervision."

Only one participant made reference to basing supervision on previous training, which was in combination with their own supervision experience. He was the only supervisor to use a contract in supervision prior to the studied training. Only one participant cited their previous profession and its influence as important. Prior to the supervision training the most common component was case discussion, particularly in clinical settings with trained therapists.

Cognitive Therapy Supervision Training

“...well mainly through case discussion and case presentation and that would have tied in with the fact that who I was supervising was a qualified cognitive therapist.”

All supervisors of trainees in both training and clinical placement settings reported using video and/or audio tapes in supervision. Just over half of supervisors reported using this method with trained therapists, however, less often than with trainees. This was associated with rating scales such as CTS-R only being used with trainees. Live observation, modelling or role play was mainly reported by those supervisors providing supervision to trainees in clinical placements and this was related to having sufficient time for interaction.

Additionally, supervisors reported that they found supervision of trained therapists was generally more challenging than that of trainee therapists, particularly if the therapist was experienced, when there was apprehension about relative experience and not knowing if they were “*doing it right*”. The ability to maintain focus within supervision was also problematic.

Relationship issues and the impact of the work on the supervisee were relatively neglected areas, with only two supervisors paying attention to them, and to varying degrees.

Cognitive Therapy Supervision Training

2. Participants' views on the impact of the training on current supervision practice.

Formatted: Numbered + Level: 1 +
Numbering Style: 1, 2, 3, ... + Start at: 1 +
Alignment: Left + Aligned at: 0.5" + Indent at:
0.75"

All participants reported that they had either learned about contracts for the first time or revised their knowledge about contracts. Five participants, who had not previously used contracts, had started to implement them and one was in the process of doing so. In addition, two participants had either implemented or discussed a supervision policy in their work.

"...so there is a contract now and that will be reviewed every year. It forced us to write a supervision policy at work...It is now part of our operational policy."

Participants reported that an explicit contract helped to: set the overall focus for the episode of supervision from the outset, based on a needs assessment; set ground rules; clarify expectations; prevent assumptions; improve collaboration; deal with relationship issues and was particularly useful for experienced staff where there was no *"curriculum laid out"*.

All reported an increased awareness of the supervisor and supervisee roles and responsibilities, particularly the issue of *"vicarious liability"*, which had been drawn into *"sharp focus"*. As a result they were less likely to make assumptions and more likely to ask questions to ascertain competency, request *"evidence"*, such as videoed therapy sessions or notes, including with trained staff, and improve record-keeping.

Cognitive Therapy Supervision Training

All participants reported that they now used a model of supervision, with six choosing the Hawkins and Shohet (2006) process model and one choosing the Newcastle model (Armstrong and Freeston, 2006). There was unanimous agreement that using a model of supervision helped them take a “*broader view*”, but also helped focus what needed to be addressed within supervision sessions. The majority also reported that model use made supervision “*more disciplined and structured*”. All supervisors reported paying attention to supervisees’ learning styles and relationships. Most now reported considering the emotional impact on supervisees of the work, although only one linked this to potential effects on patients.

“...that learning style helped me look at style of supervision then that I applied. What works best with this particular supervisee? I would probably just have applied the same with everyone before.”

3. Participants’ views on supervision training.

All supervisors reported benefits of training including perceived improvements in knowledge, competence, confidence and the majority reported improvements in skill. Most associated the improvement in knowledge with self-directed learning and experiential aspects of the training e.g. role plays. All thought the training was applicable to and improved their supervision practice. It was also apparent throughout the interviews that the training had resulted in all supervisors reflecting extensively on their own practice and that of other supervisors.

Formatted: Indent: Left: 0.5", No bullets or numbering

Formatted: Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.5" + Indent at: 0.75"

Cognitive Therapy Supervision Training

The main drawback of the training cited by six participants was the time commitment involved, particularly in relation to the written work, although some reported it had helped them develop useful supervision resources.

Although supervisors had expected to have their supervision evaluated using a rating instrument e.g. Teacher's PETS (Milne et al, 2002), it had not been. One supervisor reviewed supervision sessions videos following training and described them as having "more structure, more focus". Two supervisors reported thinking patient outcomes were better but had not evaluated it. One participant considered video-recording supervision sessions as a research project "to measure the quality of supervision" in the future.

"I probably haven't actually sat down with my supervisee and looked at pre and post training... That's something for the future I could be mindful of working on... evaluating patient outcomes."

The main factors cited for not evaluating their supervision since training included: the perception of the time it would take; anxiety about potential negative feedback; lack of supervision consultation structures; lack of accurate feedback, due to anonymity issues, and reported evaluation fatigue.

No-one reported receiving formal supervisory support. Five supervisors commented that they thought it would be beneficial to have it to bring objectivity, accountability and help keep them up-to-date, motivated and maintain skills.

Cognitive Therapy Supervision Training

Discussion

There are a number of limitations to this research, many of which are common to qualitative research. The utilisation of a purposive sampling technique and the lack of representation of all professions in the group (e.g. psychology) limit generalisability of findings. Additionally, the study population was small and therefore unlikely to reach data saturation (Bryman, 2008), although no new themes emerged in later interviews.

Participants' most common influence for supervision was the CT therapy model (Padesky, 1996) or their own supervision experience (Townend et al, 2002; Falender and Shafranske, 2004) suggesting that no specific supervision model tends to be used, even for those with prior CT supervision training. This has implications for providing specific CT supervision training at an appropriate stage in the supervisor's development (Townend et al, 2002) and assessing the long-term impact as there is a *"tendency to return to baseline"* following training (Miller and Mount, 2001).

Before training, CT supervisors were more likely to use case discussion methods with trained therapists and live supervision methods with trainee therapists. The BABCP expects all therapists to use live methods, as there is a tendency to over-rate competency (Miller and Mount, 2001). Milne et al (2009) described safety behaviours in supervision, where both parties avoid challenge and moving to experiential learning e.g. therapy videos. This may explain the issues described by participants supervising trained therapists, which could possibly be addressed by supervisor training.

Cognitive Therapy Supervision Training

The perceived benefits were mainly for supervisors, with dilution of effect as consideration was given to perceived benefits for supervisees and patients (Milne and James, 2000). As in Lee's (2005) study, the majority of supervisors reported implementing contracts and a supervision model following training, although Culloty et al (2010) found a much smaller proportion of supervisors made practice change.

Increased awareness of role and responsibilities had made supervisors more likely to request therapy videos/notes, including with trained staff, and improve record keeping. This is likely to improve supervision through increased opportunities for supervisees' experiential learning and prevents supervisees over-rating competence (Milne and James, 2002; Brosan, 2008). Culloty et al (2010), similarly, discovered that supervisors were more likely to consider learning styles, particularly reflection, and encourage experiential learning following training.

It is interesting that participants mainly chose the Hawkins and Shohet (2006) model, as in Lee's (2005) study, although Townend et al (2002) had been surprised that any CT therapists were using a process model. Perhaps this illustrates that a simpler model has more utility, as it provides structure and reminds supervisors of the processes they need to attend to during supervision itself, rather than conceptualising following supervision, as has been suggested with the Newcastle model (Armstrong and Freeston, 2006).

It is recognised that there are difficulties in demonstrating supervision's effect on patient outcomes. However Roth and Pilling (2008) observed that supervisors made less use of objective measures of patient outcomes than would be expected, as in this

Cognitive Therapy Supervision Training

research. Supervision evaluation tools have been criticised for being too prescriptive (Lee, 2005), unreliable (Roth and Pilling, 2008) and time-consuming, which was one of the main obstacles cited by participants.

Experts recognise the importance of support for the stressful role of being a supervisor, with ultimate responsibility for both the patient and the supervisee (Milne, 2009, Scaife, 2009). Stirman et al (2010) have recommended that consultation structures need to be built into CT training programmes to prevent therapeutic drift. Participants welcomed the opportunity for support and thought that supervision would help them maintain skills. This is supported by the literature which demonstrates skill and confidence loss without supervision (Mannix et al, 2006; Heaven et al, 2006; Miller and Mount, 2001).

Therefore, there needs to be urgent consideration of development of a user-friendly tool, which involves supervisee feedback, observation measures (Falender et al, 2004), and patient outcomes within a supervision consultancy framework to support supervisors.

Training included self-directed learning (SDL) and had common features with problem-based learning (PBL), where a facilitator sets problems to be tackled through group collaboration and SDL. The majority of the sequential tasks involved practice implementation followed by reflective writing. In systematic reviews of medical education Davis et al (1995) demonstrated that learning opportunities had most impact when they were delivered sequentially with practice implementation and Koh et al (2008) showed PBL improved competence and communication skills.

Cognitive Therapy Supervision Training

The training was in keeping with Knowles' (2005) adult learning theory, where adults are thought to learn best when: self-directed, using resources from life experience, motivated by problem-centred tasks required for their role and they understand the utility of the learning. This may explain the high rates of reported improvements in knowledge, competence, confidence, skill and practice change in this group.

~~As the organisation upholding CT standards, however, BABCP should clarify the requirements and accredit CT supervision training.~~

Summary

The conclusions from the study highlight a number of issues which, whilst they may not be generalisable to the wider population, they nevertheless provide a snapshot of the views of participants on a supervisory programme similar to many which are implemented throughout the UK currently.

Participants had little or no prior relevant training to prepare them for supervision, so relied mainly on therapy models or their own supervision experience to guide supervision practice. CT supervisors should have specific CT supervision training at an appropriate career stage and the long-term effects assessed to establish when updates are required.

Even experienced CT supervisors benefited from training — it improved their perceptions of their own knowledge, competence, skill and confidence. Training made participants more aware of their role and responsibilities which resulted in practice

Cognitive Therapy Supervision Training

change e.g. use of contracts, specific supervision models, better relationship focus and attention to supervisee learning. Sequential self-directed learning, implementation and reflection were associated with practice [improvement](#). Development of a user-friendly supervision evaluation tool with increased emphasis on patient outcomes should be a future research priority.

Learning Points:

1. Training improved supervisors' understanding of roles and responsibilities.
2. Training resulted in practice change- use of contracts, supervision models, attention to learning and relationships.
3. CT Supervision training needs to focus on evaluating patient outcomes.

Follow-up Reading:

1. Milne, D. (2009) *Evidence-based Clinical Supervision*. Oxford: BPS Blackwell.
2. Hawkins, P. and Shohet, R. (2012) *Supervision in the Helping Professions (4th Ed)* New York: Open University Press.
3. Scaife, J. (2009) *Supervision in the Mental Health Professions: A Practitioner's Guide*. (2nd Ed.) Hove: Brunner-Routledge

Declaration of Interest: None

Acknowledgements: Mr. David Bolton, Mr Peter Armstrong, Professor Kate Gillespie and NICTT, who provided the training.

Cognitive Therapy Supervision Training

References

Armstrong, P.V. and Freeston, M.H. (2006) Conceptualising and formulating cognitive therapy supervision. In N. Tarrier (Ed). *Case Formulation in Cognitive Behaviour Therapy*. 349-371. New York: Routledge.

Bambling, M., King, R., Raue, P., Schweitzer, R. and Lambert, W. (2006) Clinical supervision: its influence on client rated working alliance and client symptom reduction in the brief treatment of major depression. *Psychotherapy Research* 16(3), 317-331.

Bechhofer, F. and Paterson, L. (2000) *Principles of Research Design in Social Sciences*. London: Routledge.

Beck, A.T. and Steer, A. (1988) *Beck Anxiety Inventory Manual*. San Antonio, Texas: The Psychological Corporation.

Beck, A.T., Steer, A. and Brown, G.K. (1996) *Beck Depression Inventory Manual*. (2nd ed). San Antonio, Texas: The Psychological Corporation.

Bennett-Levy, J. and Thwaites, R. (2007). Self and self-reflection in the therapeutic relationship: A conceptual map and practical strategies for the training, supervision and self-supervision of interpersonal skills. In P. Gilbert (Ed) and R.L. Leahy (Ed). (2007). *The therapeutic relationship in the cognitive behavioral psychotherapies*. 255-281. New York: Routledge/Taylor & Francis Group.

Berry, R. (1999) *Collecting data by in-depth interviewing*. Paper presented at the British Educational Research Association Annual Conference, University of Sussex at Brighton, September 2 - 5 1999. Available at: <http://www.leeds.ac.uk/educol/documents/000001172.htm> Accessed on 4/3/09.

Blackburn, I-M., James, I.A., Milne, D.L. and Reichelt, F. K. (2001) *Cognitive Therapy Scale – Revised (CTS-R)*. Newcastle Upon Tyne, UK: Newcastle Cognitive Therapy Centre.

Brosan, L., Reynolds, S., and Moore, R. G. (2008) Self-evaluation of cognitive therapy performance: Do therapists know how competent they are? *Behavioural and Cognitive Therapy*. 36, 581–587.

Bryman, A. (2008) *Social Research Methods* (3rd ed.) Oxford: Oxford University Press.

Burnard, P. (1991) A method of analysing interview transcripts in qualitative research. *Nurse Education Today*. 11 (6), 461-466.

Cape, J. & Barkham, M. (2002) Practice improvement methods: conceptual base, evidence-based research, and practice-based recommendations. *British Journal of Clinical Psychology*. 41, 285-307.

Cognitive Therapy Supervision Training

Culloty, T., Milne, D.L. and Sheikh, A.I. (2010) Evaluating the training of clinical supervisors: a pilot study using the fidelity framework. *The Cognitive Behaviour Therapist*. 3 (04), 132-144.

Davis, D., Thompson, M., Oxman, A. and Haynes, R. (1995) Changing Physician Performance: A Systematic Review of the effect of continuing education strategies. *Journal of American Medical Association*. 274, 700-705.

[Department of Health and Social Services and Public Safety Northern Ireland. \(2010\) A strategy for the Development of Psychological therapy Services. Belfast: DHSSPSNI.](#)

Doyle, J. K. (2006) *Chapter 11: Introduction to Interviewing Techniques*. Available at: <http://www.wpi.edu/Academics/GPP/Students/tocdetail.html> Accessed on 04/03/09.

Ellis, M.V. and Ladany, N. (1997) Inferences concerning supervisees and clients in clinical supervision: An integrative review. pp 447-507. In C.E. Watkins (Ed). *Handbook of psychotherapy supervision*. New York: John Wiley and sons.

Falender, C.A., Cornish, J.A.E., Goodyear, R., Hatcher, R., Kaslow, N.J., Leventhal, G., Shafranske, E., and Sigmon, S.T. (2004) Defining competencies in psychology supervision: a consensus statement. *Journal of Clinical Psychology*. 60, 771-785.

Falender, C.A., & Shafranske, E.P. (2004) *Clinical Supervision: A Competency-Based Approach*. Washington, DC: American Psychological Association.

Fleming, P. et al. (2001) Men's Perceptions of Health Education Methods Used In Promoting Their Health In Relation To Cancer. *The International Electronic Journal of Health Education*. 4, 337-344.

Hawkins, P. and Shohet, R. (2012) *Supervision in the Helping Professions (4th Ed)* New York: Open University Press.

Heaven, C., Clegg, J. and Maguire, P. (2006) Transfer of communication skills training from workshop to workplace: the impact of clinical supervision. *Patient Education and Counselling*. 60, 313-325.

[Henggeler, S.W., Schoenwald, S.K., Liao, J.G., Letourneau, E.J. and Edwards, D.L. \(2008\). Transporting efficacious treatments to field settings: the link between supervisory practices and therapist fidelity in MST programs. Journal of Clinical Child & Adolescent Psychology. 31, 155-167.](#)

[Kilminster, S.M. and Jolly, B.C. \(2000\) Effective supervision in clinical practice setting: a literature review. Medical Education. 34, 827-840.](#)

Knowles, M., Holton, E. F., III and Swanson, R. A. (2005). *The adult learner: The definitive classic in adult education and human resource development (6th ed.)* Burlington, MA: Elsevier.

Cognitive Therapy Supervision Training

Koh, G.C., Khoo, H.E., Wong, M.L. and Koh, D. (2008) The effects of problem-based learning during medical school on physician competency: a systematic review. *Canadian Medical Association Journal*. 178 (1), 34–41.

Lee, D. (2005) *An evaluation of prescribed learning outcomes in clinical psychology supervisor training*. Unpublished Doctorate Thesis. Available at: http://www.leeds.ac.uk/lihs/psychiatry/courses/dclin/completed_research/sorps_online06/sorp_david_lee.pdf Accessed on 1/4/11.

Lombardo, C., Milne, D. and Proctor, R. (2009) Getting to the Heart of Clinical Supervision: A Theoretical Review of the Role of Emotions in Professional Development. *Behavioural and Cognitive Psychotherapy*. 37 (02), 207-219.

Lucock, M.P., Hall, P. & Noble, R. (2006). A survey of influences on the practice of psychotherapists and clinical psychologists in training in the UK. *Clinical Psychology and Psychotherapy*. 13, 123-130.

Mannix, K. A. et al. (2006) Effectiveness of brief training in cognitive behaviour therapy techniques for palliative care practitioners. *Palliative Medicine*. 20(6), 579-84.

Maunder, L., Milne, D. and Cameron, L. (2008) Pilot Evaluation of Brief Training in CBT for Primary Care Practitioners. *Behavioural and Cognitive Psychotherapy*. 36 (03), 341-348.

Mays, N. and Pope, C. (1995) Qualitative Research: Rigour and qualitative research. *British Medical Journal*. 311, 109-112.

Miller, W.R. and Mount, K.A. (2001) A Small Study Of Training In Motivational Interviewing: Does One Workshop Change Clinician And Client Behaviour? *Behavioural and Cognitive Psychotherapy*. 29 (04), 457-471.

Milne, D. L. (2007a) *CPD Workshop for New Clinical Supervisors. A Tutor's Guide*. Unpublished document available from: www.wiley.com/go/milne Accessed 3/2/10.

Milne, D. L. (2007b) An Empirical Definition of Clinical Supervision. *British Journal of Psychology*. 46, 437-447.

Milne, D. (2009) *Evidence-based Clinical Supervision*. Oxford: BPS Blackwell.

Milne, D. (2010) Can we enhance the training of clinical supervisors? A national pilot study of an evidence-based approach. *Clinical Psychology & Psychotherapy*. 17 (4), 321-328.

Milne, D. and James, I. (2000) A systematic review of effective cognitive-behavioural supervision. *The British Journal of Clinical Psychology*. 39, 111-127.

Milne, D.L. and James, I.A. (2002) The observed impact of training on competence in clinical supervision. *The British Journal of Clinical Psychology*. 41, 55-72.

Cognitive Therapy Supervision Training

Milne, D.L., Pilkington, J., Gracie, J. and James, I. (2003) Transferring Skills From Supervision To Therapy: A Qualitative and Quantitative N=1 Analysis. *Behavioural and Cognitive Psychotherapy*. 31 (02), 193-202.

Milne, D.L., James, I.A., Keegan, D. and Dudley, M. (2002) Teacher's PETS: A New Observational Measure of Experiential Training and Interactions. *Clinical Psychology and Psychotherapy*. 9, 187-199.

Milne, D.L., Leck, C. and Choudhri, N.Z. (2009) Collusion in clinical supervision: literature review and case study in self-reflection. *The Cognitive Behaviour Therapist*. 2, 106-114.

Milne, D.L., Pilkington, J., Gracie, J. and James, I. (2003) Transferring Skills From Supervision To Therapy: A Qualitative and Quantitative N=1 Analysis. *Behavioural and Cognitive Psychotherapy*. 31 (02), 193-202.

Ng, R. M. K. (2005) Cognitive therapy supervision-A pilot study. *Hong Kong Journal of Psychiatry*. 15(4), 122-126.

Padesky, C. A. (1996) Developing cognitive therapist competency: Teaching & supervision models. In P.M. Salkovskis (Ed.) *Frontiers of Cognitive Therapy*. London: Guilford Press.

Pope, C. and Mays, N. (2000) *Qualitative Research in Health Care*. London: BMJ Books.

Proctor, B. (1986) Supervision: a cooperative exercise in accountability. In M. Marken and M. Payne (Eds) *Enabling and Ensuring: Supervision in Practice*. 21-34. Leicester: National Youth Bureau and Council for Education and Training in Youth and Community Work.

Ritchie, J. and Lewis J. (2003) *Qualitative Research Practice: A Guide for Social Science Students and Researchers*. London: Sage Publications Ltd.

Roth, A. and Pilling, S. (2007) *The Competencies Required to Deliver Effective Cognitive Behaviour Therapy for People with Depression and Anxiety Disorders*. London: Department of Health. Available at: http://www.ucl.ac.uk/clinicalpsychology/CORE/CBT_Competences/CBT_Competence_List.pdf Accessed on 16/01/10.

Roth, A.D. and Pilling, S. (2008) A competence framework for the supervision of psychological therapies. University College London: Research Department of Clinical, Educational and Health Psychology Available at: http://www.ucl.ac.uk/clinical-psychology/CORE/supervision_framework.htm Accessed on 4/1/10.

Roth, T. Pilling, S. and Turner, J. (2010) Therapist Training and Clinical Supervision in Clinical Trials: Implications for Practice. *Behavioural and Cognitive Psychotherapy*. 38, 291-302.

Sarantakos, S. (1998) *Social Research (2nd Ed.)* New York: Palgrave Macmillan.

Cognitive Therapy Supervision Training

Scaife, J. (2009) *Supervision in the Mental Health Professions: A Practitioner's Guide*. (2nd Ed.) Hove: Brunner-Routledge

Sholomskas, D.E., Syracuse-Siewert G., Rounsaville, B.J., Ball, S.A., Nuro, K.F., Carroll, K.M. We don't train in vain: a dissemination trial of three strategies of training clinicians in cognitive-behavioral therapy. *Journal of Consulting Clinical Psychology*. 73(1), 106-15.

Spence, S.H., Wilson, J., Kavanagh, D., Strong, J. and Worrall, L. (2001) Clinical Supervision in Four Mental Health Professions: A Review of the Evidence. *Behaviour Change*. 18, 135-155.

Stirman, S.W., Bhar, S.S., Spokas, M., Brown, G.K., Creed, T.A., Perivoliotis, D., Farabaugh, D.T., Grant, P.M. and Beck, A.T. (2010) Training and consultation in evidence-based psychosocial treatments in public mental health settings: The access model. *Professional Psychology: Research and Practice*. 41 (1), 48-56.

Townend, M., Iannetta, L. and Freeston, M.H. (2002) Clinical Supervision In Practice: A Survey of UK Cognitive Behavioural Psychotherapists Accredited By The BABCP. *Behavioural and Cognitive Psychotherapy*. 30, 485-500.

Trinidad, A. C. (2007) How Not To Learn Cognitive-Behavioral Therapy (CBT). *American Journal of Psychotherapy*. 61(4), 395-403.

Turpin, G. and Wheeler, S. (2011) *IAPT Supervision Guidance*. Available at: <http://iapt.nmhdn.org.uk/silo/files/reach-out-supervisors-manual-2nd-edition.pdf> University of Sheffield and University of Leicester: IAPT.

Watkins, C.E. Jr. (1997) (Ed) *Handbook of Psychotherapy Supervision*. New York: Wiley.

Wheeler, S. and Richards, K. (2007) The impact of clinical supervision on counsellors and therapists, their practice and their clients: A systematic review of the literature *Counselling and Psychotherapy Research*. 7, 54-65.

White, E. and Winstanley, J. (2010) A randomised controlled trial of clinical supervision: selected findings from a novel Australian attempt to establish the evidence base for causal relationships with quality of care and patient outcomes, as an informed contribution to mental health nursing practice development. *Journal of Research in Nursing*. 15 (2), 151-167.

Winstanley, J. (2000) Manchester clinical supervision scale. *Nursing Standard*. (19), 31-2.

Cognitive Therapy Supervision Training

For Peer Review

Table 1 Course Content:

Unit 1 – Legislative, policy and ethical context	
Compile a portfolio of selected legislation, policies, professional guidelines, codes of practice, and ethical guidance relevant to the context of own supervision.	Analyse these to identify requirements which are directly relevant to own practice.
Assess how these requirements could be adopted /integrated into own current practice.	Analyse own competences against one or more relevant supervision competence frameworks and identify current strengths and gaps in knowledge and skill.
Establish goals for development as a supervisor.	Establish measures to assess own progress against goals.
Unit 2 – Building structure and supervisory alliance	
Analyse and, using an example, illustrate how you developed and negotiated a structure for supervision with your supervisee taking account of professional and boundary issues	
Provide an example of a supervision contract you have negotiated and analyse the process.	Analyse, using examples, the factors essential to fostering and maintaining a collaborative working alliance to facilitate learning and effective supervision.
Unit 3 – Application of adult learning theory	
Explain how you have adapted and integrated principles of adult learning into your supervision practice.	Assess how this has impacted on your practice as a supervisor.
Analyse the methods and processes by which you have helped supervisees to practice their clinical skills	Describe and evaluate the methods and processes by which you have observed and assessed supervisees practice.
Unit 4 – Supervision of CBT practice	
Analyse and give examples of how you have integrated general therapeutic knowledge and skills, and specific CBT principles and skills into your supervision.	Explain using an example how you adapted your supervision practice to meet a supervisee's individual needs and how you enabled direct experience of the CBT model.
Explain a methodology for monitoring supervisee's work and progress and managing concerns regarding their use of supervision and or clinical work.	
Unit 5 – Conceptualisation in supervision	
Explain and evaluate three approaches to conceptualising supervision.	Outline the chosen model and evaluate its appropriateness to your own supervisory practice
Draw up a three year plan for own development as a supervisor	Explain how you could lead the development of a framework for supervision within own organisation or work context.
Analyse the key components of a methodology for evaluating supervision.	Explain how you would apply a methodology in own practice.