



**QUEEN'S
UNIVERSITY
BELFAST**

Uncertainty Management in Smart Environment

Ma, J., Deng, Y., Zhou, H., & Yu, H. (2017). Uncertainty Management in Smart Environment. *Mathematical Problems in Engineering*, 2017, [6701436]. <https://doi.org/10.1155/2017/6701436>

Published in:
Mathematical Problems in Engineering

Document Version:
Publisher's PDF, also known as Version of record

Queen's University Belfast - Research Portal:
[Link to publication record in Queen's University Belfast Research Portal](#)

Publisher rights

Copyright 2016 The Authors

This is an open access article published under a Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution and reproduction in any medium, provided the author and source are cited.

General rights

Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact openaccess@qub.ac.uk.

Uncertainty Management in Smart Environment

Jianbing Ma

School of Computing, Electronics and Mathematics, Coventry University, Coventry, CV1 5FB, UK

Yong Deng

College of Computer and Information Science, Southwest University, Chongqing, 400715, China

Huiyu Zhou

School of Electronics, Electrical Engineering and Computer Science, Queen's University Belfast, Belfast, BT7 1NN, UK

Hongchuan Yu

National Centre for Computer Animation, Bournemouth University, Bournemouth, BH12 5BB, UK

The deployment of smart devices has created a body of new application domains: ambient intelligence, Internet of things, industrial control and monitoring systems, assistive living, intelligent surveillance, etc. In these applications, quantitative information is usually gathered from sensors, which inevitably contain uncertainty, and possibly inconsistency, due to reasons such as tampered or malfunctioning sensors. In addition, post processing of sensor data (e.g., transmission via sensor networks, and video feature analytics) also brings in uncertainty and ambiguity. To utilize the data, uncertainty management approaches have been incorporated in practical applications of smart environments.

The primary purpose of this special issue is to organise a collection of recently developed uncertainty management techniques in the fields of smart environments. Papers selected for this special issue present new findings and insights into this field.

In the paper "An Extended VIKOR Method for Multiple Attribute Decision Analysis with Bidimensional Dual Hesitant Fuzzy Information", M. Xue, X. Tang and N. Feng presented an extension of the fuzzy VIKOR method by introducing a new generalized distance measure between two bidimensional dual hesitant fuzzy sets (BDHF) to solve complex multiple attribute decision analysis problems. The paper also develops a new entropy measure on the BDHF information to fix the extended VIKOR method. The performance of the method is evaluated and analysed in a project aiming at improving people's living quality.

In the paper "An Intelligent Complex Event Processing with D Numbers under Fuzzy Environment", F. Xiao proposed an intelligent complex event processing method with D numbers under fuzzy environment which is based on the Technique for Order Preferences by Similarity to an Ideal

Solution (TOPSIS) method. The method fully supports decision making in complex event processing systems.

In the paper "A Modified Model of Failure Mode and Effects Analysis Based on Generalized Evidence Theory", D. Zhou, Y. Tang and W. Jiang proposed a new generalized evidential failure mode and effects analysis (GEFMEA) model to handle the uncertain risk factor in the conventional FMEA model. In GEFMEA, not only the conventional risk factors, the occurrence, severity, and detectability of the failure mode, but also the other incomplete risk factors as well as the relative importance among all these risk factors are taken into consideration. The efficiency and usefulness of the method are verified in a case study of aircraft turbine rotor blades.

In the paper "Sensor Data Fusion Based on a New Conflict Measure", W. Jiang et. al. introduced a modified cosine similarity to measure the similarity between vectors, and extended the measure to basic probability assignments (BPAs). The new measure is justified by its nice properties in efficiently measuring the degree of conflict among bodies of evidence.

In the paper "A New Wavelet Threshold Function and Denoising Application", J. Lu et. al. proposed basic principles of wavelet threshold denoising and traditional structures threshold functions and presented improved wavelet threshold functions and fixed threshold formulae. Theoretical analysis and experimental results showed that the proposed approach improves the different decomposition scales that adopt the same threshold value to deal with the noise problems, also effectively filters the noise in the signals, and improves the signal-to-noise (SNR) and reduces mean square errors (MSE) of output signals. The range of both methods and applications demonstrates the vitality of this research area.

In the paper "Using an Integrated Group Decision Method Based on SVM, TFN-RS-AHP and TOPSIS-CD for Cloud Service Supplier Selection", L. Li et. al. presented how to solve a cloud service supplier selection problem by integrating several uncertainty management techniques. Firstly, a support vector machine (SVM) based classification model is used to reduce the size of the suppliers, then a fuzzy number rough sets-AHP method is introduced that incorporates experts' knowledge to compute supplier's index values. The index weights are identified by criteria importance from intercriteria correlation and hence the suppliers are assessed by an improved Euclidean distance. The method proves itself in an electric power case study.

We hope that our special issue offers a timely view of the advances in uncertainty management applied in smart environments.

Acknowledgments

We sincerely express our gratitude to the authors for their contributions and the reviewers for their insightful comments.

Jianbing Ma

Yong Deng

Huiyu Zhou

Hongchuan Yu