New Training To Meet The Global Phosphorus Challenge

Reitzel, K., Bennett, W., Berger, N., Brownlie, W., Bruun, S., Christensen, M., Cordell, D., van Dijk, K., Egemose, S., Eigner, H., Glud, R. N., Grönfors, O., Hermann, L., Houot, S., Hupfer, M., Jacobs, B., Korving, L., Kjærgaard, C., Liimatainen, H., ... Metson, G. (2019). New Training To Meet The Global Phosphorus Challenge. *Environmental Science and Technology*, *53*(15), 8479-8481. https://doi.org/10.1021/acs.est.9b03519

Published in:
Environmental Science and Technology

Document Version:
Peer reviewed version

New Training To Meet The Global Phosphorus Challenge

Journal:	*Environmental Science & Technology*
Manuscript ID	es-2019-035197
Manuscript Type:	Viewpoint
Date Submitted by the Author:	12-Jun-2019

Complete List of Authors:	Reitzel, Kasper; University of Southern Denmark, Biology Bennett, William; University of Southern Denmark Berger, Nils; EuroChem Agro GmbH Brownlie, Will; Centre for Ecology and Hydrology Edinburgh Bruun, Sander; University of Copenhagen, Plant & Environmental Sciences Christensen, Morten; Aalborg Universitet, Cordell, Dana; University of Technology Sydney Institute for Sustainable Futures van Dijk, Kimo; European Sustainable Phosphorus Platform Egemose, Sara; University of Southern Denmark, Institute of Biology Eigner, Herbert ; AGRANA Research & Innovation Center GmbH Glud, Ronnie N.; Syddansk Universitet, Biology Grönfors, Outi; Kemira Oyj, R&D and Technology EMEA Hermann, Ludwig; Proman Management GmbH Houot, Sabine; French National Institute for Agricultural Research Hupfer, Michael; and Inland Fisheries (IGB), Leibniz Institute of Freshwater Ecology Jacobs, Brent; University of Technology Sydney Institute for Sustainable Futures Korving, Leon; Wetsus, Kjærgaard, Charlotte; SEGES, Danish Agriculture & Food Council F.m.b Liimatainen, Henrikki; Oulun Yliopisto, Dep. Process and Environmental Engineering Van Loosdrecht, Mark; Kluyver Institute for Biotechnology, Department of Biochemical Engineering Macintosh, Katrina; Queens University Belfast School of Biological Sciences, School of Biological Sciences Magid, Jakob; University of Copenhagen - Faculty of Science, Department of Plant and Environmental Sciences Maia, Frederico; Smallmatek Small Materials and Technologies Lda Martin-Ortega, Julia; University of Leeds, Sustainable Research Institute, School of Earth and Environmen McGrath, John; Queen's University Belfast, School of Biology and Biochemistry Meulepas, Roel; Wetsus, Murray, Michael; NVP energy ltd, Galway Technology Center Neset, Tina-Simone; Linköping University Neumann, Günter; University of Hohenheim Nielsen, Ulla Gro; University of Southern Denmark, Department of Physics and Chemistry Nielsen, Per Halkjær; Aalborg Universitet, Department of Chemistry and Bioscience

	O'Flaherty, Vincent; National University of Ireland Qu, Haiyan; Syddansk Universitet, Institute of Chemical Engineering, Biotechnology and Environmental Technology Santner, Jakob; University of Natural Resources and Life Sciences Vienna, Department of Crop Sciences, Institute of Agronomy Seufert, Verena; VU University Amsterdam Institute for Environmental Studies Spears, Bryan ; Centre for Ecology and Hydrology Edinburgh, Stringer, Lindsay; University of Leeds, Sustainable Research Institute Stutter, Marc; James Hutton Institute Aberdeen Verburg, Peter H.; Vrije Univ Amsterdam Wilfert, Philipp; IPP-Kiel Williams, Paul; Queen's University Belfast, Institute for Global Food Security Metson, Genevieve; Linkopings universitet

New training to meet the global phosphorus challenge

Kasper Reitzel[1*], William W. Bennett[1], Nils Berger[2], William J. Brownlie[3], Sander Bruun[4], Morten L. Christensen[5,] Dana Cordell[6], Kimo van Dijk[7], Sara Egemose[1], Herbert Eigner[8], Ronnie N. Gluud[1], Outi Grönfors[9], Ludwig Hermann[10], Sabine Houot[11], Michael Hupfer[12], Brent Jacobs[6], Leon Korving[13], Charlotte Kjærgaard[14], Henrikki Liimatainen[15], Mark C.M. van Loosdrecht[16], Katrina A. Macintosh[17], Jakob Magid[4], Frederico Maia[18], Julia Martin-Ortega[19], John McGrath[17], Roel Meulepas[13], Michael Murry[20], Tina-Simone Neset[21], Günter Neumann[22], Ulla G. Nielsen[23], Per H. Nielsen[5], Vincent O'Flaherty[24], Haiyan Qu[25], Jakob Santner[26], Verena Seufert[27], Bryan Spears[3], Lindsay C. Stringer[19], Marc Stutter[28], Peter H. Verburg[27], Philipp Wilfert[29], Paul N. Williams[17] & Genevieve Metson[30]

1University of Southern Denmark, Department of Biology, Campusvej 55, 5230 Odense M, Denmark (*contact reitzel@biology.sdu.dk)

[2]EuroChem Agro GmbH, Reichskanzler-Müller-Str. 23, 68165 Mannheim, Germany

[3]Centre for Ecology & Hydrology in Edinburgh, Penicuik, Midlothian, Scotland, UK EH26 0QB

[4]University of Copenhagen, Department of plant and Environmental Sciences, Thorvaldsensvej 40, 1871 Frederiksberg C, Denmark

[5]Aalborg University, Department of Chemistry and Bioscience, Frederiks Bajers vej 7H, 9220 Aalborg

[6]University of Technology Sydney, Institute for Sustainable Futures, PO Box 123 Broadway NSW 2007, Australia

[7]European Sustainable Phosphorus Platform, 8 Avenue du Dirgeable, 1170 Bruxelles, Belgium

[8]AGRANA Research & Innovation Center GmbH, Josef Reitherstraße 21-23, 3430 Tulln an der Donau, Austria

[9]Kemira Oyj, R&D and Technology EMEA, Water treatment, Luoteisrinne 2, FI-02270 Espoo, Finland

[10]Proman Management GmbH, Weingartenstrasse 92, 2214 Auersthal, Austria

[11]French National Institute for Agricultural Research, Route de la Ferme, F-78850 Thiverval-Grignon , France

[12]Leibniz-Institute of Freshwater Ecology and Inland Fisheries, Department of Chemical Analytics and Biogeochemistry, Müggelseedamm 301, 12587 Berlin, Germany

[13]Wetsus, European centre of excellence for sustainable water technology, Oostergoweg 9, 8911 MA, *Leeuwarden*, The Netherlands

[14]SEGES, Danish Agriculture & Food Council F.m.b.A. Nature and Environment, Agro Food Park 15, 8200 Aarhus, Denmark

[15]University of Oulu, Fiber and Particle Engineering, Erkki Koiso-Kanttilankatu 90014, Finland

[16]Delft University of Technology, Department of Biotechnology, Van der Maasweg 9, 2629 HZ Delft, The Netherlands

[17]The Queen's University of Belfast, School of Biological Sciences and the Institute for Global Food Security, 19 Chlorine Gardens, Belfast, BT9 5DL, Northern Ireland

[18]Smallmatek, Rua dos Canhas, 3810-075 Aveiro, Portugal

[19]University of Leeds, Sustainable Research Institute, School of Earth and Environment LS2 9TJ, Leeds, UK

[20]NVP energy ltd, Galway Technology Center, Mervue Business Park, Mervue, Galway, Irland

[21]Linköping University, Department of Thematic Studies-Environmental Change, SE-58183 Linköping

[22]University of Hohenheim, Institute of Crop Science (340h), Fruwirthstr. 20, 70593 Stuttgart Germany.

[23]Department of Physics, Chemistry and Pharmacy, University of Southern Denmark, Campusvej 55, 5230 Odense M, Denmark

[24]National University of Ireland Galway, University Road, Galway, Ireland H91 TK33

[25]University of Southern Denmark, Department of Chemical engineering, Biotechnology- and Environmental Technology, Campusvej 55, 5230 Odense M, Denmark

[26] University of Natural Resources and Life Sciences, Vienna, Institute of Agronomy, Konrad-Lorenz-Straße 24, 3430 Tulln an der Donau, Vienna, Austria.

[27]VU University Amsterdam, Institute for Environmental Studies, De Boelelaan 1087, 1081 HV Amsterdam, The Netherlands

[28]The James Hutton Institute, Environmental and Biochemical Sciences Group, Aberdeen, AB15 8QH, Scotland, UK

[29]IPP-Kiel, Rendsburger Landstraße 196-198, D-24113 Kiel, Germany

[30]Linköping University, Department of Physics, Chemistry and Biology, Fysikhuset, Rum 3D.306 SE-58183 Linköping

Meeting the Global Phosphorus Challenge (GPC)[1]

The sustainable exploitation of phosphorus (P) is essential for food and water security. However, our current poor management of this essential nutrient represents a pressing challenge causing

global scale pollution of water resources[2] whilst failing to achieve equitable access to fertilizers to support food production world-wide[3]. This is, in part, due to poor uptake of advances, for example, in new technologies to reduce losses of P from agriculture, in our understanding of P thresholds for ecosystem functioning, and in sustainable urban development approaches focused on nutrient recycling systems. We identify, here, a pressing need to develop a new generation of nutrient sustainability professionals working collectively to implement diverse and interdiciplinary approaches within large scale urban and rural planning, for example, following the UNESCO Global Action Programme on Education for Sustainable Development, to meet the diverse needs of communities and countries.

Scaling up adaptive regulatory programmes

At present no public institution has responsibility for governing global P resources. Where present, existing regulations that consider P are dated and fail to address sufficiently the wider aspects of sustainable use, or of future needs to support equitable access to resources globally. For example, the European Union (EU) Water Framework Directive and the American Clean Water Act cover some legal and management aspects relevant to the GPC by assigning the obligation to 'member states' to bring water bodies to a good ecological status. However, the success of these regulatory frameworks requires trans-boundary actions beyond the 'member states', do not account for future increased demand on services and food, and focus predominantly on ecological quality. Therefore, we must incorporate resource planning across existing and emerging national and regional regulatory directives to establish a global framework. Future regulatory frameworks should embrace a robust circular economic model to identify oppertunities for P recovery and sustainable reuse; improving access to affordable fertilizers that are culturally acceptable and transforming local food and waste management systems. Despite a lack of collaboration and coordinated governance globally, the EU appears to have many of the pre-conditions to lead the way[4], and is providing leadership in this respect. For instance, P was added to the EU list of critical raw materials in 2014 and in 2016 the EU adopted the Circular Economy Action Plan; a regulatory framework to extend the economic life of products, materials, and resources. However, policy is not enough. As seen in the large variablility in the amount of P recycled from human excreta back to agricultural lands, there needs to be alignment among policies, economic and physical capacity, knowledge, and cultural acceptance to move from theory to action[5]. In an increasingly urbanized world, P cannot be viewed as a national agricultural or local environmental issue. Planning must account for the complex nature of the GPC and the diverse stakeholders involved.

A way forward through training

Our current, almost linear, economic system is wasteful, extracting P for food production and producing large P pools in agricultural soils (from where it can be lost to the hydrosphere) or in landfills and asphalt concrete. Currently, P management and knowledge is fragmented between diverse sectors (Figure 1) – from the agricultural sector where P-fertilizer is a globally-traded commodity, to the sanitation sector where P is a costly pollutant that requires removal, to the environmental sector where P causes water pollution. To address these challenges, nutrient sustainability professionals must work across academic, industry, and government sectors to equip them with the expertise required to develop adaptive planning programmes focussed on achieving P sustainability targets across scales, but this is seldom done. To catalyse this approach, we argue that a crucial element in addressing the GPC is the need to establish a coordinated program to mentor and mobilise a new generation of professionals with the ability to span disciplinary siloes with the skills, experience, networks and tenacity to ensure transformative changes in the way P resources

are managed. In turn, training in such a way will also allow the mentors to learn and cross boundaries and participate in this new community.

We call for institutions across countries to form networks, and that programs within each institution open their doors to students from different faculties. Opportunties for industrial internships and policy development placement are also crucial so that students not only learn the skills needed in the workplace, but that they also contribute to changes in mainstream industry and policy implementation, including, for example, meeting the ambitions of the United Nations Sustainable Development Goals. This spans from helping local governments to develop nutrient management plans for emerging and growing cities underpinned by circular economy approaches to working across borders to relieve nutrient stress on transboundary water bodies through international nutrient management agreements. Importantly, such professionals should not be simple P specialists, but rather ´system thinkers´ who can inform judicious decision making on the management of multiple nutrients (e.g., nitrogen, potassium, and carbon) in the context of their environmental and socio-economic impacts.

Nutrient sustainability professionals must work together to provide evidence on emerging approaches, should they be related to technology and infrastructure or behaviors and practices, to better support the development of effective policy instruments at multiple scales. Only through this interdisciplinary approach can the complex interrelations of the GPC be effectively acted upon to secure agricultural productivity, together with a clean environment, a strong green economy and a closed loop for P.

References

1. htpp://phosphorusfutures.net/the-phosphorus-challenge/
2. Elser, J. and Bennett, E. (2011) A broken biogeochemical cycle. nature 478, 29-31.
3. Cordell D, White S (2014) Life's Bottleneck: Implications of Global Phosphorus Scarcity and Pathways for a Sustainable Food System. Annu Rev Environ Resour 39:161–188. doi: doi:10.1146/annurev-environ-010213-1133003.
4. Ahlström H., Cornell S. E. (2018) Governance, polycentricity and the global nitrogen and phosphorus cycles. Environ Sci Policy 79:54–65.
5. Metson, G. S. *et al.* Socio-environmental consideration of phosphorus flows in the urban sanitation chain of contrasting cities. *Reg. Environ. Chang.* **18**, 1387–1401 (2018).



Figure 1. Intersectoral gap, in Phosphorus-related research generated with VosViewer and based on 8000 articles using the keyword “phosphorus” in research related to the agriculture, sanitation and environmental sectors. Each circle correspond to a keyword of the articles and are linked by a line if they co-occur frequently in articles.