



**QUEEN'S  
UNIVERSITY  
BELFAST**

## **What defines a geochemical map? Implications for environmental assessment.**

McKinley, J., Tolosana-Delgado, R., Kron, K., de Caritat, P., Grunsky, E., Reimann, C., Filzmoser, P., & van den Boogaart, K. G. (2015). What defines a geochemical map? Implications for environmental assessment. In *Proceedings of the 17th annual conference of the International Association for Mathematical Geosciences* (pp. 302). IAMG. <http://www.iamg2015.de/>

### **Published in:**

Proceedings of the 17th annual conference of the International Association for Mathematical Geosciences

### **Document Version:**

Publisher's PDF, also known as Version of record

### **Queen's University Belfast - Research Portal:**

[Link to publication record in Queen's University Belfast Research Portal](#)

### **Publisher rights**

© 2015 The Authors

### **General rights**

Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

### **Take down policy**

The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact [openaccess@qub.ac.uk](mailto:openaccess@qub.ac.uk).

### **Open Access**

This research has been made openly available by Queen's academics and its Open Research team. We would love to hear how access to this research benefits you. – Share your feedback with us: <http://go.qub.ac.uk/oa-feedback>

## Queen's University Belfast - Research Portal

### What defines a geochemical map? Implications for environmental assessment.

McKinley, J., Tolosana-Delgado, R., Kron, K., de Caritat, P., Grunsky, E., Reimann, C., ... van den Boogaart, K. G. (2015). What defines a geochemical map? Implications for environmental assessment.. 302. Paper presented at The 17th Annual Conference of the International Association of Mathematical Geosciences (IAMG), Freiberg, Germany. ISBN 978-3-00-050337-5 (DVD)

#### Document Version:

Publisher final version (usually the publisher pdf)

#### Link:

[Link to publication record in Queen's University Belfast Research Portal](#)

#### General rights

Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

#### Take down policy

The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact [openaccess@qub.ac.uk](mailto:openaccess@qub.ac.uk).

## **What defines a geochemical map? Implications for environmental assessment.**

J. McKINLEY<sup>1\*</sup>, R. TOLOSANA-DELGADO<sup>2</sup>, K. HRON<sup>3</sup>, P. de CARITAT<sup>4,5</sup>, E. GRUNSKY<sup>6</sup>, C. REIMANN<sup>7</sup>, P. FILZMOSER<sup>8</sup> and K.G. van den BOOGAART<sup>1,9</sup>

<sup>1</sup>School of Geography, Archaeology and Palaeoecology, Queen's University Belfast, BT7 1NN, UK, j.mckinley@qub.ac.uk

<sup>2</sup>Dept. Modelling and Valuation – Helmholtz Zentrum Dresden Rossendorf, Helmholtz Institute Freiberg for Resource Technology, Germany.

<sup>3</sup>Dept. of Math. Anal. & Appl. of Math., Palacky University Olomouc 17. listopadu 12, CZ-771 46 Olomouc, Czech Rep.

<sup>4</sup>Geoscience Australia, GPO Box 378, Canberra ACT 2601, Australia

<sup>5</sup>Research School of Earth Sciences, Australian National University, Canberra ACT 2601, Australia

<sup>6</sup>Geological Survey of Canada, Natural Resources Canada, Ottawa, Ontario, Canada K1A 0E8

<sup>7</sup>Geological Survey of Norway, PO Box 6315 Sluppen, N-7491 Trondheim, Norway

<sup>8</sup>Institute of Statistics & Mathematical Methods in Economics, Vienna University of Technology, Wiedner Hauptstr. 8-10, 1040 Vienna, Austria

<sup>9</sup>Institute of Stochastics – Technische Universität Bergakademie Freiberg, Germany

\*presenting author

### **Abstract**

The environmental quality of land is often assessed by the calculation of threshold values which aim to differentiate between concentrations of elements based on whether the soils are in residential or industrial sites. In Europe, for example, soil guideline values exist for agricultural and grazing land. A threshold is often set to differentiate between concentrations of the element that naturally occur in the soil and concentrations that result from diffuse anthropogenic sources. Regional geochemistry and, in particular, single component geochemical maps are increasingly being used to determine these baseline environmental assessments. The key question raised in this paper is whether the geochemical map can provide an accurate interpretation on its own. Implicit is the thought that single component geochemical maps represent absolute abundances. However, because of the compositional (closed) nature of the data univariate geochemical maps cannot be compared directly with one another. As a result, any interpretation based on them is vulnerable to spurious correlation problems. What does this mean for soil geochemistry mapping, baseline quality documentation, soil resource assessment or risk evaluation? Despite the limitation of relative abundances, individual raw geochemical maps are deemed fundamental to several applications of geochemical maps including environmental assessments. However, element toxicity is related to its bioavailable concentration, which is lowered if its source is mixed with another source. Elements interact, for example under reducing conditions with iron oxides, its solid state is lost and arsenic becomes soluble and mobile. Both of these matters may be more adequately dealt with if a single component map is not interpreted in isolation to determine baseline and threshold assessments. A range of alternative compositionally compliant representations based on log-ratio and log-contrast approaches are explored to supplement the classical single component maps for environmental assessment. Case study examples are shown based on the Tellus soil geochemical dataset, covering Northern Ireland and the results of *in vitro* oral bioaccessibility testing carried out on a sub-set of archived Tellus Survey shallow soils following the Unified BARGE (Bioaccessibility Research Group of Europe).