



**QUEEN'S  
UNIVERSITY  
BELFAST**

## **Draft Genome Sequence of Escherichia coli 26R 793, a Plasmid-Free Recipient Strain Commonly Used in Conjugation Assays**

Wang, J., Hurley, D., McGrath, K., Bai, L., Hächler, H., Stephan, R., & Fanning, S. (2016). Draft Genome Sequence of Escherichia coli 26R 793, a Plasmid-Free Recipient Strain Commonly Used in Conjugation Assays. *Genome Announcements*, 4(5), Article e00707-16. <https://doi.org/10.1128/genomeA.00707-16>

**Published in:**  
Genome Announcements

**Document Version:**  
Publisher's PDF, also known as Version of record

**Queen's University Belfast - Research Portal:**  
[Link to publication record in Queen's University Belfast Research Portal](#)

### **Publisher rights**

Copyright 2016 the authors.

This is an open access article published under a Creative Commons Attribution License (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution and reproduction in any medium, provided the author and source are cited.

### **General rights**

Copyright for the publications made accessible via the Queen's University Belfast Research Portal is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

### **Take down policy**

The Research Portal is Queen's institutional repository that provides access to Queen's research output. Every effort has been made to ensure that content in the Research Portal does not infringe any person's rights, or applicable UK laws. If you discover content in the Research Portal that you believe breaches copyright or violates any law, please contact [openaccess@qub.ac.uk](mailto:openaccess@qub.ac.uk).

### **Open Access**

This research has been made openly available by Queen's academics and its Open Research team. We would love to hear how access to this research benefits you. – Share your feedback with us: <http://go.qub.ac.uk/oa-feedback>

# Draft Genome Sequence of *Escherichia coli* 26R 793, a Plasmid-Free Recipient Strain Commonly Used in Conjugation Assays

Juan Wang,<sup>a,b</sup> Daniel Hurley,<sup>b</sup> Kathleen McGrath,<sup>b</sup> Li Bai,<sup>c</sup> Herbert Hächler,<sup>d</sup> Roger Stephan,<sup>d</sup> Séamus Fanning<sup>b,c,e</sup>

College of Veterinary Medicine, Northwest A&F University, Shaanxi, China<sup>a</sup>; UCD Centre for Food Safety, School of Public Health, Physiotherapy and Sports Science, University College Dublin, Belfield, Dublin, Ireland<sup>b</sup>; Key Laboratory of Food Safety Risk Assessment, Ministry of Health, China National Centre for Food Safety Risk Assessment, Beijing, China<sup>c</sup>; Institute for Food Safety and Hygiene, Vetsuisse Faculty, University of Zurich, Zürich, Switzerland<sup>d</sup>; Institute for Global Food Security, School of Biological Sciences, Queen's University Belfast, Belfast, Northern Ireland<sup>e</sup>

**Here, we report the draft genome sequence of the lactose-negative, rifampin-resistant, *Escherichia coli* strain 26R 793. This isolate has been widely used in conjugation experiments as a general recipient strain.**

Received 27 May 2016 Accepted 2 September 2016 Published 20 October 2016

**Citation** Wang J, Hurley D, McGrath K, Bai L, Hächler H, Stephan R, Fanning S. 2016. Draft genome sequence of *Escherichia coli* 26R 793, a plasmid-free recipient strain commonly used in conjugation assays. *Genome Announc* 4(5):e00707-16. doi:10.1128/genomeA.00707-16.

**Copyright** © 2016 Wang et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Juan Wang, [juan.wang@ucdconnect.ie](mailto:juan.wang@ucdconnect.ie), or Séamus Fanning, [sfanning@ucd.ie](mailto:sfanning@ucd.ie).

Since the isolation of the original *Escherichia coli* strain K-12 which was cultured from a feces sample taken from a diphtheria patient in 1922, a variety of mutant derivatives of *E. coli* K-12 have been generated for various laboratory assays (1). The lactose-negative, rifampin-resistant strain *E. coli* 26R 793 was one such derivative (2, 3). This strain has been used for over 20 years as a recipient for conjugation experiments with *E. coli*, *Klebsiella*, and *Salmonella* species (4–6).

In this study, we determined the draft genome sequence of *E. coli* 26R 793. Genomic DNA was purified from an overnight culture using the UltraClean Microbial DNA isolation kit (MO BIO Laboratories, Inc., USA) according to the manufacturer's instructions. This template DNA was sequenced using the Illumina HiSeq 2500 platform (Illumina, San Diego, CA, USA) generating 100 bp paired-end reads from a library with an average insert size of 500 bp and a total amount of quality-filtered raw sequence of more than 600 Mbp. Reads were assembled *de novo* using SPAdes v3.6.2 (7) resulting in 102 contigs of over 200 bp. Annotation of these contigs was performed using RAST (8).

The *E. coli* 26R 793 genome was found to be 4.51 Mbp with a G+C content of 50.8%. It contained 4,335 predicted protein-coding sequences (CDS), five copies of rRNA operons, and 72 tRNA genes. An *in silico* multilocus sequence type (MLST) analysis was performed using the MLST targets. *E. coli* 26R 793 was assigned to sequence type (ST) 10 and the serotype was identified as H48.

When compared to the *E. coli* K-12 substrain MG1655 genome (GenBank accession number NC\_000913.3), 42 genes of *E. coli* 26R 793 contained single nucleotide polymorphisms (SNPs) including seven synonymous and 19 non-synonymous mutations. Further, *E. coli* 26R 793 contained eight insertional mutations, six deletional mutations, and four indels located in the region of CDS. In addition to its *rpoB* gene variant (a single amino acid substitution at position 513, when compared with *E. coli* K-12 substrain MG1655) encoding resistance to rifampin, *E. coli* 26R 793 also

possessed an enzymatic and inactivating *tet*(34) gene, and two virulence genes (*gad* and *iss*).

**Accession number(s).** The complete genome sequence of *E. coli* 26R 793 has been deposited at EMBL/GenBank under the accession number [FLKR02000000](https://www.ncbi.nlm.nih.gov/nuccore/FLKR02000000).

## ACKNOWLEDGMENTS

We are grateful to Vivi Miriagou, Laboratory of Bacteriology, Hellenic Pasteur Institute, Athens, for kindly providing the strain.

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

## REFERENCES

- Bachmann BJ. 1996. Derivations and genotypes of some mutant derivatives of *Escherichia coli* K-12, p 2460–2488. In Neidhardt FC, et al. (ed), *Escherichia coli* and *Salmonella*: cellular and molecular biology, 2nd ed. ASM Press, Washington, DC.
- Tzouveleki LS, Tzelepi E, Mentis AF, Tsakris A. 1993. Identification of a novel plasmid-mediated beta-lactamase with chromosomal cephalosporinase characteristics from *Klebsiella pneumoniae*. *J Antimicrob Chemother* 31:645–654. <http://dx.doi.org/10.1093/jac/31.5.645>.
- Clowes RC, Rowley D. 1954. Some observations on linkage effects in genetic recombination in *Escherichia coli* K-12. *J Gen Microbiol* 11: 250–260. <http://dx.doi.org/10.1099/00221287-11-2-250>.
- Pournaras S, Ikonomidis A, Tzouveleki LS, Tokatlidou D, Spanakis N, Maniatis AN, Legakis NJ, Tsakris A. 2005. VIM-12, a novel plasmid-mediated metallo-beta-lactamase from *Klebsiella pneumoniae* that resembles a VIM-1/VIM-2 hybrid. *Antimicrob Agents Chemother* 49:5153–5156. <http://dx.doi.org/10.1128/AAC.49.12.5153-5156.2005>.
- Wang J, Stephan R, Karczmarczyk M, Yan Q, Hächler H, Fanning S. 2013. Molecular characterisation of *bla*<sub>ESBL</sub>-harbouring conjugative plasmids identified in multi-drug resistant *Escherichia coli* isolated from food-producing animals and healthy humans. *Front Microbiol* 4:188. <http://dx.doi.org/10.3389/fmicb.2013.00188>.
- Balis E, Vatopoulos AC, Kanelopoulou M, Mainas E, Hatzoudis G, Kontogianni V, Malamou-Lada H, Kitsou-Kiriakopoulou S, Kalapothaki V. 1996. Indications of *in vivo* transfer of an epidemic R plasmid from *Salmonella enteritidis* to *Escherichia coli* of the normal human gut flora. *J Clin Microbiol* 34:977–979.

7. Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. *J Comput Biol* 19:455–477. <http://dx.doi.org/10.1089/cmb.2012.0021>.
8. Aziz RK, Bartels D, Best AA, DeJongh M, Disz T, Edwards RA, Formsma K, Gerdes S, Glass EM, Kubal M, Meyer F, Olsen GJ, Olson R, Osterman AL, Overbeek RA, McNeil LK, Paarmann D, Paczian T, Parrello B, Pusch GD, Reich C, Stevens R, Vassieva O, Vonstein V, Wilke A, Zagnitko O. 2008. The RAST server: Rapid Annotations using Subsystems Technology. *BMC Genomics* 9:75. <http://dx.doi.org/10.1186/1471-2164-9-75>.